

Lähteet

Kirjan *Pohjoinen – Jälkemme maailman laidalla* (Haataja Antti, Tammi 2018, ISBN 978-951-31-9458-1) lähdeluettelo.

Lähteet on jaoteltu aihepiirien mukaan. Esimerkiksi ilmastonmuutos ja eläinlajien katoaminen voivat olla läheisesti nivoutuneita, joten lähteiden sijoittelu eri aihealueisiin ei ole selvärajaista.

Siellä, missä on mahdollista liittää suora linkki lähteeseen (esimerkiksi DOI-linkki), linkki on lisätty tiedon löytämisen helpottamiseksi.

Tätä lähdeluetteloä voidaan täydentää tai muokata. Lähdeluettelon viimeisimmän päivityksen päivämäärä näkyy sivujen oikeassa yläkulmassa.

Lähteet	1
ARKTISET LAJIT	3
VALAAT	6
LOHI	8
SUURPEDOT	10
METSÄPEURA / KARIBU	14
ILMASTON LÄMPENEMINEN	16
LAJIEN KATOAMINEN	21
OMAISUUS ja SAAMENMAA	30
PORO ja PORONHOITO	32
REVONTULET	34
RAPORTIT, ATLAKSET, LAUSUNNOT, HOITO- JA KÄYTTÖSUUNNITELMAT	37
MUUT	42
SOSIAALINEN MEDIA	43
HENKILÖKOHTAISET TIEDOKSIANNOT	44

ARKTISET LAJIT

Angerbjörn A., Hersteinsson P., Lidén K. ja Nelson E. 1994, "Dietary variation in arctic foxes (*Alopex lagopus*) - an analysis of stable carbon isotopes", *Oecologia*, Vol 99, Issues 3–4, 226–232. <https://doi.org/10.1007/BF00627734>.

Angerbjörn A., Tannerfeldt M. ja Erlinge S. 1999, "Predator-prey relationships: arctic foxes and lemmings", *Journal of Animal Ecology*, Vol 68, Issue 1, 34–49. <https://doi.org/10.1046/j.1365-2656.1999.00258.x>.

Dalén, L., Götherström, A., Tannerfeldt, M. ja Angerbjörn, A. 2002, "Is the endangered Fennoscandian arctic fox (*Alopex lagopus*) population genetically isolated?", *Biological Conservation*, Vol 105, Issue 2, 171–178. [https://doi.org/10.1016/S0006-3207\(01\)00180-X](https://doi.org/10.1016/S0006-3207(01)00180-X).

Dalén L. et al. 2006, "Population structure in a critically endangered arctic fox population: does genetics matter", *Mol Ecol*, Vol 15, Issue 10, 2809–2819. <https://doi.org/10.1111/j.1365-294X.2006.02983.x>.

Douglas R.H. ja Jeffery G. 2014, "The spectral transmission of ocular media suggests ultraviolet sensitivity is widespread among mammals", *Proc. R. Soc. B*, Vol 281, Issue 1780. <http://dx.doi.org/10.1098/rspb.2013.2995>.

Frafjord K., Becker D. ja Angerbjörn A. 1989, "Interactions between arctic and red foxes in Scandinavia-predation and aggression", *Arctic*, Vol 42, Issue 4, 354–356. <https://doi.org/10.14430/arctic1677>.

Gharajehdaghipour T., Roth J., Fafard P. ja Markham J. 2016, "Arctic foxes as ecosystem engineers: increased soil nutrients lead to increased plant productivity on fox dens", *Scientific Reports*, Vol 6, Article number: 24020. <https://doi.org/10.1038/srep24020>.

Gilg O., Hanski I. ja Sittler B. 2003, "Cyclic dynamics in a simple vertebrate predator prey community", *Science*, Vol 302, Issue 5646, 866–868. <https://doi.org/10.1126/science.1087509>.

Hanski I. ja Henttonen H. 1996, "Predation on Competing Rodent Species: A Simple Explanation of Complex Patterns", *Journal of Animal Ecology*, Vol 65, Issue 2, 220–232. <http://dx.doi.org/10.2307/5725>.

Hansson L. ja Henttonen H. 1988, "Rodent dynamics as community processes", *Trends in Ecology and Evolution*, Vol 3, Issue 8, 195–200. [https://doi.org/10.1016/0169-5347\(88\)90006-7](https://doi.org/10.1016/0169-5347(88)90006-7).

Henden J.-A., Ims R., Yoccoz N., Hellström P. ja Angerbjörn A. 2009, "Strength of asymmetric competition between predators in food webs ruled by fluctuating prey: the case

of foxes in tundra”, *Oikos*, Vol 119, Issue 1, 27–34. <https://doi.org/10.1111/j.1600-0706.2009.17604.x>.

Herfindal I. et al. 2010, ”Population persistence in a landscape context: the case of endangered arctic fox populations in Fennoscandia”, *Ecography*, Vol 33, Issue 5, 932–941. <https://doi.org/10.1111/j.1600-0587.2009.05971.x>.

Hietajärvi T. 2017, *Erämaa elää. Metson matkassa Itä-Lapin kairoissa*, Väyläkirjat, Rovaniemi.

Hogg C. et al. 2011, ”Arctic reindeer extend their visual range into the ultraviolet”, *Journal of Experimental Biology*, Vol 214, Issue 12, 2014–2019. <https://doi.org/10.1242/jeb.053553>.

Kaikusalo A. 1971, ”Naalin pesimisestä Luoteis-Enontekiöllä”, *Suomen riista*, 23, 7–16.

Kaikusalo A. 1982, ”Myyrät ja Tunturi-Lapin nisäkäspedot”, *Suomen riista*, 29, 89–92.

Kaikusalo A., Henttonen H., Kyrö K. ja Mela M. 2002, *Katoavan naalin jäljillä*, Suomen WWF:n Raportteja Nro 16, WSOY, Helsinki.

Kaikusalo A., Mela M. ja Henttonen H. 2000, ”Häviääkö naali Suomesta?”, *Suomen riista*, 46, 57–65.

Kaikusalo A. 2003, *Sopulipoluilla*, Tammi, Helsinki.

Kajala L. (toim.) 2004, *Lemmenjoki - Suomen suurin kansallispuisto - The largest national park in Finland*, Metsähallitus, Jyväskylä.

Killengren S. et al. 2007, ”Structural characteristics of a low Arctic tundra ecosystem and the retreat of the Arctic fox”, *Biological conservation*, Vol 135, Issue 4, 459–472. <https://doi.org/10.1016/j.biocon.2006.10.039>.

Killengren S., Strømsend E., Yoccoz N. ja Ims R. 2011, ”How ecological neighbourhoods influence the structure of the scavenger guild in low arctic tundra”, *Diversity and Distributions*, Vol 18, Issue 6, 563–574. <http://dx.doi.org/10.1111/j.1472-4642.2011.00861.x>.

Killengren S. et al. 2011, ”The importance of marine vs. human-induced subsidies in the maintenance of an expanding mesocarnivore in the arctic tundra”, *Journal of Animal Ecology*, Vol 80, Issue 5, 1049–1060. <https://doi.org/10.1111/j.1365-2656.2011.01840.x>.

Korpela K et al. 2014, ”Predator–vole interactions in northern Europe: the role of small mustelids revised”, *Proc. R. Soc. B*, Vol 281, Issue 1797. <https://doi.org/10.1098/rspb.2014.2119>.

Le Vaillant M. et al. 2018, "Spatial distribution in Norwegian lemming *Lemmus lemmus* in relation to the phase of the cycle", *Polar Biology*, Vol 41, Issue 354. <https://doi.org/10.1007/s00300-018-2293-6>.

Nanova O. ja Prôa M. 2017, "Cranial features of mainland and Commander Islands (Russia) Arctic foxes (*Vulpes lagopus*) reflect their diverging foraging strategies", *Polar Research*, Vol 36, Issue sup 1: Arctic Fox Biology and Management. <https://doi.org/10.1080/17518369.2017.1310976>.

Nilsson E. 1971, *Sarek: Lapland's wild-life sanctuary*, Bonnier cop., Stockholm.

Nyström V., Angerbjörn A. ja Dalén L. 2006, "Genetic consequences of a demographic bottleneck in the Scandinavian arctic fox", *Oikos*, Vol 114, Issue 1, 84–94. <https://doi.org/10.1111/j.2006.0030-1299.14701.x>.

Olofsson J., Oksanen L., Hulme P. ja Suominen O. 2004, "Importance of large and small herbivores for the plant community structure in the forest–tundra ecotone", *Oikos*, Vol 106, Issue 2, 324–334. <https://doi.org/10.1111/j.0030-1299.2004.13224.x>.

Olofsson J., Stark S. ja Oksanen L. 2004, "Reindeer influence on ecosystem processes in the tundra", *Oikos*, Vol 105, Issue 2, 386–396. <https://doi.org/10.1111/j.0030-1299.2004.13048.x>.

Olofsson J. ja Oksanen L. 2005, "Effects of reindeer density on vascular plant diversity on North Scandinavian mountains", *Rangifer*, Vol 25, Issue 1, 5–18. <http://dx.doi.org/10.7557/2.25.1.332>.

Olofsson J. et al. 2014, "Long-Term Experiments Reveal Strong Interactions Between Lemmings and Plants in the Fennoscandian Highland Tundra", *Ecosystems*, Vol 17, Issue 4, 606–615. <https://doi.org/10.1007/s10021-013-9740-6>.

Oksanen L. ja Oksanen T. 1981, "Lemmings (*Lemmus lemmus*) and grey sided voles (*Clethrionomys rufocanus*) in interaction with their resources and predators on Finnmarksvidda, Northern Norway", *Rep Kevo Subarct Res Stn*, 17, 7–31.

Post E. 2005, "Large-Scale Spatial Gradients in Herbivore Population Dynamics", *Ecology*, Vol 86, No 9, 2320–2328. <https://www.jstor.org/stable/3451021>.

Pulliainen E. 1965, "On the distribution and migrations of the Arctic fox in Finland", *Aquilo Ser. Zoologica*, 2, 25–40.

Pulliainen E. ja Ala-Kotila N. 1982, "Population status of the arctic fox, *Alopex lagopus*, in Utsjoki in northern Finland, in 1980-1981", *Aquilo Ser. Zoologica*, 21, 53–56.

Rioux M-J., Lai S., Casajus N., Bêty J. ja Berteaux D. 2017, "Winter home range fidelity and extraterritorial movements of Arctic fox pairs in the Canadian High Arctic", *Polar Research*, Vol 36, Issue sup 1: Arctic Fox Biology and Management. <https://doi.org/10.1080/17518369.2017.1316930>.

Samelius G. ja Alisauskas R. 2017, "Components of population growth for Arctic foxes at a large Arctic goose colony: the relative contributions of adult survival and recruitment", *Polar Research*, Vol 36, Issue sup 1: Arctic Fox Biology and Management. <https://doi.org/10.1080/17518369.2017.1332948>.

Selås & Vik 2007, "The arctic fox *Alopex lagopus* in Fennoscandia: a victim of human-induced changes in interspecific competition and predation?", *Biodiversity and Conservation*, Vol 16, 3575–3583. <http://dx.doi.org/10.1007/s10531-006-9118-6>.

Suomalainen E.W. 1912, "Ornitologische beobachtungen während einer Reise nach Lapponia Enontekiensis im Sommer 1909", *Acta Societas Pro Fauna et Flora Fennica*, Vol 37, Issue 1, 41–42.

Tannerfeldt M. ja Angerbjörn A. 1998, "Fluctuating resources and the evolution of litter size in the arctic fox", *Oikos*, Vol 83, Issue 3, 545–559. <https://doi.org/10.2307/3546681>.

Therrien J-F., Gauthier G. ja Bêty J. 2011, "An avian terrestrial predator of the Arctic relies on the marine ecosystem during winter", *Journal of Avian Biology*, Vol 42, Issue 4, 363–369. <https://doi.org/10.1111/j.1600-048X.2011.05330.x>.

Zetterberg H. 1945, *Två fredlösa – Ur fjällrävens och järvens liv*, Uppsala.

VALAAT

Baird R. ja Dill L. 1996, "Ecological and social determinants of group size in transient killer whales", *Behavioral Ecology*, Vol 7, Issue 4, 408–416. <https://doi.org/10.1093/beheco/7.4.408>.

Baird R. ja Whitehead H. 2000, "Social organization of mammal-eating killer whales: group stability and dispersal patterns", *Canadian Journal of Zoology/Revue Canadien de Zoologie*, Vol 78, Issue 12, 2096–2105. <https://doi.org/10.1139/z00-155>.

Blue Planet II – No. 1 One Ocean, British Broadcasting Company 2017.

Edwards M., Johns D.G., Licandro P., John A.W.G. ja Stevens D.P. 2007, *Ecological Status Report: results from the CPR survey 2005/2006*, SAHFOS Technical Report, 4: 1–8. Plymouth, U.K. ISSN 1744-0750. <https://www.cprsurvey.org/media/1060/ecostat2006.pdf>.

Finley K., Bradstreet M. ja Miller G. 1990, "Summer feeding ecology of harp seals (*Phoca groenlandica*) in relation to arctic cod (*Boreogadus saida*) in the Canadian High Arctic", *Polar Biology*, Vol 10, 609–618. <http://dx.doi.org/10.1007/BF00239372>.

Forney K. ja Wade P. 2007, "Worldwide Distribution and Abundance of Killer Whales", Teoksessa: *Whales, Whaling, and Ocean Ecosystems* (Estes J., DeMaster D., Doak D., Williams T., Brownell R. 2007), University of California Press.

George J., Zeh J., Suydam R. ja Clark C. 2004, "Abundance and population trend (1978–2001) of western Arctic bowhead whales surveyed near Barrow, Alaska", *Marine Mammal Science*, Vol 20, Issue 4, 755–773. <http://dx.doi.org/10.1111/j.1748-7692.2004.tb01191.x>.

Hauser D. et al. 2018, "Indirect effects of sea ice loss on summer-fall habitat and behaviour for sympatric populations of an Arctic marine predator", *Diversity and Distributions*, Vol 24, Issue 6, 791–799. <https://doi.org/10.1111/ddi.12722>.

Heyning J. ja Dahlheim M. 1988, "Orcinus orca", *Mammalian Species*, Vol 304, 1-9. <https://www.jstor.org/stable/3504225>.

"How Orcas Work Together to Whip Up a Meal", *National Geographic July 2015*. [<https://www.nationalgeographic.com/magazine/2015/07/orcas-feeding-cooperative-hunting-killer-whales/>, viitattu 1.1.2018]

Jourdain E., Vongraven D., Bisther A. ja Karoliussen R. 2017, "First longitudinal study of seal-feeding killer whales (*Orcinus orca*) in Norwegian coastal waters", *PLoS ONE*, Vol 12, Issue 6. <https://doi.org/10.1371/journal.pone.0180099>.

"Kan være siste år med silde- og kvaleventyr i Troms-fjordene", *Havforskinstituttet 12.1.2018*. [<https://www.hi.no/hi/nyheter/2018/januar/kan-vere-siste-ar-med-kvaleventyr-i-troms-fjordene>, viitattu 2.2.2018].

MacLeod C. et al. 2005, "Climate change and the cetacean community of north-west Scotland", *Biological Conservation*, Vol 124, Issue 4, 477–483. <http://dx.doi.org/10.1016/j.biocon.2005.02.004>.

Moore S., Laidre K. ja Overland J. 2006, "Trends in sea ice cover within habitats used by bowhead whales in the Western Arctic", *Ecological Applications*, Vol 16, Issue 3, 932–944. [https://doi.org/10.1890/1051-0761\(2006\)016%5B0932:TISICW%5D2.0.CO;2](https://doi.org/10.1890/1051-0761(2006)016%5B0932:TISICW%5D2.0.CO;2).

Moore S. ja Huntington H. 2008, "Arctic marine mammals and climate change: impacts and resilience", *Ecological Applications*, Vol 18 (Supplement), 157–165. <http://dx.doi.org/10.1890/06-0571.1>.

Ragen T., Huntington H. ja Hovelsrud G. 2008, "Conservation of Arctic Marine Mammals Faced With Climate Change", *Ecological Applications*, Vol 18, Supplement: Arctic Marine Mammals, S166–S174. <http://dx.doi.org/10.1890/06-0734.1>.

Schmittner A. 2005, "Decline of the marine ecosystem caused by a reduction in the Atlantic overturning circulation", *Nature*, Vol 343, Issue 7033, 628–633. <https://doi.org/10.1038/nature03476>.

Similä T., Holst J. ja Christensen I. 1996, "Occurrence and diet of killer whales in northern Norway: seasonal patterns relative to the distribution and abundance of Norwegian spring-spawning herring", *Can. J. Fish. Aquat. Sci*, Vol 53, 769–799. <https://doi.org/10.1139/f95-253>.

Simmonds M. ja Isaac S. 2007, "The impacts of climate change on marine mammals: early signs of significant problems", *Oryx*, Vol 41, Issue 1, 19–26. <https://doi.org/10.1017/S0030605307001524>.

Simmonds M. ja Elliott W. 2009, "Climate change and cetaceans: concerns and recent developments", *Journal of the Marine Biological Association of the United Kingdom*, Vol 89, Issue 1, 203–210. <https://doi.org/10.1017/S0025315408003196>.

Spalding M. 2010, "Whales and climate change", Teoksessa: *Whales and dolphins : behavior, biology, and distribution (Murray C. 2010)*, Nova Science Publishers cop, The Ocean Foundation, Washington DC.

Tynan C. ja DeMaster D. 1997, "Observations and Predictions of Arctic Climate Change: Potential Effects on Marine Mammals", *Arctic*, Vol 50, Issue 4, 308–322. <https://doi.org/10.14430/arctic1113>.

Tynan C. ja Russell J. 2008, *Assessing the impacts of future 2C global warming on Southern Ocean cetaceans*, International Whaling Commission, Scientific Committee document SC/60/E3.

Varpe Ø., Fiksen Ø. ja Slotte A. 2005, "Meta-ecosystems and biological energy transport from ocean to coast: the ecological importance of herring migration", *Oecologia*, Vol 146, Issue 3, 443–451. <https://doi.org/10.1007/s00442-005-0219-9>.

Walsh J. 2008, "Climate of the Arctic marine environment", *Ecological Applications*, Vol 18, Issue Supplement 2, S3–S22. <https://doi.org/10.1890/06-0503.1>.

LOHI

Anon. 2016, *Status of the River Tana salmon populations 2016. Report of the Working Group on Salmon Monitoring and Research in the Tana River System*. [<http://mmm.fi/documents/1410837/2191243/2016+Tana+status+report+%28finished%29.pdf/aeb21d07-b635-4380-bd71-528165062d52>, viitattu 24.11.2016].

Anon. 2018, *Status of the Tana/Teno River salmon populations in 2017. Report from the Tana Monitoring and Research Group nr 1/2018*. [https://www.luke.fi/wp-content/uploads/2018/06/Tana-status-report-1-2018_suomi.pdf, viitattu 10.5.2018].

Aykanat T. et al. 2015, "Low but significant genetic differentiation underlies biologically meaningful phenotypic divergence in a large Atlantic salmon population", *Molecular Ecology*, Vol 24, Issue 20, 5158–5274. <https://doi.org/10.1111/mec.13383>.

Borgstrøm R. et al. 2010, "Temporal changes in ascendance and in-season exploitation of Atlantic salmon, *Salmo salar*, inferred by a video camera array", *Fisheries Management and Ecology*, Vol 17, Issue 5, 454–463. <https://doi.org/10.1111/j.1365-2400.2010.00744.x>.

"Ilmastomuutos sekoittaa jokien vuodenvuorokierroa, johon luonto on sopeutunut", *#muutos 26.10.2016*. [<http://www.muutoslehti.fi/artikkelit/ilmastonmuutos-sekoittaa-jokien-vuodenvuorokierroa-johon-luonto-on-sopeutunut/>, viitattu: 13.11.2016].

Karlsson S., Diserud O., Fiske P. ja Hindar K. 2016, "Widespread genetic introgression of escaped farmed Atlantic salmon in wild salmon populations", *ICES Journal of Marine Science*, Vol 73, Issue 10, 2488–2498. <https://doi.org/10.1093/icesjms/fsw121>.

Lennox R. et al. 2017, "Behaviour and survival of wild Atlantic salmon *Salmo salar* captured and released while surveillance angling for escaped farmed salmon", *Acquaquilt Environ Interact*, Vol 9, 311–319. <https://doi.org/10.3354/aei00235>.

Niemelä E. et al. 2006, "Previously spawned Atlantic salmon ascend a large subarctic river earlier than their maiden counterparts", *Journal of Fish Biology*, Vol 69, Issue 4, 1151–1163. <https://doi.org/10.1111/j.1095-8649.2006.01190.x>.

Shiklomanov A., Lammers R., Rawlins M., Smith L. ja Pavelsky T. 2007, "Temporal and spatial variations in maximum river discharge from a new Russian data set", *Journal of Geophysical Research*, Vol 112, Issue G4. <https://doi.org/10.1029/2006JG000352>.

Strøm J., Thorstadt E., Hedger R. ja Rikardsen A. 2018, "Revealing the full ocean migration of individual Atlantic salmon", *Animal Biotelemetry*, Vol 6, Issue 2. <https://doi.org/10.1186/s40317-018-0146-2>.

Tolonen K. 2018, "Taxonomic and Functional Organization of Macroinvertebrate Communities in Subarctic Streams", *Acta Universitatis Ouluensis, A Scientiae Rerum Naturalium* 707, University of Oulu, Oulu. <http://urn.fi/urn:isbn:9789526217673>.

Vähä J-P, Erkinaro J., Niemelä E. ja Primmer C. 2008, "Temporally stable genetic structure and low migration in an Atlantic salmon population complex: implications for conservation and management", *Evolutionary Applications*, Vol 1, Issue 1, 137–154. <https://doi.org/10.1111/j.1752-4571.2007.00007.x>.

Vähä J-P et al. 2010, "Temporally stable population-specific differences in run timing of one-sea-winter Atlantic salmon returning to a large river system", *Evolutionary Applications*, Vol 4, Issue 1, 39–53. <https://doi.org/10.1111/j.1752-4571.2010.00131.x>.

Vähä J-P, Erkinaro J., Falkegård M., Orell P. ja Niemelä E. 2017, "Genetic stock identification of Atlantic salmon and its evaluation in a large population complex", *Canadian Journal of Fisheries and Aquatic Sciences*, Vol 74, Issue 3, 327–338. <https://doi.org/10.1139/cjfas-2015-0606>.

Yrjölä S., Lehtonen H. ja Nyberg K. 2015, *Suomen kalat*, Kustannusosakeyhtiö Nemo, Helsinki.

SUURPEDOT

Aspi J., Roininen E., Ruokonen M., Kojolo I. ja Vilá C. 2006, "Genetic diversity, population structure, effective population size and demographic history of the Finnish wolf population", *Molecular Ecology*, Vol 15, Issue 6, 1561–1576. <https://doi.org/10.1111/j.1365-294X.2006.02877.x>.

Aspi J. et al. 2009, "Genetic structure of the northwestern Russian wolf populations and gene flow between Russia and Finland", *Conservation Genetics*, Vol 10, Issue 4, 815–826. <https://doi.org/10.1007/s10592-008-9642-x>.

Bergstrom B. 2017, "Carnivore conservation: shifting the paradigm from control to coexistence", *Journal of Mammalogy*, Vol 98, Issue 1, 1–6. <https://doi.org/10.1093/jmammal/gyw185>.

Chapron G., Andren H. ja Liberg O. 2008, "Conserving Top Predators in Ecosystems", *Science*, Vol 320, Issue 5872, 47. <https://doi.org/10.1126/science.320.5872.47a>.

Chapron G., López-Bao J. V., Kjellander P. ja Karlsson J. 2013, "Misuse of Scientific Data in Wolf Policy", *Science*, Vol 339, Issue 6127, 1521. <https://doi.org/10.1126/science.339.6127.1521-a>.

Chapron G. et al. 2014, "Recovery of large carnivores in Europe's modern human-dominated landscapes", *Science*, Vol 346, Issue 6216, 1517–1519. <https://doi.org/10.1126/science.1257553>.

Chapron G. ja López-Bao J. V. 2016, "Coexistence with Large Carnivores Informed by Community Ecology", *Trends in Ecology & Evolution*, Vol 31, Issue 8, 578–580. <https://doi.org/10.1016/j.tree.2016.06.003>.

Chapron G. ja Treves A. 2016, "Blood does not buy goodwill: allowing culling increases poaching of a large carnivore", *Proc. R. Soc. B*, Vol 283, Issue 1830. <https://doi.org/10.1098/rspb.2015.2939>.

Creel S. et al. 2015, "Questionable policy for large carnivore hunting", *Science*, Vol 350, Issue 6267, 1473–1475. <https://doi.org/10.1126/science.aac4768>.

Di Minin E. et al. 2016, "Global priorities for national carnivore conservation under land use change", *Scientific Reports*, Vol 6, Article number 23814. <https://doi.org/10.1038/srep23814>.

"Does Killing Sharks, Wolves and Other Top Predators Solve Our Conflicts with Them?", *Scientific American* 9.6.2018. [<https://www.scientificamerican.com/article/does-killing-sharks-wolves-and-other-top-predators-solve-our-conflicts-with-them/?sf191431414=1>, viitattu 10.6.2018].

Dopson A. 2014, "Yellowstone Wolves and the Forces That Structure Natural Systems", *PLoS Biol*, Vol 12, Issue 12. <https://doi.org/10.1371/journal.pbio.1002025>.

Epstein Y. 2016, "Favourable Conservation Status for Species: Examining the Habitats Directive's Key Concept through a Case Study of the Swedish Wolf", *Journal of Environmental Law*, Vol 28, Issue 2, 221–244. <https://doi.org/10.1093/jel/eqw006>.

Fernández-Gil A. et al. 2016, "Conflict Misleads Large Carnivore Management and Conservation: Brown Bears and Wolves in Spain", *PloS One*, Vol 11, Issue 3. <https://doi.org/10.1371/journal.pone.0151541>.

Frank J., Johansson M. ja Flykt A. 2015, "Public attitude towards the implementation of management actions aimed at reducing human fear of brown bears and wolves", *Wildlife Biology*, Vol 21, Issue 3, 122–130. <https://doi.org/10.2981/wlb.13116>.

Garrott R. et al. 2005, "Generalizing Wolf Effects across the Greater Yellowstone Area: A Cautionary Note", *Wildlife Society Bulletin*, Vol 33, Issue 4, 1245–1255. <http://dx.doi.org/10.2307/3784896>.

Geffen E., Anderson J. M. ja Wayne R. K. 2004, "Climate and habitat barriers to dispersal in the highly mobile grey wolf ", *Molecular Ecology*, Vol 13, Issue 8, 2481–2490. <http://dx.doi.org/10.1111/j.1365-294X.2004.02244.x>.

Hagen S. B., Kopatz A., Aspi J., Kojola I. ja Eiken H.G. 2015, "Evidence of rapid change in genetic structure and diversity during range expansion in a recovering large terrestrial carnivore", *Proc. R. Soc. B*, Vol 282, Issue 1807. <https://doi.org/10.1098/rspb.2015.0092>.

Harrer L. ja Levi T. 2018, "The primacy of bears as seed dispersers in salmon-bearing ecosystems", *Ecosphere*, Vol 9, Issue 1. <https://doi.org/10.1002/ecs2.2076>.

Hendricks P. 2001, "Conservation genetics: where are we now?", *TRENDS in Ecology & Evolution*, Vol 16, Issue 11, 629–636. [http://dx.doi.org/10.1016/S0169-5347\(01\)02282-0](http://dx.doi.org/10.1016/S0169-5347(01)02282-0).

Hendrick P., Petersen R., Vucetich L., Adams J. ja Vucetich J. 2014, "Genetic rescue in Isle Royale wolves: genetic analysis and the collapse of the population", *Conservation Genetics*, Vol 15, Issue 5, 1111–1121. <https://doi.org/10.1007/s10592-014-0604-1>.

Hill C., Webber A. ja Priston N. (toim.) 2017, *Understanding Conflicts about Wildlife – A Biosocial Approach*, Berghahn Books, New York, Oxford.

Hindrikson M. et al. 2017, "Wolf population genetics in Europe: a systematic review, meta-analysis and suggestions for conservation and management", *Biological Reviews*, Vol 92, Issue 3, 1601–1629. <https://doi.org/10.1111/brv.12298>.

"Idän petomafia", *Kainuun Sanomat* 4.12.2011.

Jansson E., Ruokonen M., Kojola I. ja Aspi J. 2012, "Rise and fall of a wolf population: genetic diversity and structure during recovery, rapid expansion and drastic decline", *Molecular Ecology*, Vol 21, Issue 21, 5178–5193. <https://doi.org/10.1111/mec.12010>.

Kaartinen S., Antikainen H. ja Kojola I. 2015, "Habitat Model for a Recolonizing Wolf (*Canis lupus*) Population in Finland", *Ann. Zool. Fennici*, Vol 52, Issues 1–2, 77–89. <https://doi.org/10.5735/086.052.0207>.

Kojola I. ja Heikkinen S. 2006, "The structure of the expanded brown bear population at the edge of the Finnish range", *Annales Zoologici Fennici*, Vol 43, Issue 3, 258–262. <http://www.sekj.org/PDF/anz43-free/anz43-258.pdf>.

Kojola I., Kaartinen S., Hakala A., Heikkinen S. ja Voipio H-M. 2009, "Dispersal Behavior and the Connectivity Between Wolf Populations in Northern Europe", *Journal of Wildlife Management*, Vol 73, Issue 3, 309–313. <https://doi.org/10.2193/2007-539>.

Kojola I. 2015, *Biology of large carnivore - human coexistence*, Human-wildlife encounters - conflicts, threats and solutions -luentosarja, 2.12.2015, LUOVA doctoral program in wildlife biology research, Helsingin yliopisto, Helsinki, Suomi.

Kojola I. et al. 2016, "Wolf visitations close to human residences in Finland: The role of age, residence density, and time of day", *Biological Conservation*, Vol 198, 9–14. <https://doi.org/10.1016/j.biocon.2016.03.025>.

Koskela A. et al. 2013, "Does grey wolf presence affect habitat selection of wolverines?", *Ann. Zool. Fennici*, Vol 50, Issue 4, 216–224. <https://doi.org/10.5735/085.050.0405>.

Laaksonen M. 2013, *Susi*, Maahenki, Porvoo.

- Laikre L., Olsson F., Jansson E., Hössjer O. ja Ryman N. 2016, "Metapopulation effective size and conservation genetic goals for the Fennoscandian wolf (*Canis lupus*) population", *Heredity*, Vol 117, 279-289. <https://doi.org/10.1038/hdy.2016.44>.
- Landa A., Strand J. ja Skogland T. 1997, "Wolverines and their prey in Southern Norway", *Canadian Journal of Zoology*, Vol 75, Issue 8, 1292–1299. <https://doi.org/10.1139/z97-153>.
- Lennox R., Gallagher A., Ritchie E. ja Cooke S. 2018, "Evaluating the efficacy of predator removal in a conflict-prone world", *Biological Conservation*, Vol 224, 277–289. <https://doi.org/10.1016/j.biocon.2018.05.003>.
- Letnic M., Crowther M.S. ja Koch F. 2009, "Does a top-predator provide an endangered rodent with refuge from an invasive mesopredator?", *Animal Conservation*, Vol 12, 302–312. <https://doi.org/10.1111/j.1469-1795.2009.00250.x>.
- Liberg O. et al. 2005, "Severe inbreeding depression in a wild wolf (*Canis lupus*) population", *Biology Letters*, Vol 1, Issue 1, 17–20. <https://doi.org/10.1098/rsbl.2004.0266>.
- Mattisson J., Persson J., Andrén H. ja Segerström P. 2011, "Temporal and spatial interactions between an obligate predator, the Eurasian lynx (*Lynx lynx*), and a facultative scavenger, the wolverine (*Gulo gulo*)", *Canadian Journal of Zoology*, Vol 89, Issue 2, 79–89. <https://doi.org/10.1139/Z10-097>.
- Mattisson J. et al. 2016, "Predation or scavenging? Prey body condition influences decision-making in a facultative predator, the wolverine", *Ecosphere - An ESA open access journal*, Vol 7, Issue 8. <https://doi.org/10.1002/ecs2.1407>.
- O'Bryan C. et al. 2018, "The contribution of predators and scavengers to human well-being", *Nature Ecology & Evolution*, Vol 2, 229–236. <https://doi.org/10.1038/s41559-017-0421-2>.
- Odden J., Nilsen E. ja Linnell J. 2013, "Density of Wild Prey Modulates Lynx Kill Rates on Free-Ranging Domestic Sheep", *PLoS ONE*, Vol 8, Issue 11. <https://doi.org/10.1371/journal.pone.0079261>.
- Parker et al. 2013, "Conserving large carnivores: dollars and fence", *Ecology Letters*, Vol 16, Issue 5, 635–641. <https://doi.org/10.1111/ele.12091>.
- Persson I-L., Wikan S., Swenson J. ja Mysterud I. 2001, "The diet of the brown bear *Ursus arctos* in the Pasvik Valley", *Wildlife Biology*, Vol 7, Issue 1, 27–37. <https://doi.org/10.2981/wlb.2001.006>.
- Ripple W. ja Beschta R. 2012, "Large predators limit herbivore densities in northern forest ecosystems", *European journal of wildlife research*, Vol 58, Issue 4, 733–742. <https://doi.org/10.1007/s10344-012-0623-5>.

Ripple W. et al. 2014, "Status and Ecological Effects of the World's Largest Carnivores", *Science*, Vol 343, Issue 6167. <https://doi.org/10.1126/science.1241484>.

Ritchie E. ja Johnson C. 2009, "Predator interactions, mesopredator release and biodiversity conservation", *Ecology Letters*, Vol 12, Issue 9, 982–998. <https://doi.org/10.1111/j.1461-0248.2009.01347.x>.

Ritchie E. et al. 2012, "Ecosystem restoration with teeth: what role for predators?", *Trends in Ecology and Evolution*, Vol 27, Issue 5, 265–271. <https://doi-org.libproxy.helsinki.fi/10.1016/j.tree.2012.01.001>.

Räikkönen J., Bignert A., Mortensen P. ja Fernholm B. 2006, "Congenital defects in a highly inbred wild wolf population (*Canis lupus*)", *Mammalian biology*, Vol 71, Issue 2, 65–73. <https://doi.org/10.1016/j.mambio.2005.12.002>.

Räikkönen J., Vucetich J., Vucetich L., Peterson R. ja Nelson M. 2013, "What the Inbred Scandinavian Wolf Population Tells Us about the Nature of Conservation", *PLoS ONE*, Vol 8, Issue 6. <https://doi.org/10.1371/journal.pone.0067218>.

Skogen K., Kränge O. ja Figari H. 2017, *Wolf Conflicts – A Sociological Study*, Berghahn Books, New York, Oxford.

Suutarinen J. ja Kojola I. 2017, "Poaching regulates the legally hunted wolf population in Finland", *Biological Conservation*, Vol 215, 11–18. <https://doi.org/10.1016/j.biocon.2017.08.031>.

Suutarinen J. , Kojola I. ja Ovaskainen O. 2011, "Summer movements, predation and habitat use of wolves in human modified boreal forests", *Oecologia*, Vol 165, Issue 4, 891–903. <https://doi.org/10.1007/s00442-010-1883-y>.

Terboch J. et al. 2001, "Ecological Meltdown in Predator-Free Forest Fragments", *Science*, Vol 294, Issue 30, 1923–1926. <https://doi.org/10.1126/science.1064397>.

Wallach A., Johnson C., Ritchie E. ja O'Neill A. 2010, "Predator control promotes invasive dominated ecological states", *Ecology Letters*, Vol 13, 1008–1018. <https://doi.org/10.1111/j.1461-0248.2010.01492.x>.

Wallach A. et al. 2015, "What is an apex predator?", *Oikos*, Vol 124, Issue 11, 1453–1461. <https://doi.org/10.1111/oik.01977>.

Wielgus R. ja Peebles K. 2014, "Effects of Wolf Mortality on Livestock Depredations", *Plos One*, Vol 9, Issue 12. <https://doi.org/10.1371/journal.pone.0113505>.

METSÄPEURA / KARIBU

Festa-Bianchet M, Ray JC, Boutin S, Côté SD ja Gunn A. 2011, ”Conservation of caribou (*Rangifer tarandus*) in Canada: An uncertain future”, *Canadian Journal of Zoology*, Vol 89, Issue 5, 419–434. <https://doi.org/10.1139/z11-025>.

Gromtsev et. al 2003, *Biotic diversity of Karelia: conditions of formation, communities and species*, Karelian Research Centre of RAS, 224 p.

Helle T. 1982, *Peuran ja poron jäljillä*, Kirjayhtymä, Helsinki.

Kojola I. et al. 2009, ”European Wild Forest Reindeer and Wolves: Endangered Prey and Predators”, *Annales Zoologici Fennici*, Vol 46, Issue 6, 416–422. <https://doi.org/10.5735/086.046.0602>.

Metsäpeura, Metsähallitus, <https://www.suomenpeura.fi>.

Metsäpeuran paluu, Yleisradio 2001. [<https://areena.yle.fi/1-761489>, viitattu 2.4.2018].

Montonen M. 1974, *Suomen Peura*, Werner Söderström Osakeyhtiö, Helsinki.

Paasivaara A. 2016, *Minne menet metsäpeura - (Rangifer tarandus fennicus) kannan seuranta ja sitä tukeva tutkimus*, Riistapäivät 2016, Luonnonvarakeskus. [http://www.metla.fi/tapahtumat/2016/riistapaivat-2016/esitykset/20_1130_Paasivaara.pdf, viitattu 6.2.2017].

Pulliainen E. ja Leinonen A. 1990, *Petra – Karjalan Peura*, Kustannusosakeyhtiö Tammi, Helsinki.

Riista- ja kalatalouden tutkimuslaitos 2015, *Metsäpeuratoimintasuunnitelma – Suomalais-venäläinen metsäpeurahanke 2013-2014*. [<https://www.suomenpeura.fi/media/metsapeura-tiedostot/wild-forest-reindeer-action-plan-fi.pdf>, viitattu 1.2.2018].

ILMASTON LÄMPENEMINEN

Aalto J., Harrison S. ja Luoto M. 2017, ”Statistical modelling predicts almost complete loss of major periglacial processes in Northern Europe by 2100”, *Nature Communications*, Vol 8, Issue 55. <https://doi.org/10.1038/s41467-017-00669-3>.

Abbott B. et al. 2016, ”Biomass offsets little or none of permafrost carbon release from soils, streams, and wildfire: an expert assessment”, *Environ. Res. Lett.*, Volume 11, Issue 3. <https://doi.org/10.1088/1748-9326/11/3/034014>.

AMAP, 2011, *Snow, Water, Ice and Permafrost in the Arctic (SWIPA): Climate Change and the Cryosphere*, Arctic Monitoring and Assessment Programme (AMAP), Oslo, Norway.

AMAP 2012, *Arctic Climate Issues 2011: Changes in Arctic Snow, Water, Ice and Permafrost*, SWIPA 2011, Overview Report, Oslo, Norway.

AMAP 2013, *AMAP Assessment 2013: Arctic Ocean Acidification*, Arctic Monitoring and Assessment Programme (AMAP), Oslo, Norway.

AMAP 2015, *AMAP Assessment 2015: Methane as an Arctic climate forcer*, Arctic Monitoring and Assessment Programme (AMAP), Oslo, Norway.

AMAP 2017, *Snow, Water, Ice and Permafrost in the Arctic (SWIPA) 2017*, Arctic Monitoring and Assessment Programme (AMAP), Oslo, Norway.

Anctil A., Franke A. ja Bêty J. 2014, ”Heavy rainfall increases nestling mortality of an arctic top predator: experimental evidence and long-term trend in peregrine falcons”, *Oecologia*, Vol 174, Issue 3, 1033–1043. <https://doi.org/10.1007/s00442-013-2800-y>

Andersen A. 2010, *Kun Arktis sulaa: elämä, kuolema ja politiikka arktisella alueella*, Art House, Helsinki.

Auer S. ja Martin T. 2012, ”Climate change has indirect effects on resource use and overlap among coexisting bird species with negative consequences for their reproductive success”, *Global Change Biology*, Vol 19, Issue 2, 411–419. <https://doi.org/10.1111/gcb.12062>.

Beest M., Sitters J., Menard C. ja Olofsson J. 2016, ”Reindeer grazing increases summer albedo by reducing shrub abundance in Arctic tundra”, *Environmental Research Letters*, Vol 11, Issue 12. <https://doi.org/10.1088/1748-9326/aa5128>.

Bergen J. et al 2015, ”Unexpected Levels of Biological Activity during the Polar Night Offer New Perspectives on a Warming Arctic”, *Current Biology*, Vol 25, Issue 19, 2555–2561. <https://doi.org/10.1016/j.cub.2015.08.024>.

Borge A., Westermann S., Solheim I. ja Etzelmüller B. 2017, "Strong degradation of palsas and peat plateaus in northern Norway during the last 60 years", *The Cryosphere*, Vol 11, 1–16. <http://dx.doi.org/10.5194/tc-11-1-2017>.

British Ecological Society 2016, "Reindeer left hungry, shrinking in warming world.", *ScienceDaily* 12.12.2016, [www.sciencedaily.com/releases/2016/12/161212084646.htm, viitattu 16.1.2017].

Brommer J., Hanski I., Kekkonen J. ja Väisänen R. 2015, "Bergmann on the move: a temporal change in the latitudinal gradient in body mass of a wild passerine", *Journal of Ornithology*, Vol 156, Issue 1105. <https://doi.org/10.1007/s10336-015-1211-8>.

Brommer J., Lehikoinen A. ja Valkama J. 2012, "The Breeding Ranges of Central European and Arctic Bird Species Move Poleward", *PLOS ONE*, Vol 7, Issue 9. <https://doi.org/10.1371/journal.pone.0043648>.

Callaghan T.V. et al. 2004, "Biodiversity, distributions and adaptations of arctic species in the context of environmental change", *Ambio*, Vol 33, Issue 7, 404–417. <https://doi.org/10.1579/0044-7447-33.7.404>.

Clarkson M.O. et al. 2015, "Ocean acidification and the Permo-Triassic mass extinction", *Science*, Vol 348, Issue 6231, 229–232. <https://doi.org/10.1126/science.aaa0193>.

Comiso J. ja Hall D. 2014, "Climate trends in the Arctic as observed from space", *WIREs Climate Change*, Vol 5, Issue 3, 389–409. <https://doi.org/10.1002/wcc.277>.

Culler L., Ayres M. ja Virginia R. 2015, "In a warmer Arctic, mosquitoes avoid increased mortality from predators by growing faster", *Proceedings of the the Royal Society B*, Vol 282, Issue 1815. <https://doi.org/10.1098/rspb.2015.1549>.

Deutsch C., Ferrel A., Seibel B., Pörtner H-O. ja Huey R. 2015, "Climate change tightens on metabolic constraint on marine habitats", *Science*, Vol 348, Issue 6239, 1132–1135. <https://doi.org/10.1126/science.aaa1605>.

Devictor V. et al. 2012, "Differences in the climatic debts of birds and butterflies at a continental scale", *Nature Climate Change*, Vol 2, 121–124. <https://doi.org/10.1038/nclimate1347>.

Diffenbauch N., Singh D. ja Mankin J. 2018, "Unprecedented climate events: Historical changes, aspirational targets, and national commitments", *Science Advances*, Vol 4, Issue 2. <https://doi.org/10.1126/sciadv.aao3354>.

Elmhagen B., Kindberg J., Hellström P. ja Angerbjörn A. 2015, "A boreal invasion in response to climate change? Range shifts and community effects in the borderland between forest and tundra", *Ambio*, Vol 44, Supplement 1, 39–50. <https://doi.org/10.1007/s13280-014-0606-8>.

Eskelinen A., Kaarlejärvi E. ja Olofsson J. 2017, "Herbivory and nutrient limitation protect warming tundra from lowland species' invasion and diversity loss", *Global Change Biology*, Vol 22, Issue 1, 245–255. <https://doi.org/10.1111/gcb.13397>.

Feldman D. et al. 2014, "Far-infrared surface emissivity and climate", *PNAS*, Vol 111, Issue 46, 16297–16302. <https://doi.org/10.1073/pnas.1413640111>.

Field C., Behrenfeld M., Randerson J. ja Falkowski P. 1998, "Primary Production of the Biosphere: Integrating Terrestrial and Oceanic Components", *Science*, Vol 281, Issue 5374, 237–240. <http://dx.doi.org/10.1126/science.281.5374.237>.

Gaston A., Gilchrist G. ja Hipfner M. 2005, "Climate change, ice conditions and reproduction in an Arctic nesting marine bird: Brunnich's guillemot (*Uria lomvia L.*)", *Journal of Animal Ecology*, Vol 74, Issue 5, 832–841. <https://doi.org/10.1111/j.1365-2656.2005.00982.x>.

Ikeda M., Wang J. ja Makshtas A. 2003, "Importance of Clouds to the Decaying Trend and Decadal Variability in the Arctic Ice Cover", *Journal of the Meteorological Society of Japan*, Vol 81, Issue 1, 179–189. <https://doi.org/10.2151/jmsj.81.179>.

Kaarlejärvi E., Hoset K. ja Olofsson J. 2015, "Mammalian herbivores confer resilience of Arctic shrub-dominated ecosystems to changing climate", *Global Change Biology*, Vol 21, Issue 9, 3379–3388, <https://doi.org/10.1111/gcb.12970>.

Kati V. et al. 2014, "Signals of Climate Change in Butterfly Communities in a Mediterranean Protected Area", *PLoS One*, Vol 9, Issue 1. <https://doi.org/10.1371/journal.pone.0087245>.

Keith et al. 2014, "Detecting Extinction Risk from Climate Change by IUCN Red List Criteria", *Conservation Biology*, Vol 28, Issue 3, 810–819. <https://doi.org/10.1111/cobi.12234>.

Keogan K. et al. 2018, "Global phenological insensitivity to shifting ocean temperatures among seabirds", *Nature Climate Change*, Vol 8, Issue 4, 313–317. <https://doi.org/10.1038/s41558-018-0115-z>.

Käyhkö J. et al. 2014, "Can Reindeer Grazing Stop Expansion of Woody Vegetation in the Warming Tundra?", *International Geographical Union Regional Conference CHANGES, CHALLENGES, RESPONSIBILITIES*, Krakow, Poland.

Laffoley, D. & Baxter, J. M. (toim.). 2016, *Explaining ocean warming: Causes, scale, effects and consequences. Full report*, IUCN, Gland, Switzerland

Lagerholm V. et al. 2017, "Range shifts or extinction? Ancient DNA and distribution modelling reveal past and future responses to climate warming in cold-adapted birds", *Global Change Biology*, Vol 24, Issue 4, 1425–1445. <https://doi.org/10.1111/gcb.13522>.

Lehikoinen A., Green M., Husby M., Kålås J., Lindström Å 2014, "Common montane birds are declining in northern Europe", *Journal of Avian Biology*, Vol 45, Issue 1, 3–14. doi.org/10.1111/j.1600-048X.2013.00177.x

Lehikoinen A. ja Wirkkala R. 2015, "North by north-west: climate change and directions of density shifts in birds", *Global Change Biology*, Vol 22, Issue 3, 1121–1129. <https://doi.org/10.1111/gcb.13150>.

Lehikoinen A. et al. 2016, "The impact of weather and the phase of the rodent cycle on breeding populations of waterbirds in Finnish Lapland", *Ornis Fennica*, Vol 93, 31–46. <http://urn.fi/URN:NBN:fi:jyu-201609084039>.

Oliver T. et al. 2017, "Large extents of intensive land use limit community reorganization during climate warming", *Global Change Biology*, Vol 23, Issue 6, 2272–2283. <http://dx.doi.org/10.1111/gcb.13587>.

Payette S., Delwaide A., Caccianiga M. ja Beauchemin M. 2004, "Accelerated thawing of subarctic peatland permafrost over the last 50 years", *Geophysical Research Letters*, Vol 31, Issue 18. <https://doi.org/10.1029/2004GL020358>.

Parmesan C. ja Yohe G. 2003, "A globally coherent fingerprint of climate change impacts across natural systems", *Nature*, Vol 421, Issue 6918, 37–42. <https://doi.org/10.1038/nature01286>.

Polis G. ja Hurd S. 1996, "Linking Marine and Terrestrial Food Webs: Allochthonous Input from the Ocean Supports High Secondary Productivity on Small Islands and Coastal Land Communities", *The American Naturalist*, Vol 147, Issue 3, 813–842. <https://doi.org/10.1086/285858>.

Salonen S. et al. 2018, "Abrupt high-latitude climate events and decoupled seasonal trends during the Eemian", *Nature Communications*, Vol 9, Article number: 2851. <https://doi.org/10.1038/s41467-018-05314-1>.

Schuur E. A. G. et al. 2015, "Climate change and the permafrost carbon feedback", *Nature*, Vol 520, Issue 7546, 171–179. <https://doi.org/10.1038/nature14338>.

Screen J.A., Deser C. ja Simmonds I. 2012, "Local and remote controls on observed Arctic warming", *Geophysical Research Letters*, Vol 39, Issue 10. <https://doi.org/10.1029/2012GL051598>.

Stephens P. et al. 2016, "Consistent response of bird populations to climate change on two continents", *Science*, Vol 352, Issue 6281, 84–87. <https://doi.org/10.1126/science.aac4858>.

Stien A. et al. 2010, "Icing events trigger range displacement in a high-arctic ungulate", *Ecology*, Vol 91, Issue 3, 915–920. <https://doi.org/10.1890/09-0056.1>.

Virkkala R. ja Rajasärkkä A. 2011, "Climate change affects populations of northern birds in boreal protected areas", *Biol. Lett.*, Vol 7, 395–398. <https://doi.org/10.1098/rsbl.2010.1052>.

Virkkala R. ja Lehikoinen A. 2014, "Patterns of climate-induced density shifts of species: poleward shifts faster in northern boreal birds than in southern birds", *Global Change Biology*, Vol 20, Issue 10, 2995–3003. <https://doi.org/10.1111/gcb.12573>.

Virkkala R., Pöyry J., Heikkinen R., Lehikoinen A. ja Valkama J. 2014, "Protected areas alleviate climate change effects on northern bird species of conservation concern", *Ecology and Evolution*, Vol 4, Issue 15, 2991–3003. <https://doi.org/10.1002/ece3.1162>.

Virkkala R. ja Lehikoinen A. 2017, "Birds on the move in the face of climate change: High species turnover in northern Europe", *Ecology and Evolution*, 1-9. <https://doi.org/10.1002/ece3.3328>.

Visser M., Vannoordwijk A., Tinbergen J. ja Lessells C. 1998, "Warmer springs lead to mistimed reproduction in great tits (*Parus major*)", *Proc. R. Soc. Lond. B*, Vol 265, 1867–1870. <https://doi.org/10.1098/rspb.1998.0514>.

Weladji R. ja Holand Ø. 2003, "Global climate change and reindeer: effects of winter weather on the autumn weight and growth of calves", *Oecologia*, Vol 136, Issue 2, 317–323. <https://doi.org/10.1007/s00442-003-1257-9>.

World Meteorological Organization 2016, *The Global Climate in 2011–2015*, World Meteorological Organization, Geneva, Switzerland.

"Worrisome growth patterns. Research connects earlier spring to climate change", *Harvard Gazette* 17.6.2014. [http://news.harvard.edu/gazette/story/2014/06/worrisome-growth-pattern/?utm_source=twitter&utm_medium=social&utm_campaign=hu-twitter-general, viitattu 5.6.2018].

Zarnetske P., Skelly D. ja Urban M. 2012, "Biotic Multipliers of Climate Change", *Science*, Vol. 336, Issue 6088, 1516–1518. <https://doi.org/10.1126/science.1222732>.

Yamamoto A., Kawamiya M., Ishida A., Yamanaka Y. ja Watanabe S. 2012, "Impact of rapid sea-ice reduction in the Arctic Ocean on the rate of ocean acidification", *Biogeosciences*, Vol 9, 2365–2375. <https://doi.org/10.5194/bg-9-2365-2012>.

LAJIEN KATOAMINEN

Academician Ilkka Hanski's farewell lecture: A Brief Biodiversity Tour, University of Helsinki. [<https://www.youtube.com/watch?v=9IU9ZtEdgWU&feature=youtu.be>, viitattu 31.8.2016. <https://www.helsinki.fi/en/news/ilkka-hanskis-farewell-lecture-discusses-the-core-of-biodiversity>, viitattu 31.8.2016].

Adli J., Fisher D., Vartanyan S. ja Tikhonov A. 2016, "Final years of life and seasons of death of woolly mammoths from Wrangel Island and mainland Chukotka, Russian Federation", *Quaternary International*, Vol 445, 135–145. <https://doi.org/10.1016/j.quaint.2016.07.017>.

Barbet-Massin M., Thuiller W. ja Jiguet F. 2012, "The fate of European breeding birds under climate, land-use and dispersal scenarios", *Global Change Biology*, Vol 18, Issue 3, 881–890. <https://doi.org/10.1111/j.1365-2486.2011.02552.x>.

Barnes M., Craigie I., Dudley N. ja Hockings M. 2016, "Understanding local–scale drivers of biodiversity outcomes in terrestrial protected areas", *Annals of the New York Academy of Sciences*, Vol 1399, Issue 1, 42–60. <https://doi.org/10.1111/nyas.13154>.

Barnosky A. et al. 2011, "Has the Earth's sixth mass extinction already arrived?", *Nature*, Vol 471, Issue 7336, 51–57. <https://doi.org/10.1038/nature09678>.

Botero A., Weissing F., Wright J. ja Rubenstein D. 2014, "Evolutionary tipping points in the capacity to adapt to environmental change", *PNAS*, Vol 112, Issue 1, 184–189. <https://doi.org/10.1073/pnas.1408589111>.

Butchart S. et al. 2010, "Global Biodiversity: Indicators of Recent Declines", *Science*, Vol 328, Issue 5982, 1164–1168. <https://doi.org/10.1126/science.1187512>.

Butchart S. et al. 2012, "Protecting Important Sites for Biodiversity Contributes to Meeting Global Conservation Targets", *Plos ONE*, Vol 7, Issue 3. <https://doi.org/10.1371/journal.pone.0032529>.

Butchart S. et al. 2015, "Shortfalls and Solutions for Meeting National and Global Conservation Area Targets", *Conservation Letters*, Vol 8, Issue 5, 329–337. <https://doi.org/10.1111/conl.12158>.

"Can the World Really Set Aside Half of the Planet for Wildlife?", *Smithsonian* 9.2014. [<http://www.smithsonianmag.com/science-nature/can-world-really-set-aside-half-planet-wildlife-180952379/>, viitattu 6.2.2017].

Cardillo et al. 2004, "Human Population Density and Extinction Risk in the World's Carnivores", *PLoS Biology*, Vol 2, Issue 7, 909–914. <https://doi.org/10.1371/journal.pbio.0020197>.

Cardillo M. et al. 2005, "Multiple Causes of High Extinction Risk in Large Mammal Species", *Science*, Vol 309, Issue 19, 1239–1241. <https://doi.org/10.1126/science.1116030>.

Ceballos G. ja Ehrlich P. 2002, "Mammal Population Losses and the Extinction Crisis", *Science*, Vol 296, Issue 5569, 904–907. <https://doi.org/10.1126/science.1069349>.

Ceballos G. et al. 2015, "Accelerated modern human–induced species losses: Entering the sixth mass extinction", *Science Advances*, Vol 1, Issue 5. <https://doi.org/10.1126/sciadv.1400253>.

Ceballos G., Ehrlich P. R. ja Dirzo R. 2017, "Biological annihilation via the ongoing sixth mass extinction signaled by vertebrate population losses and declines", *PNAS*, Vol 114, Issue 30. <https://doi.org/10.1073/pnas.1704949114>.

Colman N., Gordon C., Crowther M. ja Letnic M. 2014, "Lethal control of an apex predator has unintended cascading effects on forest mammal assemblages", *Proc. R. Soc. B*, Vol 281, Issue 1782. <http://dx.doi.org/10.1098/rspb.2013.3094>.

Courchamp F. et al. 2018, "The paradoxical extinction of the most charismatic animals", *PLoS Biol*, Vol 16, Issue 4. <https://doi.org/10.1371/journal.pbio.2003997>.

Darimont C., Fox C., Bryan H. ja Reimchen T. 2015, "The unique ecology of human predators", *Science*, Vol 349, Issue 6250, 858–860. <https://doi.org/10.1126/science.aac4249>.

Davidson R. et al. 2012, "The impact of globalisation on the distribution of *Echinococcus multilocularis*", *Trends in Parasitology*, Vol 26, Issue 6, 239–247. <https://doi.org/10.1016/j.pt.2012.03.004>.

Dawson et al. 2017, "Global hotspots and correlates of alien species richness across taxonomic groups", *Nature Ecology & Evolution*, Vol 1. <https://doi.org/10.1038/s41559-017-0186>.

Dirzo R. et al. 2014, "Defaunation in the Anthropocene", *Science*, Vol 345, Issue 6195, 401–406. <https://doi.org/10.1126/science.1251817>.

Donald et al. 2007, "International Conservation Policy Delivers Benefits for Birds in Europe", *Science*, Vol 317, Issue 5839, 810–813. <https://doi.org/10.1126/science.1146002>.

Donnelly C. et al. 2006, "Positive and negative effects of widespread badger culling on tuberculosis in cattle", *Nature*, Vol 439, Issue 7078, 843–846. <https://doi.org/10.1038/nature04454>.

"Eerie silence falls on Shetland cliffs that once echoed to seabirds' cries, *The Guardian* 3.6.2018. [<https://www.theguardian.com/environment/2018/jun/03/shetland-seabirds-climate-change-catastrophe-terns-kittiwakes-puffins>, viitattu 3.6.2018].

Elmhagen B. et al. 2017, "Homage to Hersteinsson and Macdonald: climate warming and resource subsidies cause red fox range expansion and Arctic fox decline", *Polar Research*, Vol 36, Issue sup 1: Arctic Fox Biology and Management. <https://doi.org/10.1080/17518369.2017.1319109>.

Estes J. et al. 2011, "Trophic Downgrading of Planet Earth", *Science*, Vol 333, Issue 6040, 301–306. <http://doi.org/10.1126/science.1205106>.

Fortelius M. 2015, *Lihan himo ihmisen evoluutioissa*, Biosynteesi XIII: Biologinen ihmiskuva -luentosarja. 8.5.2015. Helsingin yliopisto, Helsinki, Suomi.

Fraixedas S., Lindén A. ja Lehtikoinen A. 2015, "Population trends of common breeding forest birds in southern Finland are consistent with trends in forest management and climate change", *Ornis Fennica*, Vol. 92, 187–203. <https://pdfs.semanticscholar.org/9571/cfe13134ec18ba3a5fca85e4d4a31b6e7f21.pdf>.

Frankham R. 1996, "Relationship of genetic variation to population size in wildlife", *Conserv. Biol.*, Vol 10, Issue 8, 1523–1739. <https://doi.org/10.1046/j.1523-1739.1996.10061500.x>.

Fuglei E. et al. 2017, "Snowmobile impact on diurnal behaviour in the Arctic fox", *Polar Research*, Vol 36, Issue sup 1: Arctic Fox Biology and Management. <https://doi.org/10.1080/17518369.2017.1327300>.

Gaynor K., Hojnowski C., Carter N. ja Brashares J. 2018, "The influence of human disturbance on wildlife nocturnality", *Science*, Vol 360, Issue 6394, 1232–1235. <https://doi.org/10.1126/science.aar7121>.

Geldmann J. 2013, "Effectiveness of terrestrial protected areas in reducing habitat loss and population declines", *Biological Conservation*, Vol 161, 230–238. <https://doi.org/10.1016/j.biocon.2013.02.018>.

Gilbert T. et al. 2008, "Intraspecific phylogenetic analysis of Siberian woolly mammoths using complete mitochondrial genomes", *Proceeding of the National Academy of Sciences of the United States of America*, Vol 105, Issue 24, 8327–32. <https://doi.org/10.1073/pnas.0802315105>.

Grabmeier JM et al. 2006 "A Major Ecosystem Shift in the Northern Bering Sea", *Science*, Vol 311, Issue 5766, 1461–1464. <https://doi.org/10.1126/science.1121365>.

Hanski I. ja Ovaskainen O. 2000, "The metapopulation capacity of a fragmented landscape", *Nature*, Vol 404, Issue 6779, 755–758. <https://doi.org/10.1038/35008063>.

Hanski I. 2007, *Viestejä saarilta - Miksi luonnon monimuotoisuus hupenee?*, Gaudeamus, Helsinki.

Henden J.-A., Stien A., Bårdsen B.-J., Yoccoz N. ja Ims R. 2014, "Community-wide mesocarnivore response to partial ungulate migration", *Journal of Applied Ecology*, Vol 51, Issue 6, 1525–1533. <https://doi.org/10.1111/1365-2664.12328>.

Henttonen H. 1989, "Metsien rakenteen muutoksen vaikutuksesta myyräkantoihin ja sitä kautta pikkupetoihin - hypoteesi", *Suomen Riista*, 35, 83–90.

Hoffmann M. et al. 2010, "The Impact of Conservation on the Status of the World's Vertebrates", *Science*, Vol 330, Issue 6010, 1503–1509. <https://doi.org/10.1126/science.1194442>.

Howe R. ja Davis G. 1991, "The Demographic Significance of 'Sink' Populations", *Biological Conservation*, Vol 57, Issue 3, 239–255. [https://doi.org/10.1016/0006-3207\(91\)90071-G](https://doi.org/10.1016/0006-3207(91)90071-G).

Häkkilä M. 2018, *Biotic homogenization of forest bird communities under human influence*, Jyväskylä studies in biological and environmental science, University of Jyväskylä. <http://urn.fi/URN:ISBN:978-951-39-7463-3>.

Hällfors M. 2015, *Coming to terms with moving species under climate change*, Human-wildlife encounters - conflicts, threats and solutions -luentosarja, 2.12.2015, LUOVA doctoral program in wildlife biology research, Helsingin yliopisto, Helsinki, Suomi.

Ims R. et al. 2007, "Can Reindeer Overabundance Cause a Trophic Cascade", *Ecosystems*, Vol 10, Issue 4, 607–622. <https://doi.org/10.1007/s10021-007-9060-9>.

Ims R., Henden J. ja Killengreen S. 2008, "Collapsing population cycles", *Trends in Ecology & Evolution*, Vol 23, Issue 2, 79–86. <https://doi.org/10.1016/j.tree.2007.10.010>.

Ims R. et al. 2017, "Ecosystem drivers of an Arctic fox population at the western fringe of the Eurasian Arctic", *Polar Research*, Vol 36, Issue sup 1: Arctic Fox Biology and Management. <https://doi.org/10.1080/17518369.2017.1323621>.

IPBES 2018a, *Summary for policymakers of the assessment report on land degradation and restoration of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services*, IPBES secretariat, Bonn, Germany, 44 s. [Kaikki IPBESin raportit: <https://www.ipbes.net/assessment-reports>].

IPBES 2018b, *Summary for policymakers of the regional assessment report on biodiversity and ecosystem services for Europe and Central Asia of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services*, IPBES secretariat, Bonn, Germany. 48 s. [Kaikki IPBESin raportit: <https://www.ipbes.net/assessment-reports>].

Jones H. et al. 2016, "Invasive mammal eradication on islands results in substantial conservation gains", *PNAS*, Vol 113, Issue 15, 4033–4038. <https://doi.org/10.1073/pnas.1521179113>.

Joppa L. et al. 2016, "Filling in biodiversity threat gaps", *Science*, Vol 352, Issue 6284, 416–418. <https://doi.org/10.1126/science.aaf3565>.

Kadmon R. ja Allouche O. 2007, "Integrating the Effects of Area, Isolation, and Habitat Heterogeneity on Species Diversity: A Unification of Island Biogeography and Niche Theory", *The American Naturalist*, Vol 170, Issue 3, 443–454. <https://doi.org/10.1086/519853>.

"Kerran kadonnut ikuisesti poissa", *Yliopisto* 29.2.2016. [<https://www.helsinki.fi/fi/uutiset/kerran-kadonnut-ikuisesti-poissa>, viitattu 15.4.2016].

Keto-Tokoi P. ja Kuuluvainen T. 2010, *Suomalainen aarniometsä*, Maahenki, Hämeenlinna.

Knapp J. et al. 2012, "Echinococcus multilocularis in Svalbard, Norway: Microsatellite genotyping to investigate the origin of a highly focal contamination", *Infection, Genetics and Evolution*, Vol 12, Issue 6, 1270–1274. <https://doi.org/10.1016/j.meegid.2012.03.008>.

Kunnasranta M. 2015, *Everybody wants to save the Saimaa seal – but how to do it?*, Human-wildlife encounters - conflicts, threats and solutions -luentosarja, 2.12.2015, LUOVA doctoral program in wildlife biology research, Helsingin yliopisto, Helsinki, Suomi.

Laaksonen T. ja Lehikoinen A. 2013, "Population trends in boreal birds: Continuing declines in agricultural, northern, and long-distance migrant species", *Biological Conservation*, Vol 168, 99–107. <https://doi.org/10.1016/j.biocon.2013.09.007>.

Lampila P., Mönkkönen M. ja Rajasärkkä A. 2009, "The ability of forest reserves to maintain original fauna – why has the Chiffchaff (*Phylloscopus collybita abietinus*) disappeared from eastern central Finland?", *Ornis Fennica*, Vol 86, 71–80.

Landa A. et al. 2017, "The endangered Arctic fox in Norway—the failure and success of captive breeding and reintroduction", *Polar Research*, Vol 36, Issue sup 1: Arctic Fox Biology and Management. <https://doi.org/10.1080/17518369.2017.1325139>.

Lindén H. et al. 2000, "Large-scale forest corridors to connect the taiga fauna to Fennoscandia", *Wildlife biology*, Vol 6, Issue 3, 179–188. <https://doi.org/10.2981/wlb.2000.007>.

Lundberg J. ja Moberg F. 2003, "Mobile Link Organisms and Ecosystem Functioning: Implications for Ecosystem Resilience and Management", *Ecosystems*, Vol 6, Issue 1, 87–98. <https://doi.org/10.1007/s10021-002-0150-4>.

MacArthur R. ja Wilson E. 1967, *The theory of Island Biogeography*, Princeton University Press, Princeton.

Maclean I. ja Wilson R. 2011, "Recent ecological responses to climate change support predictions of high extinction risk", *PNAS*, Vol 108, Issue 30, 12337–12342. <https://doi.org/10.1073/pnas.1017352108>.

Maxwell S., Fuller R., Brooks T. ja Watson J. 2016, "The ravages of guns, nets and bulldozers", *Nature*, Vol 536, Issue 7615, 143–145. <https://doi.org/10.1038/536143a>.

Minna Pyykön maailma. Professori Ilkka Hanski ja metsäluonnon monimuotoisuus, Yleisradio 15.5.2016. [<https://areena.yle.fi/1-3403360>, viitattu 20.6.2017].

Miraldo A. et al. 2016, "An Anthropocene map of genetic diversity", *Science*, Vol 353, Issue 6307, 1532–1535. <https://doi.org/10.1126/science.aaf4381>.

Mittermeier R. et al. 2003, "Wilderness and biodiversity conservation", *PNAS*, Vol 100, Issue 18, 10309–10313. <https://doi.org/10.1073/pnas.1732458100>.

Myers N., Mittermeier R., Mittermeier C., da Fonseca G. ja Kent J. 2000, "Biodiversity hotspots for conservation priorities", *Nature*, Vol 403, Issue 6772, 853–858. <https://doi.org/10.1038/35002501>.

Nagelkerken I. ja Connell S. 2015, "Global alteration of ocean ecosystem functioning due to increasing human CO₂ emissions", *PNAS*, Vol 112, Issue 43, 13272–13277. <https://doi.org/10.1073/pnas.1510856112>.

Newbold T. et al. 2015, "Global effects of land use on local terrestrial biodiversity", *Nature* Vol 520, Issue 7545, 45–50. <https://doi.org/10.1038/nature14324>.

Norén K. et al. 2017, "Evolution, ecology and conservation—revisiting three decades of Arctic fox population genetic research", *Polar Research*, Vol 36, Issue sup 1: Arctic Fox Biology and Management. <https://doi.org/10.1080/17518369.2017.1325135>.

"Norway plans to exterminate a large reindeer herd to stop a fatal infectious brain disease", *Science* 3.4.2017. [<http://www.sciencemag.org/news/2017/04/norway-plans-exterminate-large-reindeer-herd-stop-fatal-infectious-brain-disease>, viitattu 5.4.2017].

Paine R. T. 1966, "Food web complexity and species diversity", *American Naturalist*, Vol 100, 65–75.

Palkopoulou E. et al. 2015, "Complete Genomes Reveal Signatures of Demographic and Genetic Declines in the Woolly Mammoth", *Current biology*, Vol 25, Issue 10, 1395–1400. <https://doi.org/10.1016/j.cub.2015.04.007>.

”Pelätty ”hullun hirven tauti” on tarttunut kokeissa jo apinoihin – Norja tappaa 2 200 tunturipeuraa, jotta sairaus ei leviäisi poronhoitoalueelle”, *Helsingin Sanomat* 27.9.2017. [<http://www.hs.fi/tiede/art-200005385355.html?share=968eae73734f631b2143e67bf562a3f1>, viitattu 27.9.2017].

Pollock L., Thuiller W. ja Jetz W. 2017, ”Large conservation gains possible for global biodiversity facets”, *Nature*, Vol 546, Issue 7656, 141–144. <https://doi.org/10.1038/nature22368>.

Poore J. ja Nemecek T. 2018, ”Reducing food’s environmental impacts through producers and consumers”, *Science*, Vol 360, Issue 6392, 987–992. <https://doi.org/10.1126/science.aag0216>.

Raakku, Suomen vanhin eläin, on kuolemassa sukupuuttoon, Yleisradio 25.3.2018. [<https://yle.fi/aihe/artikkeli/2018/03/25/raakku-suomen-vanhin-elain-on-kuolemassa-sukupuuttoon?ref=ohj-articles>, viitattu 1.6.2018].

Ripple W. et al. 2015, ”Collapse of the world’s largest herbivores”, *Science Advances*, Vol 1, Issue 4. <https://doi.org/10.1126/sciadv.1400103>.

Rodrigues A. 2006, ”Are Global Conservation Efforts Successful?”, *Science*, Vol 313, Issue 5790, 1051–1052. <https://doi.org/10.1126/science.1131302>.

Rogers R. ja Slatkin M. 2017, ”Excess of genomic defects in a woolly mammoth on Wrangel island”, *PLoS Genet*, Vol 13, Issue 3. <https://doi.org/10.1371/journal.pgen.1006601>.

Sanderson F., Donald P., Pain D., Burfield I. ja van Bommel F. 2006, ”Long-term population declines in Afro-Palaearctic migrant birds”, *Biological Conservation*, Vol. 131, Issue 1, 93–105. <https://doi.org/10.1016/j.biocon.2006.02.008>.

Schloss C., Nuñez T. ja Lawler J. 2012, ”Dispersal will limit ability of mammals to track climate change in the Western Hemisphere”, *PNAS*, Vol 109, Issue 22, 8606–8611. <https://doi.org/10.1073/pnas.1116791109>.

Silliman B. et al. 2018, ”Are the ghosts of nature’s past haunting ecology today?”, *Current Biology*, Vol 28, Issue 9, 532–537. <https://doi.org/10.1016/j.cub.2018.04.002>.

Smith J. et al. 2017, ”Fear of the human ‘super predator’ reduces feeding time in large carnivores”, *Proceedings of the Royal Society B*, Vol 284, Issue 1857. <https://doi.org/10.1098/rspb.2017.0433>.

Smith F., Smith R., Lyons K. ja Payne J. 2018, ”Body size downgrading of mammals over the late Quaternary”, *Science*, Vol 360, Issue 6386, 310–313. <https://doi.org/10.1126/science.aao5987>.

”Suo. Kuokka. Jussi”, *Helsingin Yliopisto* 2015. [<http://features.helsinki.fi/suokuokkajussi/index.html>], viitattu 19.4.2016].

Thomas C. et al. 2004, ”Extinction risk from climate change”, *Nature*, Vol 427, Issue 6970, 145–148. <https://doi.org/10.1038/nature02121>.

Thuiller W. et al. 2014, ”The European functional tree of bird life in the face of global change”, *Nature Communications*, Vol 5. <https://doi.org/10.1038/ncomms4118>.

Tilman D. ja Downing J. 1994, ”Biodiversity and stability in grasslands”, *Nature*, Vol 367, Issue 6461, 363–365. <https://doi.org/10.1038/367363a0>.

Tilman D. et al. 1997, ”The Influence of Functional Diversity and Composition on Ecosystem Processes”, *Science*, Vol 277, Issue 5330, 1300–1302. <https://doi.org/10.1126/science.277.5330.1300>.

Tilman D. et al. 2017, ”Future threats to biodiversity and pathways to their prevention”, *Nature*, Vol 546, Issue 7656, 73–81. <https://doi.org/10.1038/nature22900>.

Traill L., Bradshaw C. ja Brook B. 2007, ”Minimum viable population size: a meta-analysis of 30 years of published estimates”, *Biol. Conserv.*, Vol 139, Issues 1–2, 159–166. <https://doi.org/10.1016/j.biocon.2007.06.011>.

Tucker M. et al. 2018, ”Moving in the Anthropocene: Global reductions in terrestrial mammalian movements”, *Science*, Vol 359, Issue 6374, 466–469. <https://doi.org/10.1126/science.aam9712>.

Tyler N. et al. ”Ultraviolet Vision and Avoidance of Power Lines in Birds and Mammals” *Conservation Biology*, Vol 28, Issue 3, 630–632. <https://doi.org/10.1111/cobi.12262>.

Urban M. 2015, ”Accelerating extinction risk from climate change”, *Science*, Vol 348, Issue 6234, 571–573. <https://doi.org/10.1126/science.aaa4984>.

Vistnes I., Nellemann C., Jordhøy P. ja Strand O. 2004, ”Effects of infrastructure on migration and range use of wild reindeer”, *Journal of Wildlife Management*, Vol 68, Issue 1, 101–108. [https://doi.org/10.2193/0022-541X\(2004\)068%5B0101:EOIOMA%5D2.0.CO;2](https://doi.org/10.2193/0022-541X(2004)068%5B0101:EOIOMA%5D2.0.CO;2).

Wilmers C. et al. 2012, ”Do trophic cascades affect the storage and flux of atmospheric carbon? An analysis of sea otters and kelp forests”, *Front Ecol Environ*, Vol 10, Issue 8, 409–415. <https://doi.org/10.1890/110176>.

Wilson E. O. 1985, ”The Biological Diversity Crisis”, *BioScience*, Vol. 35, No. 11, 700–706. <https://www.jstor.org/stable/1310051>.

OMAISUUS ja SAAMENMAA

Aikio S., Huuskonen M. ja Lettinen E. 2016, *Sukelluksia saamelaisten ja suomalaisten suhteisiin*, Raakku Kustannus, Helsinki.

Benton-Banai E. 2010, *The Mishomis Book: The Voice of the Ojibway*, University of Minnesota Press, Minneapolis, The United States of America.

Forsoningskommissionen 2017, *Vi forstår fortiden – Vi tager ansvar for nutiden – Vi arbejder sammen for en bedre fremtid. Betænkning udgivet af Grønlands Forsoningskommission*, Nuuk, Greenland. [<http://saammaatta.gl/~media/Forsoningskommission/Diverse/Endelig%20betænkning%20DK.pdf>, viitattu 1.6.2018]

Holmberg A. 2018, *Bivdit Luosa – To Ask for Salmon. Saami Traditional Knowledge on Salmon and the River Deatnu: In Research and Decision-making*, Master Thesis in Indigenous Studies, UiT The Arctic University of Norway, Tromsø. <http://hdl.handle.net/10037/12868>.

Ihalainen J.K. (toim.) 2015, *Särjetty maa: tarinoita etelästä ja pohjoisesta*, Siemenpuu-säätiö, Sammakko, Helsinki / Turku.

Johnson D. 1993, "Nomadism and desertification in Africa and the Middle East", *GeoJournal*, Vol 31, Issue 51. <https://doi.org/10.1007/BF00815903>.

Lappalainen A. 1999, "Puukoukusta trooliin - pohjoisen kalastuksen 10 000 vuotta", *Raito*, Vol 17, Issue 1, 4–6.

Launis A. 2004, *Tunturisävelmiä etsimässä - Lapissa 1904 ja 1905 toim. Järvinen M. R.*, Suomalaisen kirjallisuuden seura, Helsinki.

Lehtola V.-P. 2015, *Saamelaiskiista - Sortaako Suomi alkuperäiskansaansa?*, Into kustannus, Helsinki.

Magga P. ja Ojanlatva E. (toim.) 2013, *Ealli biras – Elävä ympäristö. Saamelainen kulttuuriympäristöohjelma*, Sami museum – Saamelaismuseosäätiö, Inari.

Markelin L. 2017, *Uhattu kansa? Katsaus Suomen saamelaispolitiikkaan*, Magma-pamflett 1/2017, Ajatushautomo Magma. [<http://www.magma.fi/uploads/media/study/0001/01/7bc195141c7984ca78b307cce9eb25aea2e96dbe.pdf>, viitattu 26.4.2017].

Massa I. 1994, *Pohjoinen luonnonvalloitus – Suunnistus ympäristöhistoriaan Lapissa ja Suomessa*, Gaudeamus, Tampere.

Müller-Wille L. 1996, *Kahden kulttuurin kohtaaminen – Saamelaiset ja suomalaiset Utsjoella*, Arktisen keskuksen tiedotteita 18, Arktinen keskus, Lapin yliopisto, Rovaniemi.

Nuorgam A. 2018, *Seminar on Arctic Indigenous and Local Knowledge and Sustainability*. Helsingin yliopisto, 8.6.2018. [<https://www.helsinki.fi/fi/unitube/video/20917>, viitattu 10.6.2018].

Näkkäläjärvi P. 2017, *Threats to the Freedom of Speech of the Indigenous People Sámi in Finland*, MSc Dissertation, Department of Media and Communications, London School of Economics, London, 49. [<https://drive.google.com/file/d/1i4fdIcd7AzbVb9zzi1l0YfaePvgzkuFw/view>, viitattu 18.6.2018]

Olsén L., Harkoma A., Heinämäki L. ja Heiskanen H. 2017, ”Saamelaisten perinnetiedon huomioiminen ympäristöpäätöksenteossa – Sámiid árbedieđu vuhtii váldin birasmearrádusaid dahkamis”, *Juridica Lapponica* 41, 198.

Paulaharju S. 1922, *Lapin muisteluksia*, WSOY, Helsinki.

Porsanger J. ja Guttorm G. 2012, ”Working with Traditional Knowledge: Communities, Institutions, Information Systems, Law and Ethics – Writings from the Arbediehtu Pilot Project on Documentation and Protection of Sami Traditional Knowledge”, *Dieđut 1/2011*, Sámi allaskuvla / Sámi University College.

Pottinger H. 1905, *Flood, Fell and Forest, Volume 1*, Edward Arnold, London, United Kingdom.

Prunier G. 2012, *Afrikan maailmansota - Kongo, Ruandan kansanmurha ja koko mantereen laajuisen katastrofin ainekset*, Into-Kustannus, Helsinki.

”Ristenrauna Maggan perhettä nöyrytettiin kallonmittauksilla vielä 1960-luvulla – Saamelaiset toivovat totuuskomission tuovan julki menneisyyden vääryydet”, *Yleisradio* 17.2.2018. [<https://yle.fi/uutiset/3-10078361>, viitattu 5.5.2018].

Sollbakk A. 2001, *Deanuleahki - Tanadalen: Sogat, historjá, Čálliidlágádus*, Kárášjohka, Norge.

”Standing Rock oli vasta alkua”, *Helsingin Sanomat* 26.5.2018.

Sunnuntaivieras. Taiteilija Niillas Holmberg: ”Tenon uusi kalastussopimus uhkaa saamelaisten hyvinvointia”, Yle Radio Suomi 6.8.2017. [<https://areena.yle.fi/1-4174469>, viitattu 5.5.2018].

Tahvonen O. ja Parkatti V.-P. 2017, *Inarin alueen metsävarojen taloudellisesti kannattavan käytön vaihtoehdot*, Saamelaisten oikeudet, ilmastonmuutos ja saamelaisalueen metsävarojen käyttö -seminaari, 5.10.2017, Inari. [<https://suomenkuvalehti.fi/wp-content/uploads/2017/10/inari-olli-tahvonen-041017.pdf>, viitattu 5.4.2018].

Turi J. 1910, *Muittalus samid birra*. København, Danmark.

Valkeapää L. 2011, *Luonnossa - vuoropuhelua Nils-Aslak Valkeapään tuotannon kanssa*, Maahenki, Helsinki.

Valkeapää N.-A. 1992, *Aurinko, isäni*, DAT, Kautokeino, Norja.

Virtanen P. K. 2017, ”Alkuperäiskansatutkimus, siis mitä?”, *Koneen Säätö 16.2.2017*. [<https://koneensaatio.fi/alkuperaiskansatutkimus-siis-mita/>, viitattu 5.5.2018].

PORO ja PORONHOITO

Aikio H. ja Neuvonen P. 2015, *Poroaitojen riistaturvallisuus*, opinnäytetyö, Lapin ammattikorkeakoulu, 50. [<https://www.theseus.fi/bitstream/handle/10024/90297/Aikio%20%20Neuvonen%20Opinnaytetyo.pdf?sequence=1>, viitattu 11.11.2017].

Barthelemy H., Stark S. ja Olofsson J. 2015, ”Strong Responses of Subarctic Plant Communities to Long-Term Reindeer Feces Manipulation”, *Ecosystems*, Vol 18, Issue 5, 740–751. <https://doi.org/10.1007/s10021-015-9856-y>.

Benjaminsen T., Reinert H., Sjaastad E. ja Sara M. 2015, ”Misreading the Arctic landscape: A political ecology of reindeer, carrying capacities, and overstocking in Finnmark, Norway”, *Norsk Geografisk Tidsskrift - Norwegian Journal of Geography*, Vol 69, Issue 4, 219–229. <https://doi.org/10.1080/00291951.2015.1031274>.

Berg A., Östlund L., Moen J. ja Olofsson J. 2008, ”A century of logging and forestry in a reindeer herding area in northern Sweden”, *Forest Ecology and Management*, Vol 256, Issue 5, 1009–1020. <https://doi.org/10.1016/j.foreco.2008.06.003>.

Bråthen K., Ravolainen V., Stien A., Tveraa T. ja Ims R. 2017, ”Rangifer management controls a climate-sensitive tundra state transition”, *Ecological Applications*, Vol 27, Issue 8, 2416–2427. <https://doi.org/10.1002/eap.1618>.

Bårdsen, B. J. ja Tveraa T. 2012, ”Density-dependence vs. density-independence—linking reproductive allocation to population abundance and vegetation greenness”, *Journal of Animal Ecology*, Vol 81, Issue 2, 364–376. <https://doi.org/10.1111/j.1365-2656.2011.01913.x>.

Helle T. 2006, ”Poronhoito ja muuttuva ilmasto”, *Ilmastonmuutos Lapissa – näkyvätkö muutokset – sopeutuuko luonto?*, Metlan työraportteja 25, 42–48. [<http://www.metla.fi/julkaisut/workingpapers/2006/mwp025.htm>, viitattu 1.2.2018].

Helle T. 2015, *Porovuosi - Tutkija pororenkinä Sompiossa*, Maahenki, Porvoo.

Itkonen T. I. 1948, *Suomen lappalaiset vuoteen 1945. I-II*, WSOY, Helsinki.

Kokko Y. 1969, *Poro - Muistelus*, Werner Söderström Osakeyhtiö, Helsinki.

Kortesalmi J. 2008, *Poronhoidon synty ja kehitys Suomessa*, Suomalaisen Kirjallisuuden Seura, Helsinki.

”Laidunnus ei ole juuri lisännyt eroosiota – Maantiedettä emme voi muuttaa. Poronhoitolaki ja paliskuntajako ovat sen sijaan asioita, joihin päättäjät voivat vaikuttaa.”, *Helsingin Sanomat* 29.9.2016. [<http://www.hs.fi/mielipide/art-2000002922983.html>], viitattu 5.2.2017].

”Lisäruokinta ei ole pelastunut talvilaitumia kulumiselta”, *Yleisradio* 22.4.2010. [<https://yle.fi/uutiset/3-5549282>], viitattu 16.1.2017].

Mattila E. ja Mikkola K. 2014, *Suomen poronhoitoalueen talvilaitumet ja laidunnuspaine - Vuosina 2009–2012 mitatusta laidunnäytteestä lasketut arviot teemakartakkeina*, Metlan työraportteja 318, Metsäntutkimuslaitos, Vantaa. <http://urn.fi/URN:ISBN:978-951-40-2515-0>.

”Nær 100.000 reinsdyr døde i fjor”, *Norsk Rikskringkasting* 11.5.2014. [<https://www.nrk.no/troms/ingen-far-bukt-med-reindoden-1.11701945>], viitattu 20.11.2016].

Oksanen L. ja Olofsson J. 2005, ”Poron kesälaidunnuksen vaikutus harvinaisiin tunturikasveihin: kasviekologinen perspektiivi Mallan porottomuuden jatkumiseen”, *Poronhoidon ja suojelu vaikutukset Mallan luonnonpuistossa. Metsäntutkimuslaitoksen tiedonantoja 941 (Jokinen M. toim.)*, Metsäntutkimuslaitos, Kolarin tutkimusasema.

Nieminen M. 2013, *Suomen porotutkimus – Tutkittua tietoa poronhoitoon*, Riista- ja kalatalouden tutkimuslaitos, RKTL:n työraportteja 11/2013, 74. <https://jukuri.luke.fi/handle/10024/520243>.

Nieminen M. 2016a, *Ennen poro ruokki poromiehen, nyt poromies ruokkii poron*, Maataloustieteen päivät 2016, Suomen maataloustieteellinen seura. [http://www.smts.fi/sites/smts.fi/files/MTP2016/Nieminen_2016.pdf], viitattu 17.1.2016].

Nieminen M. 2016b, *Petovahingot poronhoitoalueen pohjoisosan paliskunnissa vuosina 2008-2016*, Luonnonvarakeskus, Loppuraportti 2016. Julkaisematon. [Maa- ja metsätalousministeriö diaarinumero 471/324/2014].

Parkvakten i Sarek, Sveriges Television 2016, Ruotsi.

Pekkarinen A.-J. 2018, ”Ecology and economics of reindeer herding systems”, *Dissertationes Forestales* 249. 37 p. <https://doi.org/10.14214/df.249>.

Poro kuuluu Käsivarren luontoon, Lapin yliopisto 2015. [<https://www.ymparistokonfliktisovittelu.fi/fi/haastattelut/Juuso>], viitattu 11.9.2016].

Rasmus S. ja Turunen M. 2015, *Suomen poronhoitoalueen lumiolosuhteet ja niiden vaikutukset poronhoitoon*, Arktisen keskuksen tiedotteita 62/2015, Lapin yliopisto – Arktinen keskus, Rovaniemi. <http://urn.fi/URN:ISBN:978-952-484-852-7>.

Riseth & Vatn 2009, "Modernization and Pasture Degradation: A Comparative Study of Two Sámi Reindeer Pasture Regions in Norway", *Land Economics*, Vol 85, Issue 1, 87–106. <http://dx.doi.org/10.3368/le.85.1.87>.

Sivertsen T. et al. 2016, "Reindeer habitat selection under the risk of brown bear predation during calving season", *Ecosphere*, Vol 7, Issue 11. <https://doi.org/10.1002/ecs2.1583>.

Skarin A., Sandström P., Alam M., Buhot Y., Nelleman C. 2016, *Renar och vindkraft II - Vindkraft i drift och effekter på renar och renskötsel*, Institutionen för husdjurens utfodring och vård Sveriges lantbruksuniversitet, Rapport 294, Uppsala, Sverige.

Tveraa T. et al. 2007, "What regulate and limit reindeer populations in Norway?", *Oikos*, Vol 116, Issue 4, 706–715. <https://doi.org/10.1111/j.0030-1299.2007.15257.x>.

Tveraa T., Stien A., Bårdsen B.-J. ja Fauchald P. 2013, "Population Densities, Vegetation Green-Up, and Plant Productivity: Impacts on Reproductive Success and Juvenile Body Mass in Reindeer", *PLoS ONE*, Vol 8, Issue 2. <https://doi.org/10.1371/journal.pone.0056450>.

Tveraa T., Stien A., Brøseth H. ja Yoccoz N. 2014, "The role of predation and food limitation on claims for compensation, reindeer demography and population dynamics", *Journal of Applied Ecology*, Vol 51, Issue 5, 1264–1272. <https://doi.org/10.1111/1365-2664.12322>.

Tømmervik H. et al. 2004, "Vegetation Changes in the Nordic Mountain Birch Forest: the Influence of Grazing and Climate Change", *Arctic, Antarctic, and Alpine Research*, Vol 36, Issue 3, 323–332. [https://doi.org/10.1657/1523-0430\(2004\)036%5B0323:VCITNM%5D2.0.CO;2](https://doi.org/10.1657/1523-0430(2004)036%5B0323:VCITNM%5D2.0.CO;2).

Uboni A., Horskotte T., Kaarlejärvi E. ja Moen J. 2016, "Long-Term Trends and Role of Climate in the Population Dynamics of Eurasian Reindeer", *PLoS ONE*, Vol 11, Issue 6. <https://doi.org/10.1371/journal.pone.0158359>.

White C. 1973, "The Economics of Overexploitation", *Science*, Vol 181, Issue 4100, 630–634. <https://doi.org/10.1126/science.181.4100.630>.

REVONTULET

”Blood Red Skies Over China Explained 300 Years Later”, *Live Science* 6.12.2017. [<https://www.livescience.com/61120-massive-geomagnetic-storm-discovered-from-1770.html>, viitattu 10.12.2017].

Calisto M., Usoskin I. ja Rozanov E. 2013, ”Influence of a Carrington-like event on the atmospheric chemistry, temperature and dynamics: revised”, *Environmental Research Letters*, Vol 8. <https://doi.org/10.1088/1748-9326/8/4/045010>.

Hayakawa H. et al. 2017, ”Long-lasting Extreme Magnetic Storm Activities in 1770 Found in Historical Documents”, *The Astronomical Journal Letters*, Vol 850, Issue 2. <https://doi.org/10.3847/2041-8213/aa9661>.

Kázmer M. ja Timár G. 2016, ”The first scientific description of aurora borealis: the 10 September 1580 event in Transylvania, recorded by Marcello Squarcialupi”, *Geoscience Letters*, Vol 3, Issue 15. <https://doi.org/10.1186/s40562-016-0047-2>.

Kataoka R. 2013, ”Probability of occurrence of extreme magnetic storms”, *Space Weather*, Vol 11, Issue 5, 214–218. <https://doi.org/10.1002/swe.20044>.

Koskinen H. 2001, *Johdatus plasmafysiikkaan ja sen avaruussovellutuksiin*, Limes, Helsinki.

Laaksonen P. 2016, *Revontulet kansojen uskomuksissa*, Revontuliseminaari, 2.10.2016, Juminkeko säätiö, Kuhmo.

Laine U. 2016, *Revontulten ääni ja tiede*, Revontuliseminaari, 2.10.2016, Juminkeko säätiö, Kuhmo.

Lingam M. ja Loeb A. 2017, ”Risks for Life on Habitable Planets from Superflares of Their Host Stars”, *The Astrophysical Journal*, Vol 848, Issue 41. <https://doi.org/10.3847/1538-4357/aa8e96>.

Miyake F., Masuda K. ja Nakamura T. 2013, ”Another rapid event in the carbon-14 content of tree rings”, *Nature Communications*, Vol 4. <https://doi.org/10.1038/ncomms2783>.

Pihlaja P. 2016, *Revontulitutkimuksen historia*, 2.10.2016, Revontuliseminaari, Juminkeko säätiö, Kuhmo.

Riley P. 2012, ”On the probability of occurrence of extreme space weather events”, *Space Weather*, Vol 10, Issue 2. <https://doi.org/10.1029/2011SW000734>.

Thomas B.C., Jackman C.H. ja Melott A.L. 2007, ”Modeling atmospheric effects of the September 1859 solar flare”, *Geophysical Research Letters*, Vol 34, Issue 6. <https://doi.org/10.1029/2006GL029174>.

Vanselow K.H., Jacobsen S., Hall C. ja Garthe S. 2017, "Solar storms may trigger sperm whale strandings: explanation approaches for multiple strandings in the North Sea in 2016", *International Journal of Astrobiology*. <https://doi.org/10.1017/S147355041700026X> .

RAPORTIT, ATLAKSET, LAUSUNNOT, HOITO- JA KÄYTTÖSUUNNITELMAT

Aarnes S. G. et al. 2017, ”Populasjonsovervåking av brunbjørn. DNA-analyse av prøver innsamlet i Norge i 2016”, *NINA Rapport 1340*. 61 s. <http://hdl.handle.net/11250/2436740>.

Angerbjörn et al. 2008, *Saving the Endangered Fennoscandian Alopex lagopus - SEFALO+*, LIFE03 NAT/S/000073, Final report, Stockholm, Sverige.

Brøseth H. ja Tovmo M. 2013, *Yngleregistreringer av jerv i Norge i 2013*, NINA Rapport 981, 20 s. <http://www.nina.no/archive/nina/PppBasePdf/rapport/2013/981.pdf>.

Brøseth H. ja Tovmo M. 2015, *Yngleregistreringer av jerv i Norge i 2015*, NINA Rapport 1196, 20 s. <http://www.nina.no/archive/nina/PppBasePdf/rapport/2015/1196.pdf>.

Direktoratet for naturforvaltning 2003, *Handlingsplan for Fjellrev*, Rapport 2003–2, Trondheim, Norge. <http://www.miljodirektoratet.no/old/dirnat/attachment/37/Rapport%202003-2.pdf>.

Eide N., Flagstad Ø., Andersen R. ja Landa A. 2008, *Fjellrev i Norge 2008*, NINA Rapport 389. <http://www.nina.no/archive/nina/PppBasePdf/rapport/2008/389.pdf>.

Eide N., Ulvund K., Kleven O., Landa A. ja Flagstad Ø., ja 2017, *Fjellrev i Norge 2017. Resultater fra det nasjonale overvåkingsprogrammet for fjellrev*, Nina Rapport 1433. <http://hdl.handle.net/11250/2472136>.

Eklund A., Mattisson J., Höglund L. ja Tovmo M. 2017, *Inventering av jerv 2017. Bestandsovervåking av jerv i 2017. Bestandsstatus for store rovdyr i Skandinavia. Bestandsstatus för stora rovdjur i Skandinavien*, Naturvårdsverket i Sverige och Miljødirektoratet i Norge, Nr 3, 31 s. <http://hdl.handle.net/11250/2462934>.

European Commission 2015, *The State of Nature in the EU*, Office for Official Publications of the European Union, Luxembourg.

Frantzen B. et al. 1991, *Fugleatlas for Finnmark - Finnmarks lodeatlas - Finnmarkin lintuatlas*, Fylkesmannen i Finnmark, NOF avd. Finnmark, Vadsø, Norge.

Heikkinen S., Kojola I., Mäntyniemi S. ja Holmala K. 2018, *Susikanta Suomessa maaliskuussa 2018*, Luonnonvara- ja biotalouden tutkimus, Luonnonvarakeskus, Helsinki. <http://urn.fi/URN:ISBN:978-952-326-580-6>.

Jacobsen K.-O., Øien I.J. Solheim R. ja Aarvak T. 2014a, *Kunnskapsstatus og trusselfaktorer for snøugle Bubo scandiacus i Norge*, NINA Rapport 727. <http://www.nina.no/archive/nina/PPPBasePdf/rapport/2014/727.pdf>.

Jacobsen K.-O., Øien I.J., Aarvak T. ja Solheim R. 2014b, *Snøuglas bestandsforhold, vandringsmønster og habitatvalg. Årsrapport 2013*, NINA Rapport 1024. <http://www.nina.no/archive/nina/PPPBasePdf/rapport/2014/1024.pdf>.

Jacobsen K.-O., Solheim R., Øien I., Aarvak T. ja Kleven O. 2017, *Snøuglas økologi og forekomst i Norge. Årsrapport 2016*, NINA Rapport 1317. <http://hdl.handle.net/11250/2478998>.

Lampinen R. ja Lahti T. 2016, *Kasviatlas 2015*, Helsingin Yliopisto, Luonnontieteellinen keskusmuseo, Helsinki. <http://www.luomus.fi/kasviatlas>.

Luonnonvarakeskus 2016a, *Lausunto Suomen susikannan koosta talvella 2015-16*, Dnro Luke 677/00 04 05/2016.

Luonnonvarakeskus 2016b, *Lausunto Ahmakannan kehityksestä Suomessa*, 30.11.2016, Dnro Luke 2653/00 04 05/2016.

Luonnonvarakeskus 2017a, *Lausunto Suomen karhukannan tilasta*, 13.4.2017, Dnro Metla 955/00 00 03 00/2014.

Luonnonvarakeskus 2017b, *Arvio susikannan koosta maaliskuussa 2017*, 7.6.2017, Dnro Luke 1876/00 04 05 /2017.

Luonnonvarakeskus 2017c, *Suomen ilveskannan runsaudesta vuonna 2017 sekä ennuste ilveskannan kehityksestä vuoteen 2020*, 4.7.2017, Dnro 2031/00 04 05/2017.

Luonnonvarakeskus 2018, *Suomen karhukannan tila ja pentuetuotto 2017*, Dnro Luke 843/00 04 05/2018.

Länsstyrelsen Norrbotten 2009, *Spillningsinventering av fjällräv i Norrbottens län 2009. Genetisk kartläggning av spillning insamlade vid prioriterade fjällrävslyor*, Länsstyrelsens rapportserie nr 7/2009, Luleå.

Maa- ja metsätalousministeriö 2007, *Suomen metsäpeurakannan hoitosuunnitelma*, Maa- ja metsätalousministeriö, Maa- ja metsätalousministeriö, Vammalan Kirjapaino Oy.

Maa- ja metsätalousministeriö 2014, *Suomen ahmakannan hoitosuunnitelma*, Maa- ja metsätalousministeriö, 9/2014, ISBN 978-952-453-872-5.

Maa- ja Metsätalousministeriö 2016, *Maa- ja metsätalousministeriön asetus poikkeusluvilla sallittavasta ahman metsästyksestä metsästysvuonna 2016–2017*, Muistio, Dnro 2059/01.03/2016.

Maa- ja Metsätalousministeriö 2017, *Maa- ja metsätalousministeriön asetus poikkeusluvilla sallittavasta ilveksen metsästyksestä metsästysvuonna 2017–2018*, Muistio, Dnro 1454/01.03/2017.

Mattisson J. et al. 2015, *Gaupe og jerv i reinbeiteland. Sluttrapport for Scandlynx Troms og Finnmark 2007–2014*, NINA Rapport 1200. <http://hdl.handle.net/11250/2367530>.

Mela, M, Eeronheimo, H. ja Ilmonen, J. 2009, *Metsähallituksen vastuulajien tila ja suojeletus vuonna 2006. Naali – Alopex lagopus (L.)*. – Tietolomake, Metsähallitus. [http://julkaisut.metsa.fi/assets/pdf/lp/Muut/naali_2006.pdf, viitattu 3.11.2016].

Metsähallitus 2006, *Paistunturin Erämaa-alueen ja Kevon luonnonpuiston luonto, käyttö ja paikannimistö*, Metsähallituksen luonnonsuojelujulkaisuja, Sarja A 161, Metsähallitus, Helsinki.

Metsähallitus 2007, *Pyhä–Luoston kansallispuiston hoito- ja käyttösuunnitelma*, Metsähallituksen luonnonsuojelujulkaisuja, Sarja C 30, Metsähallitus, Jyväskylä.

Metsähallitus 2008, *Käsivarren erämaa-alueen hoito- ja käyttösuunnitelma*, Metsähallituksen luonnonsuojelujulkaisuja, Sarja C 39, Metsähallitus, Jyväskylä.

Metsähallitus 2009, *Lemmenjoen kansallispuiston hoito- ja käyttösuunnitelma*, Metsähallituksen luonnonsuojelujulkaisuja, Sarja C 48, Metsähallitus, Jyväskylä.

Metsähallitus 2010, *Kaldoaivin erämaa-alueen sekä Sammuttjängän–Vaijoenjängän soidensuojelualueen hoito- ja käyttösuunnitelma*, Metsähallituksen luonnonsuojelujulkaisuja, Sarja C 8, Metsähallitus, Jyväskylä.

Metsähallitus 2011a, *Muotkatunturin erämaa-alueen hoito- ja käyttösuunnitelma*, Metsähallituksen luonnonsuojelujulkaisuja, Sarja C 84, Metsähallitus, Jyväskylä.

Metsähallitus 2011b, *Paistunturin erämaa-alueen ja siihen liittyvien soidensuojelualueiden hoito- ja käyttösuunnitelma*, Metsähallituksen luonnonsuojelujulkaisuja, Sarja C 100, Metsähallitus, Jyväskylä.

Metsähallitus 2016, *Urho Kekkosen kansallispuiston, Sompion luonnonpuiston, Kemihaaran erämaa-alueen sekä Vaaranaavan, Nalka-aavan ja Uura-aavan soidensuojelualueiden hoito- ja käyttösuunnitelma*, Metsähallituksen luonnonsuojelujulkaisuja, Sarja C 143, Metsähallitus, Vantaa.

Naturvårdsverket 2014, *Björnstammen i Sverige minskar*. ISBN 978-91-620-8702-9.

Naturvårdsverket 2017, *Åtgärdsprogram för fjällräv, 2017–2021*, Naturvårdsverket Rapport 6780, Trondheim, Stockholm. [<https://www.naturvardsverket.se/Documents/publikationer6400/978-91-620-6780-9.pdf?pid=20995>, viitattu 12.12.2017].

Ollila, T. ja Ilmonen, J. 2010, *Metsähallituksen vastuulajien tila ja suojelutaso vuonna 2006. Tunturihaukka – Falco rusticolus L. – Tietolomak*, Metsähallitus. [http://julkaisut.metsa.fi/assets/pdf/lp/Muut/tunturihaukka_2006.pdf, viitattu 3.11.2016].

Ollila T. 2016, *Raportti maakotkan, muuttohaukan, tunturihaukan sekä Oulun ja Lapin läänien merikotkien pesinnöistä vuonna 2016*, Metsähallitus, Luontopalvelut. [<http://julkaisut.metsa.fi/assets/pdf/lp/Muut/maakotkanpesinnat2016.pdf>, viitattu 3.11.2016].

Ollila T. 2017, *Raportti maakotkan, muuttohaukan, tunturihaukan sekä Oulun ja Lapin läänien merikotkien pesinnöistä vuonna 2017*, Metsähallitus, Luontopalvelut. [<https://julkaisut.metsa.fi/assets/pdf/lp/Muut/maakotkanpesinnat2017.pdf>, viitattu 12.12.2017].

Osmonen O. 2002, *Kaldoaivin ja Vätsärin erämaa-alueiden linnusto*, Metsähallituksen luonnonsuojelujulkaisuja, Sarja A 139, Metsähallitus, Helsinki.

Oulasvirta Panu (ed.) 2015, *RAAKKU! – Freshwater pearl mussel in northern Fennoscandia*, Metsähallituksen luonnonsuojelujulkaisuja, Sarja A 214, Metsähallitus, Vantaa. ISBN 978-952-295-095-6. [<https://julkaisut.metsa.fi/assets/pdf/lp/Asarja/a214-1.pdf>, viitattu 4.9.2017].

Sveriges Landsbruksuniversitet 2012, *Resultat från inventeringar av järv i Sverige 2012*, Intenteringsrapport från viltskadecenter, SLU 2012-7, [http://www.lansstyrelsen.se/vasterbotten/SiteCollectionDocuments/Sv/djur-och-natur/rovdjur/Nationell%20jarvrapport_2012.pdf, viitattu 24.1.2017].

Sveriges Landsbruksuniversitet 2013, *Resultat från inventering av järv i Sverige vintern 2012/2013*, Rapport från viltskadecenter, SLU 2013-06, [http://www.rovdata.no/Portals/Rovdata/Dokumenter/Eksterne%20overvakingsrapporter/Rapportering%20av%20järvföryngringar%20140604_slutrapport.pdf, viitattu 24.1.2017].

Tiainen et al. 2016, *Suomen lintujen uhanalaisuus 2015 - The 2015 Red List of Finnish Bird Species*, Ympäristöministeriö - Suomen ympäristökeskus, Helsinki.

Tveraa T. et al. 2012, *Rovvilt og reindrif – Kunnskapsstatus i Finnmark*, Norsk institutt for naturforskning, NINA Rapport 821. <http://www.nina.no/archive/nina/PppBasePdf/rapport/2012/821.pdf>

Tveraa T. et al. 2013, *Beregning av produksjon og tap i reindriften*, Norsk institutt for naturforskning, NINA Rapport 938. <http://www.nina.no/archive/nina/PppBasePdf/rapport/2013/938.pdf>

Tømmervik H. et al. 2013, *Overvåking av vinterbeiter i Indre Finnmark 2013 Resultater fra feltrutene*, Nina Rapport 1066. <http://www.nina.no/archive/nina/PppBasePdf/rapport/2014/1066.pdf>.

Ulvund K., Flagstad Ø, Eide N. E. ja Landa A. 2012, *Fjellrev i Norge 2012. Resultater fra det nasjonale overvåkingsprogrammet for fjellrev*, Nina Rapport 909. <http://www.nina.no/archive/nina/PppBasePdf/rapport/2013/909.pdf>.

Ulvund K., Flagstad Ø, Kleven O, Landa A. ja Eide N. E, 2016, *Fjellrev i Norge 2016. Resultater fra det nasjonale overvåkingsprogrammet for fjellrev*, Nina Rapport 1301. <https://brage.bibsys.no/xmlui/handle/11250/2424217>.

Vougioukalou M., Kazantzidis S. ja Aarvak T. (Eds.) 2017, *Safeguarding the Lesser White-fronted Goose Fennoscandian population at key staging and wintering sites within the European flyway*, Special publication, LIFE+10 NAT/GR/000638 Project, HOS/BirdLife Greece, HAOD/Forest Research Institute, NOF/BirdLife Norway report no. 2017-2.

Ympäristöministeriö 1992, *Arvokkaat maisema-alueet - Maisema-alueyöryhmän mietintö Osa 2*, Mietintö 66/1992, Ympäristöministeriö Ympäristönsuojeluosasto, Helsinki.

Zetterberg A. ja Tovmo M. 2017, *Inventering av lodjur 2017 (reviderad version). Bestandsovervakning av gaupe i 2017 (revidert utgave). Bestandsstatus for store rovdyr i Skandinavia. Bestandsstatus för stora rovdjur i Skandinavien*, Naturvårdsverket i Sverige och Miljødirektoratet i Norge, Nr 2, 36 s.

Øien I., Jacobsen K.-O., Aarvak T., Solheim R. ja Kleven O. 2016, *Snøuglas økologi og forekomst i Norge i 2015*, Norsk Ornitologisk Forening – Rapport 4–2016. [http://www.birdlife.no/prosjekter/rapporter/2016_04_NOF.pdf, viitattu 2.2.2017].

MUUT

Bestandsstatus - Jerv, Rovdata, <http://www.rovdata.no/Jerv/Bestandsstatus.aspx>.

Birdlife Suomi, <https://www.birdlife.fi>.

Dvergåsprosjektet, Norsk Ornitologisk Forening, <http://birdlife.no/prosjekter/dverggaas.php>.

Haataja A. ja Sammallahti P. 2017, *Tuulessa roihuaa maa – Kertomus Lapista, jäisestä merestä ja Saamen kansasta*, Tammi, Helsinki.

Havforskinginstituttet, <https://www.hi.no/>.

Järv, populationsutveckling i Sverige, Naturvårdsverket, <http://www.naturvardsverket.se/Samar-miljon/Statistik-A-O/jarv-populationsestimat/>.

Karttapaikka, Maanmittauslaitos, <https://asiointi.maanmittauslaitos.fi/karttapaikka/>.

King S. 2017, *Grave New World. The End of Globalization, the Return of History*, Yale University Press.

NASA: Global Climate Change - Vital Signs of the Planet, NASA, <http://climate.nasa.gov>.

Neruda P. 1972, *Andien mainingit*, Kustannusosakeyhtiö Tammi, Helsinki.

Norgeskart, Kartverket, <https://www.norgeskart.no>.

Norwegian Orca – ID catalog, Norwegian Orca Survey, <https://www.norwegianorca-id.no>.

Norsk Ornitologisk Forening, <http://www.birdlife.no>.

Paikkatietoikkuna, Maanmittauslaitos, <https://kartta.paikkatietoikkuna.fi>.

Portal to the Lesser White-fronted Goose, The Fennoscandian Lesser White-fronted Goose project / Norsk Ornitologisk Forening ja WWF Suomi, <http://www.piskulka.net>.

Reindrift, Fylkesmannen i Finnmark, <https://www.fylkesmannen.no/Finnmark/Landbruk-og-mat/Reindrift/>.

Reindrift, Landbruksdirektoratet, <https://www.landbruksdirektoratet.no>.

Retkikartta, Metsähallitus, <http://www.retkikartta.fi>.

Susisaaliit, Suomen riistakeskus, <https://oma.riista.fi/static/wolf/wolf.html>.

Suomen lintuatlas, Luonnontieteellinen keskusmuseo, <http://atlas3.lintuatlas.fi>.

Suurpedot, Metsähallitus, <http://www.suurpedot.fi>.

Suurpetopoikkeusluvut, Suomen Riistakeskus, <http://suurpetopoikkeusluvut.riista.fi>.

Sveriges karta, Lantmäteriet, <https://kso.etjanster.lantmateriet.se>.

The IUCN Red List of Threatened Species, IUCN, <http://www.iucnredlist.org>.

Tilastotietokanta, Luonnonvarakeskus, <http://statdb.luke.fi/PXWeb/pxweb/fi/LUKE/>.

UNdata – A world of information, United Nations Statistic Division, <http://data.un.org>.

SOSIAALINEN MEDIA

Useiden tutkijoiden ja tutkimusorganisaatioiden somekanavat ovat toimineet lähteenä. Esimerkiksi Tromssan yliopiston professori Audun Rikardsenin vielä tieteellisissä julkaisuissa julkaisemattomat mutta somessa saatavilla olevat tiedot valaiden ja sillien muuttoreiteistä ovat toimineet lähteinä tässä kirjassa samoin kuin Norwegian Orca Surveyn jakama tieto valaiden käyttäytymisestä ja Svenska Fjällrävsprojektin vielä julkaisemattomat tiedot naaleista.

Lisäksi esimerkiksi twiitit konferensseista, kuten 5th European Congress of Conversation Biology 12.–15.6.2018 Jyväskylässä (#ECCB2018), ovat vieneet tutkimustiedon jäljille.

Alkuperäiskansaoikeuksista kirjoittaa esimerkiksi Pirita Näkkälärvi (Twitter: @biret).

HENKILÖKOHTAISET TIEDOKSIANNOT

Balotay Krisztina (valaat)
Heinämäki Leena (Lapin yliopisto: saamelainen perimätietämys)
Helo Pekka (maakotka)
Henttonen Heikki (Luonnonvarakeskus: pienjyrsijät, pienpedottuminen, loiset)
Hietajärvi Teuvo (Väriön tutkimusasema, Helsingin yliopisto: suurpedot)
Härkälä Antti (Luonnonvarakeskus: susi)
Härkönen Sauli (Suomen Riistakeskus: suurpedot)
Jourdain Eve (Norwegian Orca Survey: miekkavalas)
Karvonen Risto (WWF Suomi: kiljuhanhi)
Kojola Ilpo (Luonnonvarakeskus: suurpedot)
Korpimäki Pertti (Turun Yliopisto: tunturipöllö)
Koskimies Pertti (linnut)
Kunttu Panu (WWF Suomi: metsät)
Laanikari Jussi (Maa- ja metsätalousministeriö: suurpetojen kannanhoito)
Laine Unto (Aalto yliopisto: revontulten äänet)
Lehikoinen Aleks (Luonnontieteellinen keskusmuseo: linnut)
Leinonen Antti (ahma, metsäpeura)
Mela Matti (Metsähallituksen luontopalvelut: naali)
Nieminen Mauri (Luonnonvarakeskus: poro)
Norberg Harri (Riistakeskus: suurpetovahinkokorvaukset)
Ollila Tuomo (Metsähallituksen luontopalvelut: naali, tunturipöllö, suurpedot, petolinnut)
Orell Panu (Luonnonvarakeskus: Tenon lohi)
Paasimaa Marko (Riistakeskus: suurpetovahinkokorvaukset)
Paasivaara Antti (Luonnonvarakeskus: metsäpeura, karibu)
Ranta Kukka (alkuperäiskansaoikeudet)
Rommakoniemi Atso (Luonnonvarakeskus: Torniojoen lohi)
Suutarinen Johanna (Oulun yliopisto, Luonnonvarakeskus: susi)
Thessler Sirpa (Luonnonvarakeskus: suurpedot)
Tolvanen Petteri (WWF Suomi: kiljuhanhi)
Tuomainen Susanna (muuttohaukka)
Veistola Tapani (Suomen luonnonsuojeluliitto: suurpetopoikkeusluvut)
Willamo Heikki (kalliomaalaukset)

Lisäksi tietojaan ovat antaneet henkilöt, jotka eivät halua tulla mainituksi.