

Haataja A. *Tappajat*, Tammi, Helsinki. 2023.

Lähteet

Haataja Antti, *Tappajat – Suurpetojen kilpajuoksu ravintoketjun huipulle*, Tammi, Helsinki. 2023. (ISBN 978-952-04-4161-6) lähdeluettelo.

Käytetyt lähteet on jaoteltu niiden sivujen mukaan, joilla niitä on kirjassa käytetty.

Kuvatekstien lähteet on jaoteltu samalla tavalla niiden sivujen mukaan, joilla kuvatekstit kirjassa sijaitsevat. Seuraamisen helpottamiseksi kuvatekstien lähteet on upotettu laatikoihin tähän tapaan.

Vihreällä värellä merkityt kohdat ovat tarkennuksia tai lisätietoja kirjan tekstiin kyseisellä sivulla.

Suora linkki lähteeseen (esimerkiksi DOI-linkki tai linkki uutiseen) **on lisätty aina** sen ollessa saatavilla.

Tätä lähdeluetteloa voidaan täydentää tai muokata. Lähdeluettelon viimeisimmän päivityksen päivämäärä näkyy sivujen oikeassa yläkulmassa.

Nälkä	3
Luku 1 Suurpedot	3
Luku 2 Tappaminen	8
Luku 3 Tappajien maailma	18
Luku 4. Maankäyttö	22
Luku 5. Supertappaja	41
Luku 6. Mitattavuus	51
Luku 7. Tappamisen tulevaisuus	57
Luku 8. Kuolema	70
Luku 9. Suuri villieläinyhteisö ilmastonmuutoksessa	72
Luku 10. Tutkimusmenetelmä	92

Nälkä

sivu 9

Olson, David M., et al. "Terrestrial Ecoregions of the World: A New Map of Life on EarthA new global map of terrestrial ecoregions provides an innovative tool for conserving biodiversity." *BioScience* 51.11 (2001): 933-938. [https://doi.org/10.1641/0006-3568\(2001\)051%5B0933:TEOTWA%5D2.0.CO;2](https://doi.org/10.1641/0006-3568(2001)051%5B0933:TEOTWA%5D2.0.CO;2)

Maailman ekoregiot. Interaktiivinen kartta: <https://ecoregions.appspot.com>

Scandinavian and Russian Taiga, One Earth. <https://www.oneearth.org/ecoregions/scandinavian-and-russian-taiga/>

sivu 13

"Näin sudesta tuli ihmisen ystävä", *Helsingin Sanomat*, 30.3.2022, <https://www.hs.fi/tiede/art-2000008438234.html>

Luku 1 Suurpedot

sivu 16

Mech, L. David, and Luigi Boitani, eds. *Wolves: behavior, ecology, and conservation*. University of Chicago Press, 2007.

"Miten koirat näkevät värejä?", *Helsingin Sanomat*, Lasten tiedekysymykset, 18.12.2020. <https://www.hs.fi/tiede/art-2000007688142.html>.

sivu 17

"Susien jäljillä Kuhmossa", *Tiede*, 1.1.2004. https://www.tiede.fi/artikkeli/jutut/artikkelit/susien_jaljilla_kuhmossa

Schenkel R. "Expression Studies on Wolves. Captivity Observations". 1947. Luettavissa sivulla: <http://davemech.org/wolf-news-and-information/schenkels-classic-wolf-behavior-study-available-in-english/>

sivu 18

Mech, L. David. "Alpha status, dominance, and division of labor in wolf packs." *Canadian journal of zoology* 77.8 (1999): 1196-1203. <https://doi.org/10.1139/z99-099>. Luettavissa sivulla: https://www.wolf.org/wp-content/uploads/2013/09/267alphastatus_english.pdf

Mech D. "Leadership in Wolf, *Canis lupus*, Packs" (2002). <https://www.wolf.org/wp-content/uploads/2013/08/247Leadership.pdf>

Peterson, Rolf O., et al. "Leadership behavior in relation to dominance and reproductive status in gray wolves, *Canis lupus*." *Canadian Journal of Zoology* 80.8 (2002): 1405-1412. <https://doi.org/10.1139/z02-124>

"Alpha wolf: what does it mean, and should it still be used", *The International Wolf Center*. <https://wolf.org/headlines/44265/>

sivu 19

Marquard-Petersen, Ulf. "Decline and extermination of an arctic wolf population in east Greenland, 1899-1939." *Arctic* (2012): 155-166. <https://doi.org/10.14430/arctic4197>

Marquard-Petersen, Ulf. "Sudden death of an Arctic wolf population in Greenland." *Polar Research* 40 (2021). <https://doi.org/10.33265/polar.v40.5493>

sivu 22

Boitani, L., Phillips, M. & Jhala, Y. 2018. *Canis lupus* (errata version published in 2020). The IUCN Red List of Threatened Species 2018: e.T3746A163508960. <https://dx.doi.org/10.2305/IUCN.UK.2018-2.RLTS.T3746A163508960.en>.

Werhahn, Geraldine, et al. "Himalayan wolf distribution and admixture based on multiple genetic markers." *Journal of Biogeography* 47.6 (2020): 1272-1285. <https://doi.org/10.1111/jbi.13824>

Joshi, BheemDutt, et al. "Revisiting the Woolly wolf (*Canis lupus chanco*) phylogeny in Himalaya: Addressing taxonomy, spatial extent and distribution of an ancient lineage in Asia." *PloS one* 15.4 (2020). <https://doi.org/10.1371/journal.pone.0231621>

Niemann, Jonas, et al. "Extended survival of Pleistocene Siberian wolves into the early 20th century on the island of Honshū." *Iscience* 24.1 (2021). <https://doi.org/10.1016/j.isci.2020.101904>

Gojobori, Jun, et al. "The Japanese wolf is most closely related to modern dogs and its ancestral genome has been widely inherited by dogs throughout East Eurasia." *bioRxiv* (2021). <https://doi.org/10.1101/2021.10.10.463851>

"In search of Japan's lost wolves", *The Japan Times*. <https://features.japantimes.co.jp/3-search-japan-wolves/>

"Mysterious, extinct Japanese wolf may hold clues to origins of dogs", *Science News*, 18.10.2021. <https://www.science.org/content/article/mysterious-extinct-japanese-wolf-may-hold-clues-origins-dogs>

Lähdesmäki H., "Susien paikat. Ihminen ja susi 1900-luvun Suomessa", *Nykykulttuurin tutkimuskeskuksen julkaisuja* 127, Jyväskylän yliopisto. s. 149. (2020). <http://urn.fi/URN:ISBN:978-951-39-7983-6>

"Susimies elää petojen keskellä", *Kaleva*, 6.6.2007. <https://www.kaleva.fi/susimies-elaa-petojen-keskella/2311415>

sivu 23

Valkama, Jari, Vepsäläinen, Ville & Lehikoinen, Aleksi 2011: Suomen III Lintuatlas. – Luonnon tiedeellinen keskuskonservatorio ja ympäristöministeriö. ISBN 978-952-10- 6918-5. <https://cdn.laji.fi/files/birdatlas/lintuatlas3koko.pdf>

sivu 24

Antti Paasivaara, erikoistutkija, Luonnonvarakeskus. Henkilökohtainen tiedoksianto. 16.5.2022.

Aspi, Jouni, et al. "Genetic diversity, population structure, effective population size and demographic history of the Finnish wolf population." *Molecular Ecology* 15.6 (2006): 1561-1576. <https://doi.org/10.1111/j.1365-294x.2006.02877.x>

Husemann, M., et al. "Effective population size in ecology and evolution." *Heredity* 117.4 (2016): 191-192. <https://doi.org/10.1038/hdy.2016.75>

Frankham, Richard. "Effective population size/adult population size ratios in wildlife: a review." *Genetics Research* 66.2 (1995): 95-107. <https://doi.org/10.1017/S0016672300034455>

Lindén, Harri, et al. "Large-scale forest corridors to connect the taiga fauna to Fennoscandia." *Wildlife biology* 6.3 (2000): 179-188. <https://doi.org/10.2981/wlb.2000.007>. Figure 4.

Miraldo, Andreia, et al. "An Anthropocene map of genetic diversity." *Science* 353.6307 (2016): 1532-1535. <https://doi.org/10.1126/science.aaf4381>. Figure 1 b mammals.

Joly, Kyle, et al. "Longest terrestrial migrations and movements around the world." *Scientific Reports* 9.1 (2019): 1-10. <https://doi.org/10.1038%2Fs41598-019-51884-5>

Kaczensky, Petra, et al. "The Great Gobi B Strictly Protected Area in Mongolia—refuge or sink for wolves *Canis lupus* in the Gobi." *Wildlife Biology* 14.4 (2008): 444-456. <https://doi.org/10.2981/0909-6396-14.4.444>

sivu 25

Katsos esimerkiksi:

Sollbakk A., *Deanuleahki - Tanadalen: Sogat, historjá, Cálliidlágádus, Kárášjohka, Norge*, 2001.

ja

Haataja A. *Pohjoinen*, Tammi, Helsinki. 2018.

"Arctic fox's rapid journey from Svalbard to Northern Canada stuns researchers", *Radio Canada International*, 27.6.2019. <https://www.rcinet.ca/eye-on-the-arctic/2019/06/27/arctic-fox-migration-svalbard-canada-greenland-research-norway>

sivu 27

Suurpedot.fi. <https://www.suurpedot.fi/lajit/karhu/ravinto-ja-saalistaminen.html>

Suurpedot.fi. <https://www.largecarnivores.fi/species/brown-bear/description-of-the-bear.html>

sivu 28

Riistakolmiot.fi. <https://www.riistakolmiot.fi/animal/karhu-ursus-arctos/>

Stenset, N. E., Lutnæs, P. N., Bjarnadóttir, V., Dahle, B. R., Fossum, K. H. I., Jigsved, P., ... & Swenson, J. E. (2016). Seasonal and annual variation in the diet of brown bears Ursus arctos in the boreal forest of southcentral Sweden. *Wildlife Biology*, 22(3), 107-116. <https://doi.org/10.2981/wlb.00194>

sivu 29

Green, Patrick A., et al. "Respiratory and olfactory turbinal size in canid and arctoid carnivorans." *Journal of Anatomy* 221.6 (2012): 609-621. <https://doi.org/10.1111/j.1469-7580.2012.01570.x>

"Bear Series, Part One: A Bear's Sense of Smell", *National Park Service, U.S. Department of the Interior*. <https://www.nps.gov/yose/blogs/bear-series-part-one-a-bears-sense-of-smell.htm>

Togunov, Ron R., Andrew E. Derocher, and Nicholas J. Lunn. "Windscapes and olfactory foraging in a large carnivore." *Scientific Reports* 7.1 (2017): 1-10. <https://doi.org/10.1038/srep46332>

Gittleman, John L. "Carnivore olfactory bulb size: allometry, phylogeny and ecology." *Journal of Zoology* 225.2 (1991): 253-272. <https://doi.org/10.1111/j.1469-7998.1991.tb03815.x>

sivu 30

Green, Patrick A., et al. "Respiratory and olfactory turbinal size in canid and arctoid carnivorans." *Journal of Anatomy* 221.6 (2012): 609-621. <https://doi.org/10.1111/j.1469-7580.2012.01570.x>

Togunov, Ron R., Andrew E. Derocher, and Nicholas J. Lunn. "Windscapes and olfactory foraging in a large carnivore." *Scientific Reports* 7.1 (2017): 1-10. <https://doi.org/10.1038/srep46332>

"Heräävä karhu syö silmuja ja lähtee hirvijahtiin", *Suomen Luonto*, 5.4.2013. <https://suomenluonto.fi/uutiset/heraava-karhu-syo-silmuja-ja-lahtee-hirvijahtiin/>

"Karhu säilyttää lihaksensa talviunilla hämmästyttävän hyvin – Nyt tutkijat selvittävät, toimisiko sama keino esimerkiksi makuupotilailla", *Helsingin Sanomat*, 2.1.2020. <https://www.hs.fi/tiede/art-2000006361083.html>

Mugahid, Douaa A., et al. "Proteomic and transcriptomic changes in hibernating grizzly bears reveal metabolic and signaling pathways that protect against muscle atrophy." *Scientific reports* 9.1 (2019): 1-16. <https://doi.org/10.1038/s41598-019-56007-8>

sivu 31

Ilveksen elintavoista, aisteista ja etiologiasta:
Holmala K. *Ilves, Metsäkustannus*, Helsinki. 2018.

sivu 35

Linnell, John DC, Jenny Mattisson, and John Odden. "Extreme home range sizes among Eurasian lynx at the northern edge of their biogeographic range." *Ecology and evolution* 11.10 (2021): 5001-5009. <https://doi.org/10.1002/ece3.7436>

Herrero, Annika. "From individuals to populations: the distribution of Eurasian lynx individuals in space and time and consequences for the local population structure and dynamics." (2021). <http://urn.fi/URN:ISBN:978-951-51-6922-8>

"Not so solitary: Lynx links surprise scientists", *CBC*, 29.12.2020. <https://www.cbc.ca/news/canada/north/not-solitary-lynx-links-surprise-scientists-1.5854543>

Sidorovich V. "Findings on the interference between wolves and lynxes". (2017) Luettavissa sivulla: <https://sidorovich.blog/2017/09/06/wolves-and-lynxes/>

Green, Patrick A., et al. "Respiratory and olfactory turbinal size in canid and arctoid carnivorans." *Journal of Anatomy* 221.6 (2012): 609-621. <https://doi.org/10.1111/j.1469-7580.2012.01570.x>

sivu 36

Kojola, Ilpo, et al. "Ahmakanta Suomessa 2021." (2021). <http://urn.fi/URN:ISBN:978-952-380-329-9>

sivu 37

Petojen elämää, Yleisradio 2021. <https://areena.yle.fi/1-50183625>. kohdassa 08:30.

sivu 39

Tong, Haowen, et al. "Hypercarnivorous teeth and healed injuries to *Canis chihliensis* from Early Pleistocene Nihewan beds, China, support social hunting for ancestral wolves." *PeerJ* 8 (2020): e9858. <https://doi.org/10.7717/peerj.9858>

Luku 2 Tappaminen

sivu 41

Sperling, Erik A., et al. "Oxygen, ecology, and the Cambrian radiation of animals." *Proceedings of the National Academy of Sciences* 110.33 (2013): 13446-13451. <https://doi.org/10.1073/pnas.1312778110>

Erwin, Douglas H., et al. "The Cambrian conundrum: early divergence and later ecological success in the early history of animals." *Science* 334.6059 (2011): 1091-1097. <https://doi.org/10.1126/science.1206375>

Wood, Rachel, et al. "Integrated records of environmental change and evolution challenge the Cambrian Explosion." *Nature ecology & evolution* 3.4 (2019): 528-538. <https://doi.org/10.1038/s41559-019-0821-6>

Budd, Graham E. "The Cambrian fossil record and the origin of the phyla." *Integrative and comparative biology* 43.1 (2003): 157-165. <https://doi.org/10.1093/icb/43.1.157>

Budd, Graham E., and Sören Jensen. "A critical reappraisal of the fossil record of the bilaterian phyla." *Biological Reviews* 75.2 (2000): 253-295. <https://doi.org/10.1111/j.1469-185X.1999.tb00046.x>

Sperling, Erik A., et al. "Statistical analysis of iron geochemical data suggests limited late Proterozoic oxygenation." *Nature* 523.7561 (2015): 451-454. <https://doi.org/10.1038/nature14589>

Fox, Douglas. "What sparked the Cambrian explosion?." *Nature* 530.7590 (2016): 268. <https://doi.org/10.1038/530268a>

Monisoluksen kehittymisestä evoluutiossa tappamisen seurauksena laboratorio-olosuhteissa:
Herron, Matthew D., et al. "De novo origins of multicellularity in response to predation." *Scientific reports* 9.1 (2019): 1-9. <https://doi.org/10.1038/s41598-019-39558-8>

Buatois, Luis A., et al. "Ediacaran matground ecology persisted into the earliest Cambrian." *Nature Communications* 5.1 (2014): 1-5. <https://doi.org/10.1038/ncomms4544>

Román-Palacios, Cristian, Joshua P. Scholl, and John J. Wiens. "Evolution of diet across the animal tree of life." *Evolution Letters* 3.4 (2019): 339-347. <https://doi.org/10.1002/evl3.127>

sivu 42

"The world's first animal was probably a carnivore", *Science News*, 30.8.2019. <https://www.science.org/content/article/world-s-first-animal-was-probably-carnivore>

Román-Palacios, Cristian, Joshua P. Scholl, and John J. Wiens. "Evolution of diet across the animal tree of life." *Evolution Letters* 3.4 (2019): 339-347. <https://doi.org/10.1002/evl3.127>

Arendt, Detlev, Ulrich Technau, and Joachim Wittbrodt. "Evolution of the bilaterian larval foregut." *Nature* 409.6816 (2001): 81-85. <https://doi.org/10.1038/35051075>

Zhang, Xingliang, et al. "Triggers for the Cambrian explosion: hypotheses and problems." *Gondwana Research* 25.3 (2014): 896-909. <https://doi.org/10.1016/j.gr.2013.06.001>

Presnell, Jason S., et al. "The presence of a functionally tripartite through-gut in Ctenophora has implications for metazoan character trait evolution." *Current Biology* 26.20 (2016): 2814-2820. <https://doi.org/10.1016/j.cub.2016.08.019>

sivu 43

Hejnol, Andreas, and José M. Martín-Durán. "Getting to the bottom of anal evolution." *Zoologischer Anzeiger-a Journal of Comparative Zoology* 256 (2015): 61-74. <https://doi.org/10.1016/j.jcz.2015.02.006>

"The Body's Most Embarrassing Organ Is an Evolutionary Marvel", *The Atlantic*, 18.5.2021. <https://www.theatlantic.com/science/archive/2021/05/evolution-butts/618915/>

Martindale, Mark Q., and Andreas Hejnol. "A developmental perspective: changes in the position of the blastopore during bilaterian evolution." *Developmental cell* 17.2 (2009): 162-174. <https://doi.org/10.1016/j.devcel.2009.07.024>

sivu 44

Nielsen, Claus, Thibaut Brunet, and Detlev Arendt. "Evolution of the bilaterian mouth and anus." *Nature ecology & evolution* 2.9 (2018): 1358-1376. <https://doi.org/10.1038/s41559-018-0641-0>

Román-Palacios, Cristian, Joshua P. Scholl, and John J. Wiens. "Evolution of diet across the animal tree of life." *Evolution Letters* 3.4 (2019): 339-347. <https://doi.org/10.1002/evl3.127>

Peterson RO, Ciucci P (2003) The wolf as a carnivore. In: Mech LD, Boitani L, editors. *Wolves: behavior, ecology, and conservation*. Chicago: University of Chicago Press. pp. 104–130.

Mech D.L. et al. *Wolves on the Hunt*, University of Chicago Press. 2015. e-kirja.

sivu 45

Suraci, Justin P., et al. "Beyond spatial overlap: harnessing new technologies to resolve the complexities of predator-prey interactions." *Oikos* (2022): e09004. <https://doi.org/10.1111/oik.09004>

Viswanathan, Gandhimohan M., et al. "Optimizing the success of random searches." *Nature* 401.6756 (1999): 911-914. <https://doi.org/10.1038/44831>

Wosniack, Marina E., et al. "The evolutionary origins of Lévy walk foraging." *PLoS computational biology* 13.10 (2017): e1005774. <https://doi.org/10.1371/journal.pcbi.1005774>

Viswanathan, Gandhimohan M., E. P. Raposo, and M. G. E. Da Luz. "Lévy flights and superdiffusion in the context of biological encounters and random searches." *Physics of Life Reviews* 5.3 (2008): 133-150. <https://doi.org/10.1016/j.plrev.2008.03.002>

BERRIE, C. "THE MATHEMATICAL MIRROR TO ANIMAL NATURE." *Nature* 453 (2008): 5. <https://doi.org/10.1038/453714a>

Bénichou, Olivier, et al. "Intermittent search strategies." *Reviews of Modern Physics* 83.1 (2011): 81. <https://www.lptmc.jussieu.fr/user/barbi/ENSEIGNEMENT/M2/2011-Intermittentsearchstrategies.pdf>, s. 86.

Santos, M. C., et al. "Can collective searches profit from Lévy walk strategies?." *Journal of Physics A: Mathematical and Theoretical* 42.43 (2009): 434017. <https://doi.org/10.1088/1751-8113/42/43/434017>

sivu 48

Sotelo-López, S. A., et al. "Conditions under which a superdiffusive random-search strategy is necessary." *Physical Review E* 86.3 (2012): 031133. <http://dx.doi.org/10.1103/PhysRevE.86.031133>

Sims, David W., et al. "Lévy flight and Brownian search patterns of a free-ranging predator reflect different prey field characteristics." *Journal of Animal Ecology* 81.2 (2012): 432-442. <https://doi.org/10.1111/j.1365-2656.2011.01914.x>

Viswanathan, Gandoman M., et al. "Optimizing the success of random searches." *Nature* 401.6756 (1999): 911-914. <https://doi.org/10.1038/44831>

"Valkohäntäpeurakannan kasvu jatkui, *Luonnonvarakeskus*", 19.3.2021. <https://www.luke.fi/fi/uutiset/valkohantapeurakannan-kasvu-jatkui>

sivu 49

Humphries, Nicolas E., et al. "Environmental context explains Lévy and Brownian movement patterns of marine predators." *Nature* 465.7301 (2010): 1066-1069. <https://doi.org/10.1038/nature09116>

Jos saaliit sijaitsevat lähellä lähtöpaikkaa -> Brownin liike.

Jos saaliit sijaitsevat kaukana lähtöpaikasta -> Lévy-kävely.

Tappajan mahdollisuus lévy-siirtymien aikana tarkkailla ympäristöä kuten haistaa ja nähdä saaliita tekee lévy-kävelystä tehokkaamman kuin Brownin liikkeestä tässäkin mallissa. Katso:

Palyulin, Vladimir V., Aleksei V. Chechkin, and Ralf Metzler. "Lévy flights do not always optimize random blind search for sparse targets." *Proceedings of the National Academy of Sciences* 111.8 (2014): 2931-2936. <https://doi.org/10.1073/pnas.1320424111>

Bartumeus, Frederic, et al. "Animal search strategies: a quantitative random-walk analysis." *Ecology* 86.11 (2005): 3078-3087. <https://doi.org/10.1890/04-1806>

Guinard, Brieuc, and Amos Korman. "Intermittent inverse-square Lévy walks are optimal for finding targets of all sizes." *Science advances* 7.15 (2021): eabe8211. <https://doi.org/10.1126/sciadv.abe8211>

Wosniack, Marina E., et al. "The evolutionary origins of Lévy walk foraging." *PLoS computational biology* 13.10 (2017): e1005774. <https://doi.org/10.1371/journal.pcbi.1005774>

Humphries, Nicolas E., et al. "Foraging success of biological Lévy flights recorded in situ." *Proceedings of the National Academy of Sciences* 109.19 (2012): 7169-7174. <https://doi.org/10.1073/pnas.1121201109>

Focardi, Stefano, and Jacopo G. Cecere. "The Lévy flight foraging hypothesis in a pelagic seabird." *Journal of animal ecology* 83.2 (2014): 353-364. <https://doi.org/10.1111/1365-2656.12147>

Sims, David W., et al. "Scaling laws of marine predator search behaviour." *Nature* 451.7182 (2008): 1098-1102. <https://doi.org/10.1038/nature06518>

Kambrikauden ja nykyhetken ravintoketjujen samankaltaisuksista:

Dunne, Jennifer A., et al. "Compilation and network analyses of Cambrian food webs." *PLoS biology* 6.4 (2008): e102. <https://doi.org/10.1371/journal.pbio.0060102>

Viswanathan, Gandhimohan M., E. P. Raposo, and M. G. E. Da Luz. "Lévy flights and superdiffusion in the context of biological encounters and random searches." *Physics of Life Reviews* 5.3 (2008): 133-150. s. 139. <https://doi.org/10.1016/j.plrev.2008.03.002>
PDF: <https://gandhiviswanathan.files.wordpress.com/2012/12/2008-plr-v5-133.pdf>

Raichlen, David A., et al. "Evidence of Lévy walk foraging patterns in human hunter-gatherers." *Proceedings of the National Academy of Sciences* 111.2 (2014): 728-733. <https://doi.org/10.1073/pnas.1318616111>

Gonzalez, Marta C., Cesar A. Hidalgo, and Albert-Laszlo Barabasi. "Understanding individual human mobility patterns." *Nature* 453.7196 (2008): 779-782. <https://doi.org/10.1038/nature06958>

Zhao, Kai, et al. "Explaining the power-law distribution of human mobility through transportationmodality decomposition." *Scientific reports* 5.1 (2015): 1-7. <https://doi.org/10.1038/srep09136>

Faustino, C. L., et al. "Search dynamics at the edge of extinction: Anomalous diffusion as a critical survival state." *EPL (Europhysics Letters)* 77.3 (2007): 30002. <https://doi.org/10.1209/0295-5075/77/30002>

sivu 50

Gurarie, Eliezer, et al. "Spatial Memory Drives Foraging Strategies of Wolves, but in Highly Individual Ways." *Frontiers in Ecology and Evolution* (2022): 105. <https://doi.org/10.3389/fevo.2022.768478>

Schlägel, Ulrike E., Evelyn H. Merrill, and Mark A. Lewis. "Territory surveillance and prey management: Wolves keep track of space and time." *Ecology and evolution* 7.20 (2017): 8388-8405. <https://doi.org/10.1002/ece3.3176>

sivu 51

Saaliskävelyn mallintamisen vaikeudesta tappajan vuorovaikuttaessa ympäristössä olevien rakenteiden kanssa:

Benhamou, Simon. "How many animals really do the Lévy walk?." *Ecology* 88.8 (2007): 1962-1969. <https://doi.org/10.1890/06-1769.1>

Bénichou, Olivier, et al. "Intermittent search strategies." *Reviews of Modern Physics* 83.1 (2011): 81, s. 85. <https://doi.org/10.1103/RevModPhys.83.81>

Barraquand, Frédéric, Pablo Inchausti, and Vincent Bretagnolle. "Cognitive abilities of a central place forager interact with prey spatial aggregation in their effect on intake rate." *Animal Behaviour* 78.2 (2009): 505-514. <https://doi.org/10.1016/j.anbehav.2009.06.008>

Gurarie, Eliezer, et al. "Summer movements, predation and habitat use of wolves in human modified boreal forests." *Oecologia* 165.4 (2011): 891-903. <https://doi.org/10.1007/s00442-010-1883-y>

Mech, L. David. "Regular and homeward travel speeds of arctic wolves." *Journal of Mammalogy* 75.3 (1994): 741-742. <https://doi.org/10.2307/1382524>

Wosniack, Marina E., et al. "The evolutionary origins of Lévy walk foraging." *PLoS computational biology* 13.10 (2017): e1005774. <https://doi.org/10.1371/journal.pcbi.1005774>

sivu 52

Schlägel, Ulrike E., Evelyn H. Merrill, and Mark A. Lewis. "Territory surveillance and prey management: Wolves keep track of space and time." *Ecology and evolution* 7.20 (2017): 8388-8405. <https://doi.org/10.1002/ece3.3176>

Wosniack, Marina E., et al. "The evolutionary origins of Lévy walk foraging." *PLoS computational biology* 13.10 (2017): e1005774. <https://doi.org/10.1371/journal.pcbi.1005774>

Tämän luvun kappalejako perustuu artikkeliin:

Suraci, Justin P., et al. "Beyond spatial overlap: harnessing new technologies to resolve the complexities of predator-prey interactions." *Oikos* (2022): e09004. [https://doi.org/10.1111/oik.09004.](https://doi.org/10.1111/oik.09004)

sivu 53

Suraci, Justin P., et al. "Beyond spatial overlap: harnessing new technologies to resolve the complexities of predator-prey interactions." *Oikos* (2022): e09004. [https://doi.org/10.1111/oik.09004.](https://doi.org/10.1111/oik.09004)

sivu 54

Mech D.L. et al. *Wolves on the Hunt*, University of Chicago Press. 2015. e-kirja.

Pantasudet, Luonnonvarakeskus. <https://luonnonvaratieto.luke.fi/cms/pages?path=suurpedot/susi/pannoitetut/>

sivu 55

Suraci, Justin P., et al. "Beyond spatial overlap: harnessing new technologies to resolve the complexities of predator–prey interactions." *Oikos* (2022): e09004. <https://doi.org/10.1111/oik.09004>.

sivu 56

"Helsingin ”poro” eli eksynyt metsäpeura pääsi takaisin luontoon – Nämä elävät sen lajitovertit", *Helsingin Sanomat*, 20.2.2022. <https://www.hs.fi/tiede/art-2000008502307.html>

Suraci, Justin P., et al. "Beyond spatial overlap: harnessing new technologies to resolve the complexities of predator–prey interactions." *Oikos* (2022): e09004. <https://doi.org/10.1111/oik.09004>.

Avgar, Tal, et al. "Space-use behaviour of woodland caribou based on a cognitive movement model." *Journal of Animal Ecology* 84.4 (2015): 1059-1070. <https://doi.org/10.1111/1365-2656.12357>

Merkle, J. A., D. Fortin, and Juan Manuel Morales. "A memory-based foraging tactic reveals an adaptive mechanism for restricted space use." *Ecology letters* 17.8 (2014): 924-931. <https://doi.org/10.1111/ele.12294>

Ontariossa tehdyn tutkimuksen mukaan vasattomat vaatimet valitsevat tuottavia ruokailupaikkoja, eli suurpetojen välttäminen riippuu siitä, onko vaatimella jälkikasvua vai ei: Viejou, Rebecca, et al. "Woodland caribou habitat selection patterns in relation to predation risk and forage abundance depend on reproductive state." *Ecology and evolution* 8.11 (2018): 5863-5872. <https://doi.org/10.1002%2Fece3.4124>.

Leblond, Mathieu, et al. "Caribou avoiding wolves face increased predation by bears—C aught between S cylla and C harybdis." *Journal of Applied Ecology* 53.4 (2016): 1078-1087. <https://doi.org/10.1111/1365-2664.12658>

Sivertsen, Therese R., et al. "Reindeer habitat selection under the risk of brown bear predation during calving season." *Ecosphere* 7.11 (2016): e01583. <https://doi.org/10.1002/ecs2.1583>

sivu 57

Suraci, Justin P., et al. "Beyond spatial overlap: harnessing new technologies to resolve the complexities of predator–prey interactions." *Oikos* (2022): e09004. <https://doi.org/10.1111/oik.09004>.

Chittka, Lars, Peter Skorupski, and Nigel E. Raine. "Speed–accuracy tradeoffs in animal decision making." *Trends in ecology & evolution* 24.7 (2009): 400-407. <https://doi.org/10.1016/j.tree.2009.02.010>

Trimmer, Pete C., et al. "Mammalian choices: combining fast-but-inaccurate and slow-but-accurate decision-making systems." *Proceedings of the Royal Society B: Biological Sciences* 275.1649 (2008): 2353-2361. <https://doi.org/10.1098/rspb.2008.0417>

sivu 60

Öhman, Arne, and Joaquim JF Soares. "" Unconscious anxiety": phobic responses to masked stimuli." *Journal of abnormal psychology* 103.2 (1994): 231. <https://doi.org/10.1037/0021-843X.103.2.231>

Hoehl, Stefanie, et al. "Itsy bitsy spider...: Infants react with increased arousal to spiders and snakes." *Frontiers in psychology* 8 (2017): 1710. <https://doi.org/10.3389/fpsyg.2017.01710>

Trimmer, Pete C., et al. "Mammalian choices: combining fast-but-inaccurate and slow-but-accurate decision-making systems." *Proceedings of the Royal Society B: Biological Sciences* 275.1649 (2008): 2353-2361. <https://doi.org/10.1098/rspb.2008.0417>

Burns, James G., and F. Helen Rodd. "Hastiness, brain size and predation regime affect the performance of wild guppies in a spatial memory task." *Animal Behaviour* 76.3 (2008): 911-922. <https://doi.org/10.1016/j.anbehav.2008.02.017>

Terhi 'Landscape of fear' julkaistiin ensimmäisen kerran tieteellisessä artikkelissa vuonna 2001, kun tutkittiin susien vaikutusta Yellowstoneessa vapiteihin ja biisoneihin:

Laundré, John W., Lucina Hernández, and Kelly B. Altendorf. "Wolves, elk, and bison: reestablishing the" landscape of fear" in Yellowstone National Park, USA." *Canadian Journal of Zoology* 79.8 (2001): 1401-1409. <https://doi.org/10.1139/z01-094>.

Dellinger, Justin A., et al. "Habitat use of sympatric prey suggests divergent anti-predator responses to recolonizing gray wolves." *Oecologia* 189.2 (2019): 487-500. <https://doi.org/10.1007/s00442-018-4323-z>

Latombe, Guillaume, Daniel Fortin, and Lael Parrott. "Spatio-temporal dynamics in the response of woodland caribou and moose to the passage of grey wolf." *Journal of Animal Ecology* 83.1 (2014): 185-198. <https://doi.org/10.1111/1365-2656.12108>

sivu 61

Mech D.L. et al. *Wolves on the Hunt*, University of Chicago Press. 2015. e-kirja.

Basille, Mathieu, et al. "Ecologically based definition of seasons clarifies predator-prey interactions." *Ecography* 36.2 (2013): 220-229. <https://doi.org/10.1111/j.1600-0587.2011.07367.x>

Wikenros, Camilla, et al. "Wolf predation on moose and roe deer: chase distances and outcome of encounters." *Acta theriologica* 54.3 (2009): 207-218. <https://doi.org/10.4098/j.at.0001-7051.082.2008>

Pusenius, Jyrki, et al. "Wolf predation risk and moose movement in eastern Finland." *Wildlife Biology* 2020.4 (2020): 1-9. <https://doi.org/10.2981/wlb.00685>

sivu 62

Mech L. D. & Boitani L. 2010, *Wolves. Behavior, Ecology, and Conservation*, University of Chicago Press, Chicago, Yhdysvallat.

McPhee, Heather M., Nathan F. Webb, and Evelyn H. Merrill. "Hierarchical predation: wolf (*Canis lupus*) selection along hunt paths and at kill sites." *Canadian journal of zoology* 90.5 (2012): 555-563. <http://dx.doi.org/10.1139/z2012-021>

Torretta, Elisa, et al. "Wolf predation on wild ungulates: how slope and habitat cover influence the localization of kill sites." *Current Zoology* 64.3 (2018): 271-275. <https://doi.org/10.1093/cz/2Fzox031>

Gula, Roman. "Influence of snow cover on wolf *Canis lupus* predation patterns in Bieszczady Mountains, Poland." *Wildlife Biology* 10.1 (2004): 17-23. <https://doi.org/10.2981/wlb.2004.005>

Sudet tappavat biisonin käyttäen maastoansaa. Video:

Michael Sypniewski, opas, Yellowstone Wolf Tracker: <https://www.instagram.com/p/Cemj67grVtC/>

"How Wolves hunt", *Living with Wolves*. <https://www.livingwithwolves.org/how-wolves-hunt/>

Gable, Thomas D., et al. "Do wolves ambush beavers? Video evidence for higher-order hunting strategies." *Ecosphere* 9.3 (2018): e02159. <https://doi.org/10.1002/ecs2.2159>

sivu 63

Gable, Thomas D., et al. "Wolves choose ambushing locations to counter and capitalize on the sensory abilities of their prey." *Behavioral Ecology* 32.2 (2021): 339-348. <https://doi.org/10.1093/beheco/araa147>

Voyageurs Wolf Project. <https://www.instagram.com/p/CeljT5FOFu4/>

Suraci, Justin P., et al. "Beyond spatial overlap: harnessing new technologies to resolve the complexities of predator-prey interactions." *Oikos* (2022): e09004. <https://doi.org/10.1111/oik.09004>

"Wolves hunting Caribou | Planet Earth | BBC". <https://www.youtube.com/watch?v=nK1JOMMQ5Fc>

"Wolf hunts caribou - Nature's Epic Journeys: Episode 2 Preview - BBC One". <https://www.youtube.com/watch?v=NdVIxS8tgYM>

"Arctic Wolf Hunts Baby Caribou | Planet Earth II | BBC Earth". <https://www.youtube.com/watch?v=WHICe7FoixA>

Mech D.L. et al. *Wolves on the Hunt*, University of Chicago Press. 2015. e-kirja.

sivu 64

Mech D.L. et al. *Wolves on the Hunt*, University of Chicago Press. 2015. e-kirja.

Gurarie, Eliezer, et al. "Spatial Memory Drives Foraging Strategies of Wolves, but in Highly Individual Ways." *Frontiers in Ecology and Evolution* (2022): 105. <https://doi.org/10.3389/fevo.2022.768478>

Parker, G. R., and S. Luttich. "Characteristics of the wolf (*Canis lupus labradorius* Goldman) in northern Quebec and Labrador." *Arctic* (1986): 145-149. <https://www.jstor.org/stable/40510462>

Karhula, Kari. "Liikenteen ja suurpetojen tappamien metsäpeurojen ikäjakaumat." (2021). <http://urn.fi/URN:NBN:fi:hulib-202103031597>

Paquet, Paul C. "Behavioral ecology of sympatric wolves (*Canis lupus*) and coyotes (*C. latrans*) in Riding Mountain National Park, Manitoba." (1990): 2803-2803. <https://doi.org/10.7939/R3XW48743>, s. 131.

Wikrenros, Camilla, et al. "Wolf predation on moose and roe deer: chase distances and outcome of encounters." *Acta theriologica* 54.3 (2009): 207-218. <https://doi.org/10.4098/j.at.0001-7051.082.2008>

sivu 65

Mech D. ja Peterson R. 2003, "Wolf-Prey Relations", kirjassa *Wolves: Behavior, Ecology, and Conservation*, Chicago & London: University of Chicago Press, 137.

Hoy, Sarah R., et al. "Negative frequency-dependent prey selection by wolves and its implications on predator-prey dynamics." *Animal Behaviour* 179 (2021): 247-265. <https://doi.org/10.1016/j.anbehav.2021.06.025>

"How Wolves hunt", *Living with Wolves*. <https://www.livingwithwolves.org/how-wolves-hunt/>

Voyageurs Wolf Project.

Metz, Matthew C., et al. "Effect of sociality and season on gray wolf (*Canis lupus*) foraging behavior: implications for estimating summer kill rate." *PloS one* 6.3 (2011): e17332. <https://doi.org/10.1371/journal.pone.0017332>

sivu 68

MacNulty, Daniel R., et al. "Nonlinear effects of group size on the success of wolves hunting elk." *Behavioral Ecology* 23.1 (2012): 75-82. <https://doi.org/10.1093/beheco/arr159>

Lerman, Kristina, and Aram Galstyan. "Mathematical model of foraging in a group of robots: Effect of interference." *Autonomous robots* 13.2 (2002): 127-141. <https://doi.org/10.1023/A:1019633424543>

Mech D.L. et al. *Wolves on the Hunt*, University of Chicago Press. 2015. e-kirja.

Mech, L. David. "A Gray Wolf (*Canis lupus*) delivers live prey to a pup." *The Canadian Field-Naturalist* 128.2 (2014): 189-190. <https://doi.org/10.22621/cfn.v128i2.1584>

Sand, Håkan, et al. "Effects of hunting group size, snow depth and age on the success of wolves hunting moose." *Animal behaviour* 72.4 (2006): 781-789. <https://doi.org/10.1016/j.anbehav.2005.11.030>

MacNulty, Daniel R., et al. "Predatory senescence in ageing wolves." *Ecology letters* 12.12 (2009): 1347-1356. <https://doi.org/10.1111/j.1461-0248.2009.01385.x>

sivu 69

Mech D.L. et al. *Wolves on the Hunt*, University of Chicago Press. 2015. e-kirja.

MacNulty, Daniel R., et al. "Body size and predatory performance in wolves: is bigger better?." *Journal of Animal Ecology* (2009): 532-539. <https://doi.org/10.1111/j.1365-2656.2008.01517.x>

Van Valkenburgh, Blaire. "Costs of carnivory: tooth fracture in Pleistocene and Recent carnivorans." *Biological Journal of the Linnean Society* 96.1 (2009): 68-81. <https://doi.org/10.1111/j.1095-8312.2008.01108.x>

Mukherjee, Shomen, and Michael R. Heithaus. "Dangerous prey and daring predators: a review." *Biological reviews* 88.3 (2013): 550-563. <https://doi.org/10.1111/brv.12014>

sivu 71

<https://twitter.com/TeemuRytken/status/1368988577661657093>

"Lynx catches a fox". <https://www.youtube.com/watch?v=9rCosGVpx7Q>

Mech D.L. et al. *Wolves on the Hunt*, University of Chicago Press. 2015. e-kirja.

"Björn attackerar älg piteå. Bear attacking moose sweden". <https://www.youtube.com/watch?v=rKVcgvxXfOs>

"22 Most Savage Bear Attacks Caught on Camera". <https://www.youtube.com/watch?v=KL9TndQzhMc>

Luku 3 Tappajien maailma

sivu 73

Ilmatieteenlaitos.
<https://www.ilmatieteenlaitos.fi/vuositilastot>
<https://www.ilmatieteenlaitos.fi/karttoja-vuodesta-1961>

sivu 74

Paikkatietoikkuna. <https://kartta.paikkatietoikkuna.fi>

sivu 75

Pohjois-Amerikassa elävillä vuoritiaisilla tehdyllä tutkimuksella havaittiin ajallisen ja paikallisen hahmotuskyvyn ja muistikyvyn toimivan luonnonvalintana tiaisten keskuudessa: paremmin muistavat ja hahmottavat tiaiset selviävät ankarat talvet paremmin kätköjen turvin. Tällä tavalla hyvä tilanhahmotus- ja muistikyky periytyvät helpommin seuraaville sukupolville: Sonnenberg, Benjamin R., et al. "Natural selection and spatial cognition in wild food-caching mountain chickadees." *Current Biology* 29.4 (2019): 670-676. <https://doi.org/10.1016/j.cub.2019.01.006>.

Kaarnan ryppyisyyden mittamisesta esimerkiksi:

Sioma, Andrzej, Jarosław Socha, and Anna Klamerus-Iwan. "A new method for characterizing bark microrelief using 3D vision systems." *Forests* 9.1 (2018): 30. <https://doi.org/10.3390/f9010030>

"Lähikuvassa hämähäkki", *Helsingin Sanomat. Kuukausiliite*, 5.6.2021. <https://www.hs.fi/kuukausiliite/art-2000008021818.html>

Mitchell, Matthew GE, et al. "Identifying key ecosystem service providing areas to inform national-scale conservation planning." *Environmental Research Letters* 16.1 (2021): 014038. <https://iopscience.iop.org/article/10.1088/1748-9326/abc121>

sivu 78

"The Staggering Value of Forests—and How to Save Them", *Boston Consulting Group*, 9.6.2020. <https://www.bcg.com/publications/2020/the-staggering-value-of-forests-and-how-to-save-them>

Euro/dollari-kurssi 0,88 (19.1.2022)

<https://valtioneuvosto.fi/budjetti-2021>

"World military spending rises to almost \$2 trillion in 2020", *Sipri*, 26.4.2021. <https://www.sipri.org/media/press-release/2021/world-military-spending-rises-almost-2-trillion-2020>

The Department of the Treasury and the Bureau of the Fiscal Service: <https://datalab.usaspending.gov/americas-finance-guide/spending/>

"Global Top 100 companies by market capitalisation", *Price Waterhouse Coopers*. (2021). <https://www.pwc.com/gx/en/audit-services/publications/assets/pwc-global-top-100-companies-2021.pdf>

"Hiilinielut romahtivat ja maankäyttö muuttui ensimmäistä kertaa ilmastopäästöjen lähteeksi Suomessa – Kotimaista raakapuuta käytettiin viime vuonna ennätysmäärä", *Helsingin Sanomat*, 25.5.2022. <https://www.hs.fi/kotimaa/art-2000008814403.html>

Eritisesti turvemaiden metsien avohakkaaminen tekee niistä voimakkaita hiililähteitä:
Korkiakoski, Mika, et al. "Greenhouse gas and energy fluxes in a boreal peatland forest after clear-cutting." *Biogeosciences* 16.19 (2019): 3703-3723. <https://doi.org/10.5194/bg-16-3703-2019>

Bukoski, Jacob J., et al. "Rates and drivers of aboveground carbon accumulation in global monoculture plantation forests." *Nature communications* 13.1 (2022): 1-13. <https://doi.org/10.1038/s41467-022-31380-7>

sivu 79

Watson, James EM, et al. "The exceptional value of intact forest ecosystems." *Nature ecology & evolution* 2.4 (2018): 599-610. <https://doi.org/10.1038/s41559-018-0490-x>

Kotanen, Janne et. al. "Aukkohakkuiden vaikutus maassa pesivien lintujen pesäpredaatioon: koepesätutkimus." (2021).<https://researchportal.helsinki.fi/en/publications/avohakkuiden-vaikeudet-maassa-pesivien-lintujen-pesäpredaatioon-ko>

Morrison, C. A., et al. "Bird population declines and species turnover are changing the acoustic properties of spring soundscapes." *Nature Communications* 12.1 (2021): 1-12. <https://doi.org/10.1038/s41467-021-26488-1>

Fraixedas, Sara, Andreas Lindén, and Aleksi Lehikoinen. "Population trends of common breeding forest birds in southern Finland are consistent with trends in forest management and climate change." *Ornis Fennica* 92.4 (2015): 187-203. <https://research.abo.fi/ws/portalfiles/portal/25083011/154Fraixedas.pdf>

Metsienhakkuut ja ilmastonmuutos vähentävät lintuja borealisessa metsässä Kanadassa. Esimerkiksi viirurintakerttuli on yleinen pohjoisamerikkalainen boreaalisen metsän laji, jonka populaatio on kuitenkin pudonnut 60–65%. Tätä lintukatoa tutkitaan seuraamalla äänimaailmaa: "Boreal birds are **vanishing**, and with them, their songs. How can we conserve Canada's soundscape?", *Canadian Geographic*, 12.2022. <https://canadiangeographic.ca/articles/vanishing-birdsong/>

sivu 80

Jenna, Purhonen, et al. "Wood-inhabiting fungal responses to forest naturalness vary among morpho-groups." *Scientific reports* 11.1 (2021): 1-10. <https://doi.org/10.1038/s41598-021-93900-7>

"Ilari E. Sääksjärven kolumni: Maapallolla elää jopa 20 miljoonaa eliolajia. Se näkyy, tuoksuu ja tuntuu - niin kotipellolla kuin sademetsässä", *Yleisradio*, 12.7.2020. <https://yle.fi/aihe/artikkeli/2020/07/12/ilari-e-saaksjarven-kolumni-maapallolla-elaa-jopa-20-miljoonaa-eliolajia-se>

sivu 81

Gable, Thomas D., et al. "Outsized effect of predation: Wolves alter wetland creation and recolonization by killing ecosystem engineers." *Science advances* 6.46 (2020): eabc5439. <https://doi.org/10.1126/sciadv.abc5439>

Tärkeä huomio on se, että sudet eivät tutkijoiden mukaan kykene vaikuttamaan merkittävästi majavapopulaatoiden kokoon, vaan tappamalla majavia sudet ennemminkin ohjaavat sitä, minne majavat maisemassa sijoittuvat. Väärin paikkoihin eksyneet majavat kuolevat, mikä on suora seuraus tappamisesta.

"Naava vai luppo", *Suomen luonto*, 19.2.2018. <https://suomenluonto.fi/uutiset/viikon-laji-naava-ja-luppo/>

sivu 82

Delgado-Baquerizo, Manuel, et al. "Multiple elements of soil biodiversity drive ecosystem functions across biomes." *Nature Ecology & Evolution* 4.2 (2020): 210-220. <https://doi.org/10.1038/s41559-019-1084-y>

Kaartinen, S., M. Luoto, and I. Kojola. "Selection of den sites by wolves in boreal forests in Finland." *Journal of Zoology* 281.2 (2010): 99-104. <https://doi.org/10.1111/j.1469-7998.2009.00678.x>

Valkama, Jari, Vepsäläinen, Ville & Lehikoinen, Aleksi 2011: Suomen III Lintuatlas. – Luonnontieteellinen keskuskansainvälisen luonnonvaran ja ympäristöministeriö. ISBN 978-952-10-6918-5. <https://cdn.laji.fi/files/birdatlas/lintuatlas3koko.pdf>

"Hömötiainen on erittäin uhanalainen, koska se ei löydä hakatuista metsistä syötävää - Suomen linnuista iso osa on kokemassa saman kohtalon", *Yleisradio*, 8.3.2019. <https://yle.fi/aihe/artikkeli/2019/03/08/homotiainen-on-erittain-uhanalainen-koska-se-ei-loyda-hakatuista-metsista>

Hyvärinen, Esko, et al. "Suomen lajien uhanalaisuus 2019-Punainen kirja: The 2019 Red List of Finnish Species." (2019). <https://punainenkirja.laji.fi/results/MX.34535?checklist=MR.424>

Hömötiainen, Birdlife Suomi. <https://www.birdlife.fi/suojelu/lajit/uhanalaisuus/suomi/homotiainen/>

sivu 84

Ciucci, Paolo, et al. "Hierarchical, multi-grain rendezvous site selection by wolves in southern Italy." *The Journal of Wildlife Management* 82.5 (2018): 1049-1061. <https://doi.org/10.1002/jwmg.21440>

Iliopoulos, Yorgos, Dionisios Youlatos, and Stefanos Sgardelis. "Wolf pack rendezvous site selection in Greece is mainly affected by anthropogenic landscape features." *European journal of wildlife research* 60.1 (2014): 23-34. <https://doi.org/10.1007/s10344-013-0746-3>

Ahmadi, Mohsen, et al. "A predictive spatial model for gray wolf (*Canis lupus*) denning sites in a human-dominated landscape in western Iran." *Ecological research* 28.3 (2013): 513-521. <https://doi.org/10.1007/s11284-013-1040-2>

Capitani, Claudia, et al. "Selection of rendezvous sites and reuse of pup raising areas among wolves *Canis lupus* of north-eastern Apennines, Italy." *Acta theriologica* 51.4 (2006): 395-404. <https://doi.org/10.1007/BF03195186>

Mancinelli, S. M. L. P. M., et al. "Social, behavioural and temporal components of wolf (*Canis lupus*) responses to anthropogenic landscape features in the central Apennines, Italy." *Journal of Zoology* 309.2 (2019): 114-124. <https://doi.org/10.1111/jzo.12708>

Whittington, Jesse, et al. "Towns and trails drive carnivore movement behaviour, resource selection, and connectivity." *Movement ecology* 10.1 (2022): 1-18. <https://doi.org/10.1186/s40462-022-00318-5>

Ford, Adam T., et al. "Effective corridor width: linking the spatial ecology of wildlife with land use policy." *European Journal of Wildlife Research* 66.4 (2020): 1-10. <https://doi.org/10.1007/s10344-020-01385-y>

sivu 85

Gaüzère, Pierre, et al. "The diversity of biotic interactions complements functional and phylogenetic facets of biodiversity." *Current Biology* 32.9 (2022): 2093-2100. <https://doi.org/10.1016/j.cub.2022.03.009>

Global Forest Watch. <https://globalforestwatch.org/map>

Betts, Matthew G., et al. "Forest degradation drives widespread avian habitat and population declines." *Nature Ecology & Evolution* (2022): 1-11. <https://doi.org/10.1038/s41559-022-01737-8>

Old forests are not replaceable. *Nat Ecol Evol* 6, 653 (2022). <https://doi.org/10.1038/s41559-022-01806-y>

Bukoski, Jacob J., et al. "Rates and drivers of aboveground carbon accumulation in global monoculture plantation forests." *Nature communications* 13.1 (2022): 1-13. <https://doi.org/10.1038/s41467-022-31380-7>

sivu 86

Fagan, Matthew E., et al. "The expansion of tree plantations across tropical biomes." *Nature Sustainability* (2022): 1-8. <https://doi.org/10.1038/s41893-022-00904-w>

"Carbon accumulation is a key but incomplete criterion for restoring tree cover" Sustainability Community, 29.7.2022. <https://sustainabilitycommunity.springernature.com/posts/carbon-accumulation-is-a-key-but-incomplete-criterion-for-restoring-tree-cover>

Luku 4. Maankäyttö

sivu 89

"Grey wolf: non-detriment finding", *Government of Canada*. 2014. <https://www.canada.ca/en/environment-climate-change/services/convention-international-trade-endangered-species/non-detriment-findings/grey-wolf.html>

sivu 91

"The contiguous United States just lost its last wild caribou", *Science News*. <https://www.science.org/content/article/contiguous-united-states-just-lost-its-last-wild-caribou>

Lamb, Clayton T., et al. "Indigenous-led conservation: Pathways to recovery for the nearly extirpated Klinse-Za mountain caribou." *Ecological Applications* 32.5 (2022): e2581. <https://doi.org/10.1002/eap.2581>

"Caribou are vanishing at an alarming rate. **Is it too late to save them?**", *Canadian Geographic*, 3.9.2021. <https://canadiangeographic.ca/articles/caribou-are-vanishing-at-an-alarming-rate-is-it-too-late-to-save-them>

"Caribou in Canada", *Government of Canada*. 2022 <https://www.canada.ca/en/environment-climate-change/services/species-risk-education-centre/caribou.html>

sivu 92

Tunturipeurojen vaelluksista ennen laajamittaisista poronhoitoa ja rajasulkua:
Haataja A. Pohjoinen, Tammi, Helsinki. 2018.

Joly, Kyle, et al. "Longest terrestrial migrations and movements around the world." *Scientific Reports* 9.1 (2019): 1-10. <https://doi.org/10.1038/s41598-019-51884-5>

"Barren-ground Caribou", *Environment and Natural Resources, Government of the Northwest Territories*. <https://www.enr.gov.nt.ca/en/services/barren-ground-caribou>

"Dwindling Bathurst caribou herd showing signs of 'stabilization', says N.W.T. wildlife manager", *CBC*, 22.12.2021. <https://www.cbc.ca/news/canada/north/bathurst-caribou-herd-update-1.6295408>

Bathurst Caribou Advisory Committee, *Bathurst Caribou Management Plan*. (2021). https://www.enr.gov.nt.ca/sites/enr/files/resources/bathurst_caribou_management_plan_aug_2021_1.pdf

"Caribou in Canada", *Government of Canada*. 2022 <https://www.canada.ca/en/environment-climate-change/services/species-risk-education-centre/caribou.html>

DeMars, Craig A., and Stan Boutin. "Nowhere to hide: effects of linear features on predator-prey dynamics in a large mammal system." *Journal of Animal Ecology* 87.1 (2018): 274-284. <https://doi.org/10.1111/1365-2656.12760>

sivu 93

Ibisch, Pierre L., et al. "A global map of roadless areas and their conservation status." *Science* 354.6318 (2016): 1423-1427. <https://doi.org/10.1126/science.aaf7166>

Fenotyypistä ja plastisuudesta:

Hendry, Andrew P., Thomas J. Farrugia, and Michael T. Kinnison. "Human influences on rates of phenotypic change in wild animal populations." *Molecular ecology* 17.1 (2008): 20-29. <https://doi.org/10.1111/j.1365-294X.2007.03428.x>.

Antti Paasivaara, erikoistutkija, Luonnonvarakeskus. Henkilökohtainen tiedoksianto.

Whittington, Jesse, et al. "Caribou encounters with wolves increase near roads and trails: a time-to-event approach." *Journal of applied ecology* 48.6 (2011): 1535-1542. <https://doi.org/10.1111/j.1365-2664.2011.02043.x>

"Seismic lines and forest fragmentation in Canada's western boreal forest", *Conservation corridor*, 22.1.2019. <https://conservationcorridor.org/digests/2019/01/seismic-lines-and-forest-fragmentation-in-canadas-western-boreal-forest/>

sivu 96

Latham, A. David M., et al. "Movement responses by wolves to industrial linear features and their effect on woodland caribou in northeastern Alberta." *Ecological Applications* 21.8 (2011): 2854-2865. <https://doi.org/10.1890/11-0666.1>

Tigner, Jesse, Erin M. Bayne, and Stan Boutin. "Black bear use of seismic lines in Northern Canada." *The Journal of Wildlife Management* 78.2 (2014): 282-292. <https://doi.org/10.1002/jwmg.664>

Juntti P., Jokiranta A., Ruohonen A., Räinä J. *Metsä meidän jälkeemme*, Like. 2019.

Dickie, Melanie, et al. "Resource exploitation efficiency collapses the home range of an apex predator." *Ecology* (2022): e3642. <https://doi.org/10.1002/ecy.3642>

sivu 97

Dickie, Melanie, et al. "Faster and farther: wolf movement on linear features and implications for hunting behaviour." *Journal of Applied Ecology* 54.1 (2017): 253-263. <https://doi.org/10.1111/1365-2664.12732>

Droghini, Amanda, and Stan Boutin. "Snow conditions influence grey wolf (*Canis lupus*) travel paths: the effect of human-created linear features." *Canadian Journal of Zoology* 96.1 (2018): 39-47. <https://doi.org/10.1139/cjz-2017-0041>

McKenzie, Hannah W., et al. "How linear features alter predator movement and the functional response." *Interface focus* 2.2 (2012): 205-216. <https://doi.org/10.1098/rsfs.2011.0086>

Dickie, Melanie, et al. "Corridors or risk? Movement along, and use of, linear features varies predictably among large mammal predator and prey species." *Journal of Animal Ecology* 89.2 (2020): 623-634. <https://doi.org/10.1111/1365-2656.13130>

Mech D.L. et al. *Wolves on the Hunt*, University of Chicago Press. 2015. e-kirja.

Darlington, Siobhan, et al. "Cumulative effects of human footprint, natural features and predation risk best predict seasonal resource selection by white-tailed deer." *Scientific reports* 12.1 (2022): 1-12. <https://doi.org/10.1038/s41598-022-05018-z>

sivu 102

Tattersall, Erin R., et al. "Boreal predator co-occurrences reveal shared use of seismic lines in a working landscape." *Ecology and Evolution* 10.3 (2020): 1678-1691. <https://doi.org/10.1002/ece3.6028>

Chow-Fraser, Gillian, et al. "Landscape change shifts competitive dynamics between declining at-risk wolverines and range-expanding coyotes, compelling a new conservation focus." *Biological Conservation* 266 (2022): 109435. <https://doi.org/10.1016/j.biocon.2021.109435>

"Kultasakaali käveli toimittajan mökin pihaan Kajaanissa ja oli samalla Suomen ensimmäinen varmistettu havainto oudosta tulokaslajista", *Kainuun Sanomat*, 12.2.2020. <https://www.kainuunsanomat.fi/artikkelit/kultasakaali-kaveli-toimittajan-mokin-pihaan-kajaanissa-ja-oli-samalla-suomen-ensimmäinen-varmistettu-havainto-oudosta-tulokaslajista-177624725/>

"Kultasakaali saapui Suomeen", *Riistakeskus*, 29.7.2019. <https://riista.fi/kultasakaali-saapui-suomeen/>

Suomen ilveskannan hoitosuunnitelma, Maa- ja metsätalousministeriö, Helsinki, 2021. https://julkaisut.valtioneuvosto.fi/bitstream/handle/10024/163559/MMM_2021_22.pdf?sequence=1&isAllowed=y

Otso Huitu, Ilpo Kojola ja Antti Paasivaara, Luonnonvarakeskus. Henkilökohtainen tiedoksianto 27.10.2021.

Chapron, Guillaume, and Adrian Treves. "Blood does not buy goodwill: allowing culling increases poaching of a large carnivore." *Proceedings of the Royal Society B: Biological Sciences* 283.1830 (2016): 20152939. <https://doi.org/10.1098/rspb.2015.2939>

Santiago-Ávila, Francisco J., Richard J. Chappell, and Adrian Treves. "Liberalizing the killing of endangered wolves was associated with more disappearances of collared individuals in Wisconsin, USA." *Scientific Reports* 10.1 (2020): 1-14. <https://doi.org/10.1038/s41598-020-70837-x>

Hogberg, Jamie, et al. "Changes in attitudes toward wolves before and after an inaugural public hunting and trapping season: early evidence from Wisconsin's wolf range." *Environmental Conservation* 43.1 (2016): 45-55. <https://doi.org/10.1017/S037689291500017X>

sivu 103

Newton, Erica J., et al. "Compensatory selection for roads over natural linear features by wolves in northern Ontario: Implications for caribou conservation." *PLoS one* 12.11 (2017): e0186525. <https://doi.org/10.1371/journal.pone.0186525>

"Seismic lines and forest fragmentation in Canada's western boreal forest", *Conservation corridor*, 22.1.2019. <https://conservationcorridor.org/digests/2019/01/seismic-lines-and-forest-fragmentation-in-canadas-western-boreal-forest/>

Dabros, Anna, Matthew Pyper, and Guillermo Castilla. "Seismic lines in the boreal and arctic ecosystems of North America: environmental impacts, challenges, and opportunities." *Environmental Reviews* 26.2 (2018): 214-229. <https://doi.org/10.1139/er-2017-0080>

Prokopenko, Christina M., Mark S. Boyce, and Tal Avgar. "Characterizing wildlife behavioural responses to roads using integrated step selection analysis." *Journal of Applied Ecology* 54.2 (2017): 470-479. <https://doi.org/10.1111/1365-2664.12768>

D'Amico, Marcello, et al. "Road avoidance responses determine the impact of heterogeneous road networks at a regional scale." *Journal of Applied Ecology* 53.1 (2016): 181-190. <https://doi.org/10.1111/1365-2664.12572>

Fahrig, Lenore, and Trina Rytwinski. "Effects of roads on animal abundance: an empirical review and synthesis." *Ecology and society* 14.1 (2009). <https://www.jstor.org/stable/26268057>

DeCesare, Nicholas J., et al. "Transcending scale dependence in identifying habitat with resource selection functions." *Ecological Applications* 22.4 (2012): 1068-1083. <https://doi.org/10.1890/11-1610.1>

sivu 104

"Indigenous-led conservation aims to rekindle caribou abundance and traditions", *Conservation corridor*, 23.5.2022. <https://theconversation.com/indigenous-led-conservation-aims-to-rekindle-caribou-abundance-and-traditions-180561>

"B.C. partners with First Nations to create new park in habitat for endangered caribou herds, threatened species", *Wilderness Committee*, 21.2.2020l <https://www.wildernesscommittee.org/news/bc-partners-first-nations-create-new-park-habitat-endangered-caribou-herds-threatened-species>

Serrouya, Robert, et al. "Saving endangered species using adaptive management." *Proceedings of the National Academy of Sciences* 116.13 (2019): 6181-6186. <https://doi.org/10.1073/pnas.1816923116>

"Indigenous-led conservation program saves caribou herd from extinction", *CBC*, 8.4.2022. <https://www.cbc.ca/radio/quirks/apr-9-arctic-plastic-pollution-the-drunken-monkey-hypothesis-the-songs-of-the-manatee-and-more-1.6413118/indigenous-led-conservation-program-saves-caribou-herd-from-extinction-1.6413550>

McNay, R. Scott, et al. "Demographic responses of nearly extirpated endangered mountain caribou to recovery actions in central British Columbia." *Ecological Applications* (2022): e2580. <https://doi.org/10.1002/eap.2580>

sivu 105

Caribou Homeland, Yellowstone to Yukon Conservation Initiative. 2021. <https://www.youtube.com/watch?v=N-AOFQEPp70>

"Indigenous-led conservation program saves caribou herd from extinction", *CBC*, 8.4.2022. <https://www.cbc.ca/radio/quirks/apr-9-arctic-plastic-pollution-the-drunk-monkey-hypothesis-the-songs-of-the-manatee-and-more-1.6413118/indigenous-led-conservation-program-saves-caribou-herd-from-extinction-1.6413550>

"La conservation du caribou forestier n'est pas un enjeu politique", *Le Devoir*, 26.4.2022. <https://www.ledevoir.com/opinion/idees/703458/environnement-la-conservation-du-caribou-forestier-n'est-pas-un-enjeu-politique>

Lacerte, Rebecca, Mathieu Leblond, and Martin-Hugues St-Laurent. "End of the road: Short-term responses of a large mammal community to forest road decommissioning." *Journal for Nature Conservation* 69 (2022): 126256. <https://doi.org/10.1016/j.jnc.2022.126256>

Vistnes, Ingunn, et al. "Effects of infrastructure on migration and range use of wild reindeer." *The Journal of Wildlife Management* 68.1 (2004): 101-108. [https://doi.org/10.2193/0022-541X\(2004\)068\[0101:EOIOMA\]2.0.CO;2](https://doi.org/10.2193/0022-541X(2004)068[0101:EOIOMA]2.0.CO;2)

"Raudt lys for seks av ti villreinområde", *NRK*, 25.4.2022. <https://www.nrk.no/vestfoldogtelemark/raudt-lys-for-seks-av-ti-villreinomrade-1.15942544>

Rolandsen, Christer M., et al. "Klassifisering av de ti nasjonale villreinområdene etter kvalitetsnorm for villrein. Første klassifisering–2022." (2022). <https://hdl.handle.net/11250/2991315>

sivu 106

Antti Paasivaara, Erikoistutkija, Luonnonvarakeskus. Henkilökohtainen tiedoksianto 16.5.2022.

Kuzyk, Gerald W., Jeff Kneteman, and Fiona KA Schmiegelow. "Winter habitat use by wolves, *Canis lupus*, in relation to forest harvesting in west-central Alberta." *The Canadian Field-Naturalist* 118.3 (2004): 368-375. <https://doi.org/10.22621/cfn.v118i3.15>

Gurarie, Eliezer, et al. "Summer movements, predation and habitat use of wolves in human modified boreal forests." *Oecologia* 165.4 (2011): 891-903. <https://doi.org/10.1007/s00442-010-1883-y>

sivu 107

Warfe, Danielle M., and Leon A. Barmuta. "Habitat structural complexity mediates the foraging success of multiple predator species." *Oecologia* 141.1 (2004): 171-178. <https://doi.org/10.1007/s00442-004-1644-x>

Hauzy, Céline, et al. "Density-dependent dispersal and relative dispersal affect the stability of predator-prey metacommunities." *Journal of theoretical biology* 266.3 (2010): 458-469. <http://dx.doi.org/10.1016/j.jtbi.2010.07.008>

KHO:2019:160

"Täydellinen yllätyks: Sudet kaatoivat Kajaanin tuulivoimahankkeen", *Maaseudun tulevaisuus*, 13.1.2020. <https://www.maaseuduntulevaisuus.fi/uutiset/793dff65-b43e-5f22-861b-fffd55485ea8>

"Piiparinmäen tuulivoimapuiston käyttöönotto kolminkertaisti Kainuun tuulisähkön tuotannon", *Yleisradio*, 22.11.2021. <https://yle.fi/uutiset/3-12193624>

sivu 108

Suomen tuuliteollisuushankkeet kartalla. <https://tuulivoimayhdistys.fi/tuulivoima-suomessa/kartta>.

https://kajaani.cloudnc.fi/fi-FI/Toimielimet/Kaupunginhallitus/Kokous_2642022/Kaavoitusaloite_kaavoituksen_valmistelun

Piiparinmäen-Lammaslamminkankaan osayleiskaavoitus Piiparinmäen tuulivoimapuiston osayleiskaava, Ramboll. 2015. <https://www.metsa.fi/wp-content/uploads/2020/06/Selostus-19052015.pdf>

"Löytösuo tuulivoimapuiston yva-ohjelman lausunto valmis – yhteisvaikutukset huolettavat asukkaita", *Kainuun Sanomat*, 14.9.2022. <https://www.kainuunsanomat.fi/artikkeli/loytosuon-tuulivoimapuiston-yva-ohjelman-lausunto-valmis-yhteisvaikutukset-huolettavat-asukkaita-240984225/>

"Yksitoista metsäpeuraa jäi junan alle Kauhavalla", *Yleisradio*, 25.2.2021. <https://yle.fi/a/3-11810483>

<https://www.terrafame.fi/ymparisto.html>

"Järvi pois, louhos tilalle", *Yleisradio*, 1.11.2021. <https://yle.fi/uutiset/3-12152020>

<https://www.ymparisto.fi/download/noname/%7BEC4D65A4-C1EA-446F-8F82-BE8A4767B97E%7D/168918, s. 53.>

"Terrafame hakee kymmenien neliökilometrien laajennusta kaivospireille", *Kainuun Sanomat*, 18.9.2022. https://www.kainuunsanomat.fi/artikkeli/terrafame-hakee-kymmenien-neliokilometrien-laajennusta-kaivospireille-241940925/?dl_update=1

https://www.ymparisto.fi/fi-FI/Asiointi_luvat_ja_ymparistovaikutusten_arvointi/Ymparistovaikutusten_arvointi/YVAhankkeet/Loytosuon_tuulivoimahanke_Kajaani

"TERRAFAME SAATTAA PIAN TUOTTAÄ YKSIN YLI 90% SUOMEN VAARALLISEN JÄTTEEN MÄÄRÄSTÄ", *Suomen luonnonsuojeluliitto*, 25.8.2022. "<https://www.sll.fi/2022/08/25/terrafame-saattaa-pian-tuottaa-yksin-ly-90-suomen-vaarallisen-jatteen-maarasta/>

Kansallispuistojen, valtion retkeilyalueiden ja muiden virkistys käytöllisesti merkittävimpien Metsähallituksen hallinnoimien suoalueiden ja retkeilykohteiden käyntimääärät vuonna 2021,

Metsähallitus, Luontopalvelut. (2022). https://www.metsa.fi/wp-content/uploads/2022/01/Kayntimaarat_2021.pdf

Kansallispuistojen, valtion retkeilyalueiden ja muiden virkistys käytöllisesti merkittävimpien Metsähallituksen hallinnoimien suojaralueiden ja retkeilykohteiden käyntimääärät vuonna 2018, Metsähallitus, Luontopalvelut. (2020). <https://www.metsa.fi/wp-content/uploads/2020/06/kayntimaarat2018.pdf>

"Kansallispuistojen käyntimäärisä on noustu uudelle tasolle – kansallispuistojen myönteiset talousvaikutukset kasvavat vielä käyntimääriäkin vahvemmin", *Metsähallitus*, 27.1.2022. <https://www.metsa.fi/tiedotteet/kansallispuistojen-kayntimaarissa-on-noustu-uudelle-tasolle/>

Selkämeren ja Saaristomeren kansallispuistot koostuvat pääosin vesialueista merellä.

sivu 110

Metsäpeura, Metsähallitus: <https://www.suomenpeura.fi/fi/kannanhoito/palautusistutukset.html>

Antti Paasivaara, erikoistutkija, Luonnonvarakeskus. Henkilökohtainen tiedoksianto. 3.5.2022.

Skarin, Anna, Per Sandström, and Moudud Alam. "Out of sight of wind turbines—Reindeer response to wind farms in operation." *Ecology and Evolution* 8.19 (2018): 9906-9919. <https://doi.org/10.1002/ece3.4476>

Rangifer-peurat ja tuulivoima. Kokoelma tutkimusartikkeleita:

https://www.northerncaribou.ca/sites/assets/files/1531/annotated_bibliography_caribou_and_wind_turbines_march_16_2022.pdf

sivu 111

Paikkatietoikkuna, Maanmittauslaitos.

<https://www.paltamo.fi/tyo-ja-elinkeinot/investoi-paltamoon/tuulipuistohankkeet.html>

Vesa Hyryläinen. Henkilökohtainen tiedoksianto. 10.5.2022.

"Metsähallituksella ja kumppanilla isot tuulivoimahankkeet Kainuussa – suunnitelmissa 161 myllyä", *Kainuun Sanomat*, 9.6.2022. https://www.kainuunsanomat.fi/artikkeli/metsahallituksella-ja-kumppanilla-isot-tuulivoimahankkeet-kainuussa-suunnitelmissa-161-mylly-a-218471325/?dl_update=1

"Samers rettigheter ble krenket da vindkraftanlegg ble bygget på Fosen", *NRK*, 11.10.2021. <https://www.nrk.no/trondelag/vindkraftutbygging-pa-storheia-i-trondelag--norske-samer-mener-strider-mot-urfolks-rettigheter-1.15685096>

"Fosen Wind seeks new application for invalid Norway wind farm licences", *Reuters*, 20.10.2021. <https://www.reuters.com/article/norway-windfarm-idUSL8N2RG1WG>

sivu 112

"Det hellige fjellet", *NRK*, 3.9.2022. <https://www.nrk.no/norge/xl/det-hellige-fjellet-1.16043121>

"Rásttigáisán tunturiylängölle suunniteltu tuulivoima-alue pilkkoisi yhden Euroopan viimeisistä yhtenäisistä erämaista", *Suomen Luonto*, 3.12.2020. <https://suomenluonto.fi/artikkelit/rasttigaisan-tunturiylangolle-suunniteltu-tuulivoima-alue-pilkkoisi-yhden-euroopan-viimeisista-yhtenaisista-eramaista/>

"1,3 miljardin upouudet tuulipuistot odottavat purkupäästöstä Norjassa – Ongelmat uhkaavat kaatua myös suomalaisten syliin", *Tekniikka & Talous*, 9.5.2022. <https://www.tekniikkatalous.fi/uutiset/1-3-miljardin-upouudet-tuulipuistot-odottavat-purkupaatosta-norjassa-ongelmat-uhkaavat-kaatua-myos-suomalaisten-syliin/f0ddc0c6-ce8a-48d2-a2af-09320ee4900b>

Trainor, Anne M., Robert I. McDonald, and Joseph Fargione. "Energy sprawl is the largest driver of land use change in United States." *PloS one* 11.9 (2016): e0162269. <https://doi.org/10.1371/journal.pone.0162269>

"Puolustusvoimat sallii Länsi-Suomeen jopa 10 000 tuulivoimalaa – idän rajamaakuntiin luvataan vain kymmeniä", *Yleisradio*, 19.6.2022. <https://yle.fi/uutiset/3-12486947>

"Minne menet Metsäpeura: metsäpeuran (*Rangifer tarandus fennicus*) kannanseuranta ja sitä tukeva tutkimus", Antti Paasivaara, Luonnonvarakeskus. Esitys Riistapäivillä 2016. http://www.metla.fi/tapahtumat/2016/riistapaivat-2016/esitykset/20_1130_Paasivaara.pdf

"Metsäpeura – kannan nykytila ja lähitulevaisuus", *Metsästäjä*, 2.5.2022. <https://metsastajalehti.fi/tutkittua/metsapeura-kannan-nykytila-ja-lahitulevaisuus/>

Etelä-Pohjanmaan, Keski-Pohjanmaan ja Pohjanmaan tuulivoimaselvitys. Raportti., FCG. (2021). https://www.keski-pohjanmaa.fi/dl/935/b80057/Tuulivoimaselvitys_raportti.pdf

sivu 113

Etelä-Pohjanmaan, Keski-Pohjanmaan ja Pohjanmaan tuulivoimaselvitys. Liite 4 - Yhteisvaikutusten arviointi., FCG. (2021). https://www.keski-pohjanmaa.fi/dl/936/cc75f3/Liite_4_Yhteisvaikutusten_arviointi.pdf, s. 37–38.

Antti Paasivaara, erikoistutkija, Luonnonvarakeskus. Henkilökohtainen tiedoksianto. 4.5.2022.

Keski-Pohjanmaan potentiaalisten tuulivoima-alueiden vaikutustenarviointi. Liite 2., FCG. (2021). https://keskipohjanmaa.fi/dl/937/e4f831/Liite_2_Keski_Pohjanmaan%20potentiaalisten_tuulivoima_alueiden_vaikutusten_arviointi.pdf

Lindén, Harjo, et al. "Large-scale forest corridors to connect the taiga fauna to Fennoscandia." *Wildlife biology* 6.3 (2000): 179-188. <https://doi.org/10.2981/wlb.2000.007>

Xu, Wenjing, and Lynn Huntsinger. "Minding the boundary: social-ecological contexts for fence ecology and management." *Frontiers in Ecology and the Environment* (2022). <https://doi.org/10.1002/fee.2500>

"How to protect Yellowstone's epic migrations", *National Geographic*, 3.8.2018. <https://www.nationalgeographic.com/animals/article/wyoming-yellowstone-pronghorn-migration-news>

Liikkumisesteistä ekosysteemin toimintojen siirtymisen hidastajina:

Martins, Lucas P., et al. "Global and regional ecological boundaries explain abrupt spatial discontinuities in avian frugivory interactions." *Nature Communications* 13.1 (2022): 1-13. <https://doi.org/10.1038/s41467-022-34355-w>.

sivu 114

BARRIERS / Animals are struggling to migrate, but people can help. Wyoming Migration Initiative, Wyomingin yliopisto. 2021. <https://vimeo.com/657991394>.

Suomen metsäpeurakannan hoitosuunnitelma, Maa- ja metsätalousministeriö 9/2007. https://m.m.m.fi/documents/1410837/1516659/Metsäpeurakannan+hoitosuunitelma+9_2007/209f011e-61f9-43fb-b799-7475c6675f76,s28.

Ylä-Vieksin kyläyhdistys ry. <http://www.vieksi.fi/?p=1231>

"Kotiutuvat varusmiehet päätösharjoituksessa", *Maavoimat*, 25.11.2021. <https://maavoimat.fi/-/kotiutuvat-varusmiehet-paatosharjoituksessa>

sivu 115

"Esiselvitys metsäpeura-aidasta Pohjois-Pohjanmaalla", *Metsäpeura / Metsähallitus*. (2021). <https://www.suomenpeura.fi/fi/metsapeuran-periman-turvaaminen/esiselvitys-metsapeura-aidasta.html>

Tiivistelmä: Esiselvitys metsäpeura-aidan rakentamisesta Pohjois-Pohjanmaalle, Metsähallitus. (2022). https://www.suomenpeura.fi/media/metsapeura-tiedostot/esiselvityksen_tulokset/pohjois-pohjanmaan_metsapeura-aidan_esiselvitys_tiivistelma_5s_kuvitettu.pdf

Puikkonen, Laura, et al. "Esiselvitys metsäpeura-aidan rakentamisesta Pohjois-Pohjanmaalle." (2022). <https://julkaisut.metsa.fi/assets/pdf/lp/Asarja/a237.pdf>

"Metsäpeura menestyy Oulujärven länsi- ja pohjoispuolen soilla", *Kainuun Sanomat*, 27.9.2019. <https://www.kainuunsanomat.fi/artikeli/metsapeura-menestyy-oulujarven-lansi-ja-pohjoispuolen-soilla-170369225/>

"Genomic effects of inbreeding on Scandinavian wolves", *Uppsala universitet*, 8.2.2022 <https://www.expertsvar.se/en/pressmeddelanden/genomic-effects-of-inbreeding-on-scandinavian-wolves/>

Kojola, Ilpo, et al. "Dispersal in an expanding wolf population in Finland." *Journal of Mammalogy* 87.2 (2006): 281-286. <https://doi.org/10.1644/05-MAMM-A-061R2.1>

Kojola, Ilpo, et al. "Dispersal behavior and the connectivity between wolf populations in northern Europe." *The Journal of Wildlife Management* 73.3 (2009): 309-313. <https://doi.org/10.2193/2007-539>

Lansink, G. M. J., et al. "Potential for increased connectivity between differentiated wolverine populations." *Biological Conservation* 272 (2022): 109601. <https://doi.org/10.1016/j.biocon.2022.109601>

sivu 116

Viluma, Agnese, et al. "Whole-genome resequencing of temporally stratified samples reveals substantial loss of haplotype diversity in the highly inbred Scandinavian wolf population." *Genome research* 32.3 (2022): 449-458. <https://www.genome.org/cgi/doi/10.1101/gr.276070.121>

sivu 117

Leskova, Olena V., Robert A. Frakes, and Scott H. Markwith. "Impacting habitat connectivity of the endangered Florida panther for the transition to utility-scale solar energy." *Journal of Applied Ecology* 59.3 (2022): 822-834. <https://doi.org/10.1111/1365-2664.14098>

Sawaya, Michael A., Anthony P. Clevenger, and Michael K. Schwartz. "Demographic fragmentation of a protected wolverine population bisected by a major transportation corridor." *Biological Conservation* 236 (2019): 616-625. <https://doi.org/10.1016/j.biocon.2019.06.030>

sivu 118

Tucker, Marlee A., et al. "Moving in the Anthropocene: Global reductions in terrestrial mammalian movements." *Science* 359.6374 (2018): 466-469. <https://doi.org/10.1126/science.aam9712>

Ward, Michelle, et al. "Just ten percent of the global terrestrial protected area network is structurally connected via intact land." *Nature communications* 11.1 (2020): 1-10. <https://doi.org/10.1038/s41467-020-18457-x>

"Green bridges in Germany are keeping a growing gray wolf population — and their prey — safe", *Massive Science*, 16.3.2021. <https://massivesci.com/notes/gray-wolf-germany-green-bridge-wildlife/?fbclid=IwAR26OKtfu2DySqNk3DaKEfNi2GQCOp5x-KKOFwkNZeNi46tpGvG0jURcj0>

"Kuhmon ja Sotkamon välillä kolaroidaan metsäpeurojen kanssa", *Kuhmolainen*, 7.3.2022. <https://www.kuhmolainen.fi/artikkeli/kuhmon-ja-sotkamon-valilla-kolaroidaan-metsapeurojen-kanssa-212846431/>

sivu 119

Ewacha, Michelle VA, et al. "Disturbance and chronic levels of cortisol in boreal woodland caribou." *The Journal of Wildlife Management* 81.7 (2017): 1266-1275. <https://www.jstor.org/stable/26607728>

sivu 120

Aino Juslén, eläintieteen yksikön johtaja, Luomus. Metsätieteenpäivät 2019. Juslén toimii nykyään Luonnontieteellisen keskuskirjaston johtajana.

"Hömöötiaiset stressaantuvat nuorissa talousmetsissä", *Suomen Luonto*, 7.3.2018. <https://suomenluonto.fi/uutiset/homotiaiset-stressaantuvat-nuorissa-talousmetsissa/>

Suorsa, Petri, et al. "Effects of forest patch size on physiological stress and immunocompetence in an area-sensitive passerine, the Eurasian treecreeper (*Certhia familiaris*): an experiment." *Proceedings of the Royal Society of London. Series B: Biological Sciences* 271.1537 (2004): 435-440. <https://doi.org/10.1098/rspb.2003.2620>

Suorsa, Petri, et al. "Forest management is associated with physiological stress in an old-growth forest passerine." *Proceedings of the Royal Society of London. Series B: Biological Sciences* 270.1518 (2003): 963-969. <https://doi.org/10.1098/rspb.2002.2326>

Doherty, Tim S., Graeme C. Hays, and Don A. Driscoll. "Human disturbance causes widespread disruption of animal movement." *Nature Ecology & Evolution* 5.4 (2021): 513-519. <https://doi.org/10.1038/s41559-020-01380-1>

Wildlife Conservation Society. <https://www.instagram.com/p/CN7xkaXAStQ/>

Seveque, Anthony, et al. "Human disturbance has contrasting effects on niche partitioning within carnivore communities." *Biological Reviews* 95.6 (2020): 1689-1705. <http://dx.doi.org/10.1111/brv.12635>

Prock, Michael, et al. "Human impacts on mammals in and around a protected area before, during, and after COVID-19 lockdowns." *Conservation Science and Practice* (2022): e12743. <https://doi.org/10.1111/csp2.12743>

sivu 121

Wilson, Steven F., and John F. Wilmhurst. "Behavioural responses of southern mountain caribou to helicopter and skiing activities." *Rangifer* 39.1 (2019): 27-42. <https://doi.org/10.7557/2.39.1.4586>

<https://www.metsa.fi/wp-content/uploads/20https://www.metsa.fi/wp-content/uploads/2022/01/Kuhmon-umpihankikelkkailualue-2022-1.pdf>

<https://www.luontoon.fi/elimyssalo/historia>

Kojola, Ilpo, et al. "Ahmakanta Suomessa 2021." (2021). <http://urn.fi/URN:ISBN:978-952-380-329-9>

Ahma Suomen pohjoisissa kansallispuistoissa:
Haataja A. Pohjoinen, Tammi, Helsinki. 2018.

sivu 124

"Noise pollution is invading even the most protected natural areas", *Science News*. 4.5.2017
<https://www.sciencemag.org/news/2017/05/noise-pollution-invading-even-most-protected-natural-areas>

- Stenset, Nina Emilie, et al. "Seasonal and annual variation in the diet of brown bears Ursus arctos in the boreal forest of southcentral Sweden." *Wildlife Biology* 22.3 (2016): 107-116. <https://doi.org/10.2981/wlb.00194>
- Fuchs, Boris, et al. "Heart rate during hyperphagia differs between two bear species." *Biology letters* 15.1 (2019): 20180681. <https://doi.org/10.1098/rsbl.2018.0681>
- Penteriani, Vincenzo, et al. "Responses of an endangered brown bear population to climate change based on predictable food resource and shelter alterations." *Global Change Biology* 25.3 (2019): 1133-1151. <https://doi.org/10.1111/gcb.14564>
- Su, Junhu, et al. "Decreasing brown bear (Ursus arctos) habitat due to climate change in Central Asia and the Asian Highlands." *Ecology and Evolution* 8.23 (2018): 11887-11899. <https://doi.org/10.1002/ece3.4645>
- Dar, S. A., et al. "Projected climate change threatens Himalayan brown bear habitat more than human land use." *Animal Conservation* 24.4 (2021): 659-676. <https://doi.org/10.1111/acv.12671>
- Ashrafzadeh, Mohammad Reza, et al. "Modeling climate change impacts on the distribution of an endangered brown bear population in its critical habitat in Iran." *Science of The Total Environment* 837 (2022): 155753. <https://doi.org/10.1016/j.scitotenv.2022.155753>
- Albrecht, Jörg, et al. "Humans and climate change drove the Holocene decline of the brown bear." *Scientific reports* 7.1 (2017): 1-11. <https://doi.org/10.1038/s41598-017-10772-6>

sivu 125

Tarjuelo, Rocío, et al. "Effects of human activity on physiological and behavioral responses of an endangered steppe bird." *Behavioral Ecology* 26.3 (2015): 828-838. <https://doi.org/10.1093/beheco/avr016>

Arlettaz, Raphaël, et al. "Disturbance of wildlife by outdoor winter recreation: allostatic stress response and altered activity-energy budgets." *Ecological Applications* 25.5 (2015): 1197-1212. <http://dx.doi.org/10.1890/14-1141.1>

Pereira, Patrícia, et al. "Hair cortisol concentration reflects the life cycle and management of grey wolves across four European populations." *Scientific reports* 12.1 (2022): 1-10. <https://doi.org/10.1038/s41598-022-09711-x>

Bryan, Heather M., et al. "Heavily hunted wolves have higher stress and reproductive steroids than wolves with lower hunting pressure." *Functional Ecology* 29.3 (2015): 347-356. <https://doi.org/10.1111/1365-2435.12354>

"Wolf hair reveals high stress levels in hunted population", *Science News*. <https://www.science.org/content/article/wolf-hair-reveals-high-stress-levels-hunted-population>

Støen, Ole-Gunnar, et al. "Physiological evidence for a human-induced landscape of fear in brown bears (Ursus arctos)." *Physiology & Behavior* 152 (2015): 244-248. <https://doi.org/10.1016/j.physbeh.2015.09.030>

Gaynor, Kaitlyn M., et al. "The influence of human disturbance on wildlife nocturnality." *Science* 360.6394 (2018): 1232-1235. <https://doi.org/10.1126/science.aar7121>

Benítez-López, Ana. "Animals feel safer from humans in the dark." *Science* 360.6394 (2018): 1185-1186. <https://doi.org/10.1126/science.aau1311>

Sytsma, Mira LT, et al. "Low levels of outdoor recreation alter wildlife behaviour." *People and Nature* (2022). <https://doi.org/10.1002/pan3.10402>

Susien tappaminen siirtää heidät yöön:

Frey, Sandra, et al. "Predator control alters wolf interactions with prey and competitor species over the diel cycle." *Oikos* (2022): e08821. <https://doi.org/10.1111/oik.08821>

Smith, Justine A., et al. "Fear of the human 'super predator' reduces feeding time in large carnivores." *Proceedings of the Royal Society B: Biological Sciences* 284.1857 (2017): 20170433. <https://doi.org/10.1098/rspb.2017.0433>

Strasser, Erin H., and Julie A. Heath. "Reproductive failure of a human-tolerant species, the American kestrel, is associated with stress and human disturbance." *Journal of Applied Ecology* 50.4 (2013): 912-919. <https://doi.org/10.1111/j.1365-2664.12103>

"Porojen ratkaisevin kuolinsyy ei ole liikenne, ei nälkä eivätkä pedot – vaan stressi", *Lapin Kansa*, 3.4.2022. <https://www.lapinkansa.fi/porojen-ratkaisevin-kuolinsyy-ei-ole-liikenne-ei-n/4485131>

Willson, Mary F., and Scott M. Gende. "Seed dispersal by brown bears, Ursus arctos, in southeastern Alaska." *The Canadian Field-Naturalist* 118.4 (2004): 499-503. <https://doi.org/10.22621/cfn.v118i4.53>

Koike, Shinsuke, et al. "Frugivory of carnivores and seed dispersal of fleshy fruits in cool-temperate deciduous forests." *Journal of Forest Research* 13.4 (2008): 215-222. <https://doi.org/10.1007/s10310-008-0069-5>

Shakeri, Yasaman N., Kevin S. White, and Taal Levi. "Salmon-supported bears, seed dispersal, and extensive resource subsidies to granivores." *Ecosphere* 9.6 (2018): e02297. <https://doi.org/10.1002/ecs2.2297>

Harrer, Laurie EF, and Taal Levi. "The primacy of bears as seed dispersers in salmon-bearing ecosystems." *Ecosphere* 9.1 (2018): e02076. <https://doi.org/10.1002/ecs2.2076>

sivu 127

"Koiria voi murehtia kaverin menettämistä niin, että ruokahalukin kärsii", *Helsingin Sanomat*, 20.4.2022. <https://www.hs.fi/tiede/art-2000008718093.html>

Uccheddu, Stefania, et al. "Domestic dogs (*Canis familiaris*) grieve over the loss of a conspecific." *Scientific reports* 12.1 (2022): 1-9. <https://doi.org/10.1038/s41598-022-05669-y>

Boyd, Diane K., Daniel H. Pletscher, and Wayne G. Brewster. "EVIDENCE OF WOLVES, CANIS-LUPUS, BURYING DEAD WOLF PUPS." *Canadian Field-Naturalist* 107.2 (1993): 230-231

"Vesihöyry on merkittävin kasvihuonekaasu", [ilmasto-opas.fi](https://www.ilmasto-opas.fi/artikkeli/vesihoyry). <https://www.ilmasto-opas.fi/artikkeli/vesihoyry>

"Onko totta, että inuiiteilla on 200 sanaa lumelle?", *Tieteen kuvallehti*, 13.6.2021. <https://tieku.fi/kulttuuri/kielet/lumi-onko-totta-etta-inuiiteilla-on-200-sanaa-lumelle>

Nelsen, Matthew P., et al. "Contrasting patterns of climatic niche divergence in Trebouxia—a clade of lichen-forming algae." *Frontiers in microbiology* 13 (2022). <https://doi.org/10.3389/fmicb.2022.791546>

sivu 128

"Satojen lumisanojen maa" Minna Pyykön maailma, *Yleisradio*, 15.2.2021. <https://areena.yle.fi/1-50376672>

"Vitivalkoista vaivatta", Kotimaisten kielten keskus. https://www.kotus.fi/nyt/kolumnit_artikkelit_ja_esitelmat/kieli-ikkuna_%281996_2010%29/vitivalkoista_vaivatta

Gudex-Cross, David, et al. "Winter conditions structure extratropical patterns of species richness of amphibians, birds and mammals globally." *Global Ecology and Biogeography* (2022). <https://doi.org/10.1111/geb.13511>

sivu 129

"Climate change: a threat to human wellbeing and health of the planet. Taking action now can secure our future", *IPCC*, 28.2.2022. <https://www.ipcc.ch/2022/02/28/pr-wgii-ar6/>

Latham, A. David M., et al. "Invading white-tailed deer change wolf–caribou dynamics in northeastern Alberta." *The Journal of Wildlife Management* 75.1 (2011): 204-212. <https://doi.org/10.1002/jwmg.28>

sivu 130

Fisher, Jason T., et al. "Influences of landscape change and winter severity on invasive ungulate persistence in the Nearctic boreal forest." *Scientific Reports* 10.1 (2020): 1-11. <https://doi.org/10.1038/s41598-020-65385-3>

Kunttu P., et al. "Kauriiden vaikutus luonnonkasveihin", *Lutukka* 37. 2021. https://www.luomus.fi/sites/default/files/files/lutu_2021_2_kunttu_eta.pdf

Neufeld, Branden T., et al. "Disturbance-mediated apparent competition decouples in a northern boreal caribou range." *The Journal of Wildlife Management* 85.2 (2021): 254-270. <https://doi.org/10.1002/jwmg.21982>

Mumma, Matthew A., et al. "Predation risk for boreal woodland caribou in human-modified landscapes: evidence of wolf spatial responses independent of apparent competition." *Biological Conservation* 228 (2018): 215-223. <https://doi.org/10.1016/j.biocon.2018.09.015>

Superbie, Clara, et al. "Northern boreal caribou conservation should focus on anthropogenic disturbance, not disturbance-mediated apparent competition." *Biological Conservation* 265 (2022): 109426. <https://doi.org/10.1016/j.biocon.2021.109426>

Nelson, Michael E., and L. David Mech. "Relationship between snow depth and gray wolf predation on white-tailed deer." *The Journal of Wildlife Management* (1986): 471-474. <https://doi.org/10.2307/3801108>

Fuller, Todd K. "Effect of snow depth on wolf activity and prey selection in north central Minnesota." *Canadian Journal of Zoology* 69.2 (1991): 283-287. <https://doi.org/10.1139/z91-044>

Mech, L. David, Michael E. Nelson, and Ronald E. McRoberts. "Effects of maternal and grandmaternal nutrition on deer mass and vulnerability to wolf predation." *Journal of Mammalogy* 72.1 (1991): 146-151. <https://doi.org/10.2307/1381989>

Mech, L. David. *The wolves of Denali*. U of Minnesota Press, 1998.

Mech D.L. et al. *Wolves on the Hunt*, University of Chicago Press. 2015. e-kirja.

sivu 131

Post, Eric, et al. "Ecosystem consequences of wolf behavioural response to climate." *Nature* 401.6756 (1999): 905-907. <https://doi.org/10.1038/44814>

Paquet, Paul C. "Behavioral ecology of sympatric wolves (*Canis lupus*) and coyotes (*C. latrans*) in Riding Mountain National Park, Manitoba." (1990): 2803-2803. <https://doi.org/10.7939/R3XW48743>

sivu 132

"The wolverine's world is shrinking. But they've found a safe haven in B.C. mountains", *CBC*, 8.5.2022 .<https://www.cbc.ca/radio/whatonearth/the-wolverine-s-world-is-shrinking-but-they-ve-found-a-safe-haven-in-b-c-mountains-1.6444665>

"Lumi kertoo, millaiseksi elämä pohjoisessa on muuttumassa, ja siksi suomalaisia pyydetään apuun lumitutkimukseen", *Yleisradio*, 29.4.2022. <https://yle.fi/uutiset/3-12419918>

"Ilmastonmuutoksen vaikutukset ovat jo nyt pohjoisessa voimakkaat - poronhoito uhattuna", *Yleisradio*, 25.8.2022. <https://yle.fi/uutiset/3-12071964>

Kumpula, Jouko, et al. "Talven 2021–2022 lumi-ja kaivuolosuhteet ja niiden vaikutukset poronhoitoon." (2022). <http://urn.fi/URN:ISBN:978-952-380-496-8>

Laidunten heikkenemisestä ja vaikutuksesta poronvasoihin:
Haataja A. *Pohjoinen*, Tammi, Helsinki. 2018.

Mech D.L. et al. *Wolves on the Hunt*, University of Chicago Press. 2015. e-kirja.

Mattisson, Jenny, et al. "Predation or scavenging? Prey body condition influences decision-making in a facultative predator, the wolverine." *Ecosphere* 7.8 (2016): e01407. <https://esajournals.onlinelibrary.wiley.com/doi/pdf/10.1002/ecs2.1407>

"Caribou on the Move", *NASA Earth Observatory*. <https://earthobservatory.nasa.gov/images/149250/caribou-on-the-move>

"Caribou Migration Linked to Climate Cycles and Insect Pests", *University of Maryland*, 12.12.2019. <https://cmns.umd.edu/news-events/features/4516>

sivu 134

Gurarie, Eliezer, et al. "Tactical departures and strategic arrivals: Divergent effects of climate and weather on caribou spring migrations." *Ecosphere* 10.12 (2019): e02971. <https://doi.org/10.1002/ecs2.2971>

Räkkäkestä ja poroista:

Haataja A. *Pohjoinen*, Tammi, Helsinki. 2018.

Caribou, Canadian Wildlife Federation. <https://hww.ca/en/wildlife/mammals/caribou.html>

Quay, W. B. "Histology and cytochemistry of skin gland areas in the caribou, Rangifer." *Journal of Mammalogy* 36.2 (1955): 187-201. <https://doi.org/10.2307/1375875>

Hull, Emily, et al. "Tendons and ligaments of the Rangifer tarandus metapodial and hoof." *Polar Biology* 44.9 (2021): 1803-1816. <https://doi.org/10.1007/s00300-021-02919-z>

sivu 136

Antão, Laura H., et al. "Climate change reshuffles northern species within their niches." *Nature Climate Change* (2022): 1-6. <https://doi.org/10.1038/s41558-022-01381-x>

Tylianakis, Jason M., et al. "Global change and species interactions in terrestrial ecosystems." *Ecology letters* 11.12 (2008): 1351-1363. <https://doi.org/10.1111/j.1461-0248.2008.01250.x>

sivu 137

Kotakorpi K. *Suomen luonto 2100 – Tutkimusretki tulevaisuuteen*, Bazar, Helsinki. 2021.

Nunes, Matheus Henrique, et al. "Forest fragmentation impacts the seasonality of Amazonian evergreen canopies." *Nature communications* 13.1 (2022): 1-10. <https://doi.org/10.1038/s41467-022-28490-7>

sivu 138

Sales, Lilian P., et al. "The effect of past defaunation on ranges, niches, and future biodiversity forecasts." *Global Change Biology* 28.11 (2022): 3683-3693. <https://doi.org/10.1111/gcb.16145>

Su, Junhu, et al. "Decreasing brown bear (*Ursus arctos*) habitat due to climate change in Central Asia and the Asian Highlands." *Ecology and Evolution* 8.23 (2018): 11887-11899. <https://doi.org/10.1002/ece3.4645>

Ashrafzadeh, Mohammad Reza, et al. "Modeling climate change impacts on the distribution of an endangered brown bear population in its critical habitat in Iran." *Science of The Total Environment* 837 (2022): 155753. <https://doi.org/10.1016/j.scitotenv.2022.155753>

Blowes, Shane A., et al. "The geography of biodiversity change in marine and terrestrial assemblages." *Science* 366.6463 (2019): 339-345. <https://doi.org/10.1126/science.aaw1620>, s. 133.

sivu 139

Tape, Ken D., et al. "Range expansion of moose in Arctic Alaska linked to warming and increased shrub habitat." *PloS one* 11.4 (2016): e0152636. <https://doi.org/10.1371/journal.pone.0152636>

Arktisen alueen pusikoitumisesta esimerkiksi:

Mekonnen, Zelalem A., et al. "Arctic tundra shrubification: a review of mechanisms and impacts on ecosystem carbon balance." *Environmental Research Letters* 16.5 (2021): 053001. <https://doi.org/10.1088/1748-9326/abf28b>

Valdmann, Harri, et al. "Winter diets of wolf *Canis lupus* and lynx *Lynx lynx* in Estonia and Latvia." *Acta Theriologica* 50.4 (2005): 521-527. <https://doi.org/10.1007/BF03192645>

Toews, Mary, Francis Juanes, and A. Cole Burton. "Mammal responses to the human footprint vary across species and stressors." *Journal of environmental management* 217 (2018): 690-699. <https://doi.org/10.1016/j.jenvman.2018.04.009>

"Ylensyötetty vieras", *Helsingin Sanomat*, 16.6.2022. <https://www.hs.fi/tiede/art-2000008806566.html>

Aikio, Sami, and Jyrki Pusenius. "Valkohäntäpeurakanta talvella 2021–2022: Arvio Suomen valkohäntäpeurakannan koosta ja rakenteesta sekä kuvaus kanta-arvion laskentamenetelmistä." (2022). <http://urn.fi/URN:ISBN:978-952-380-399-2>

Antti Paasivaara, erikoistutkija, Luonnonvarakeskus. Henkilökohtainen tiedoksianto 16.5.2022.

sivu 140

"Seitsemiseen ja Lauhanvuoreen vapautettu nyt 81 metsäpeuraa", *Erä*, 27.7.2022. <https://eralehti.fi/2022/07/27/seitsemiseen-ja-lauhanvuoreen-vapautettu-nyt-81-metsapeuraa/>

"Kommentti: Piti rajoittaa haaskaruokinta", *Kainuun Sanomat*, 3.2.2021. https://www.kainuunsanomat.fi/artikkeli/kommentti-piti-rajoittaa-haaskaruokinta-195170225/?dl_update=1

"Susi syö vuodessa kymmenen hirveää", *Helsingin Sanomat*, 28.4.2005. <https://www.hs.fi/kotimaa/art-2000004305295.html>

"783/2015 Maa- ja metsätalousministeriön asetus eläimistä saatavista sivutuotteista", *Finlex*. <https://www.finlex.fi/fi/nlx/ex/fi/fi/1aki/a1ku/2015/20150783?search%5Btype%5D=pika&search%5Bpika%5D=783%2F2015#Pidm45949346017136>

Heikkinen, Samuli, et al. "Susikanta Suomessa maaliskuussa 2022." (2022). <http://urn.fi/URN:ISBN:978-952-380-470-8>

sivu 141

Ruokavirasto, tietopyyntö, 21.6.2022.

"Kouvolalainen hammasläkäri kuvasi Kainuussa aivan käsittämättömän karhuvideon – metsän kuninkaita lyllersi tantereelle yhteenä 30", *Ilta-Sanomat*, 13.7.2019. <https://www.is.fi/kotimaa/art-2000006173230.html>

Penteriani, Vincenzo, et al. "Does artificial feeding affect large carnivore behaviours? The case study of brown bears in a hunted and tourist exploited subpopulation." *Biological Conservation* 254 (2021): 108949. <https://doi.org/10.1016/j.biocon.2021.108949>

sivu 144

Shimozuru, Michito, et al. "Maternal human habituation enhances sons' risk of human-caused mortality in a large carnivore, brown bears." *Scientific reports* 10.1 (2020): 1-10. <https://doi.org/10.1038/s41598-020-73057-5>

Wheat, Rachel E., and Christopher C. Wilmers. "Habituation reverses fear-based ecological effects in brown bears (*Ursus arctos*)."*Ecosphere* 7.7 (2016): e01408. <http://dx.doi.org/10.1002/ecs2.1408>

"Suurpetojen haaskakuvauspalveluista voi aiheutua vaaraa lähiympäristöön", *Tukes*, 17.10.2019. <https://tukes.fi/-/suurpetojen-haaskakuvauspalveluista-voi-aiheutua-vaaraa-lahiymparistoon#2bc2f24d>

Voyageurs Wolf Project. <https://www.instagram.com/p/Ch2FNLLuDz3/>

Heikkinen, Samuli, et al. "Susikanta Suomessa maaliskuussa 2021." (2021). https://riistahavainnot.fi/static_files/suurpedot/kantaarviot/luke-luobio_39_2021.pdf

Heikkinen, Samuli, et al. "Susikanta Suomessa maaliskuussa 2022." (2022). <http://urn.fi/URN:ISBN:978-952-380-470-8>

Antti Paasivaara, erikoistutkija, Luonnonvarakeskus. Julkaisematon aineisto. Henkilökohtainen tiedoksianto 16.5.2022.

Tallian, Aimee, et al. "Competition between apex predators? Brown bears decrease wolf kill rate on two continents." *Proceedings of the Royal Society B: Biological Sciences* 284.1848 (2017): 20162368. <https://doi.org/10.1098/rspb.2016.2368>

Ordiz, Andrés, et al. "Individual variation in predatory behavior, scavenging and seasonal prey availability as potential drivers of coexistence between wolves and bears." *Diversity* 12.9 (2020): 356. <https://doi.org/10.3390/d12090356>

sivu 145

Kojola, Ilpo, et al. "Calf/female ratio and population dynamics of wild forest reindeer in relation to wolf and moose abundances in a managed European ecosystem." *Plos one* 16.12 (2021): e0259246. <https://doi.org/10.1371/journal.pone.0259246>

Tällä sivulla käytetty useasti:

Antti Paasivaara, erikoistutkija, Luonnonvarakeskus. Henkilökohtainen tiedoksianto 16.5.2022.

sivu 146

Haataja A. *Pohjoinen*, Tammi, Helsinki. 2018.

Valdmann, Harri, et al. "Winter diets of wolf *Canis lupus* and lynx *Lynx lynx* in Estonia and Latvia." *Acta Theriologica* 50.4 (2005): 521-527. <https://doi.org/10.1007/BF03192645>

Kojola, Ilpo, et al. "Does prey scarcity increase the risk of wolf attacks on domestic dogs?." *Wildlife Biology* 2022.5 (2022): e01038. <https://doi.org/10.1002/wlb3.01038>

Sand, Håkan, et al. "Prey selection of Scandinavian wolves: single large or several small?." *PloS one* 11.12 (2016): e0168062. <https://doi.org/10.1371/journal.pone.0168062>

sivu 147

Boulanger Yan, Research Scientist, Natural Resources Canada. <https://twitter.com/yboulanger2/status/1529461191759872000>

St-Laurent, Martin-Hugues, et al. "Lowering the rate of timber harvesting to mitigate impacts of climate change on boreal caribou habitat quality in eastern Canada." *Science of The Total Environment* (2022): 156244. <https://doi.org/10.1016/j.scitotenv.2022.156244>

Miha, K., et al. "Golden jackal expansion in Europe: a case of mesopredator release triggered by continent-wide wolf persecution?." *Hystrix* 28 (2018). <https://doi.org/10.4404/hystrix-28.1-11819>

McCann, Kevin Shear. "The diversity–stability debate." *Nature* 405.6783 (2000): 228-233. <https://doi.org/10.1038/35012234>

MacArthur, Robert. "Fluctuations of animal populations and a measure of community stability." *Ecology* 36.3 (1955): 533-536. <https://doi.org/10.2307/1929601>

Clinchy, Michael, et al. "Fear of the human “super predator” far exceeds the fear of large carnivores in a model mesocarnivore." *Behavioral Ecology* 27.6 (2016): 1826-1832. <https://doi.org/10.1093/beheco/arw117>

Darimont, Chris T., et al. "The unique ecology of human predators." *Science* 349.6250 (2015): 858-860. <https://doi.org/10.1126/science.aac4249>

Luku 5. Supertappaja

sivu 149

”Yara luopuu Soklin kaivoshankkeesta ja myy sen Suomen valtiolle”, *Yleisradio*, 11.12.2020. <https://yle.fi/a/3-11692948>

”Savukosken Soklin kaivokselle tuli takapakkia: KHO:n mukaan kaivosvedet voivat uhata arvokkaita järvitaimenia”, *Helsingin Sanomat*, 24.3.2022. <https://www.hs.fi/kotimaa/art-2000008704036.html>

”Valtion kaivosyhtiö jatkaa Soklin edistämistä KHO:n tyrmäyksestä huolimatta”, *Iltalehti*, 24.3.2022. <https://www.iltalehti.fi/kotimaa/a/7c3bad8f-1012-4df7-8ff8-42d41b6f7acc>

”Soklin alueella koekairataan taas, Suomen malmijalostus on kartoittanut luontoa kesän aikana”, *Yleisradio*, 8.8.2022. <https://yle.fi/a/3-12566817>

YaraBela METSÄSALPIETARI, Yara. <https://www.yara.fi/lannoitus/lannoitteet/yarabela/yarabela-metsasalpietari/>

sivu 150

”Why the Passenger Pigeon Went Extinct”, *Audubon*, 5-6/2014. <https://www.audubon.org/magazine/may-june-2014/why-passenger-pigeon-went-extinct>

Carere, Claudio, et al. "Aerial flocking patterns of wintering starlings, *Sturnus vulgaris*, under different predation risk." *Animal Behaviour* 77.1 (2009): 101-107. <https://doi.org/10.1016/j.anbehav.2008.08.034>

Procaccini, Andrea, et al. "Propagating waves in starling, *Sturnus vulgaris*, flocks under predation." *Animal behaviour* 82.4 (2011): 759-765. <https://doi.org/10.1016/j.anbehav.2011.07.006>

”Suomen linnusto köyhtyy ja uhanalaisten lintulajien määrä kasvaa: Birdlife kuvailee tilannetta ”lintujen hätähuudoksi””, *Helsingin Sanomat*, 4.3.2021. <https://www.hs.fi/kotimaa/art-2000007839435.html>

Bucher, Enrique H. "The causes of extinction of the passenger pigeon." *Current ornithology*. Springer, Boston, MA, 1992. 1-36. http://dx.doi.org/10.1007/978-1-4757-9921-7_1, s. 17.

sivu 151

Murray, Gemma GR, et al. "Natural selection shaped the rise and fall of passenger pigeon genomic diversity." *Science* 358.6365 (2017): 951-954. <https://www.science.org/doi/10.1126/science.aoa0960>

<https://www.sciencedirect.com/topics/earth-and-planetary-sciences/effective-population-size>

Charlesworth, Brian. "Effective population size and patterns of molecular evolution and variation." *Nature Reviews Genetics* 10.3 (2009): 195-205. <https://doi.org/10.1038/nrg2526>

Erikoistumisen aiheuttamasta kelpoisuuden heikkenemisestä:

Chavhan, Yashraj, Sarthak Malusare, and Sutirth Dey. "Larger bacterial populations evolve heavier fitness trade-offs and undergo greater ecological specialization." *Heredity* 124.6 (2020): 726-736. <https://doi.org/10.1038/s41437-020-0308-x>

ja

"Generalists or specialists? Population size can be an important determinant", *Nature Ecology & Evolution*, 17.4.2020. <https://ecoevocommunity.nature.com/posts/66199-generalists-or-specialists-population-size-can-be-an-important-determinant>.

Novak, Ben J., et al. "Experimental investigation of the dietary ecology of the extinct passenger pigeon, *Ectopistes migratorius*." *Frontiers in Ecology and Evolution* 6 (2018): 20. <https://doi.org/10.3389/fevo.2018.00020>

sivu 154

"Käsittämätön teko: Nämä ihminen tappoi maailman yleisimman linnun sukupuuttoon", *Suomen kuvailehti*, 30.8.2015. <https://suomenkuvailehti.fi/tiede-ja-teknologia/kasittamaton-teko-nain-ihminen-tappoi-maailman-yleisimman-linnun-sukupuuttoon/>

"Ilmastonmuutos on hävittämässä metsäjäniksen, mutta rusakko hyötyy – Tutkija: valkoinen jänis on huutomerkki pedoille", *Yleisradio*, 13.3.2022. <https://yle.fi/a/3-10685219>

Levänen, Riikka. Coexistence of northern hares: consequences of crossbreeding and changing climate. Diss. Itä-Suomen yliopisto, 2019. <http://urn.fi/URN:ISBN:978-952-61-3025-5>

sivu 155

"Opinions divided over reintroduction of lynx to Scotland", *BBC*, 28.4.2022. <https://www.bbc.com/news/uk-scotland-highlands-islands-61242930>

"Golden eagles and wildcats could be reintroduced to England under government plans", *Independent*, 18.5.2021. <https://www.independent.co.uk/climate-change/news/golden-eagles-wildcats-reintroduced-england-b1849600.html>

Burns, Fiona, et al. "Abundance decline in the avifauna of the European Union reveals cross-continental similarities in biodiversity change." *Ecology and Evolution* 11.23 (2021): 16647-16660. <https://doi.org/10.1002/ece3.8282>

Rosenberg, Kenneth V., et al. "Decline of the North American avifauna." *Science* 366.6461 (2019): 120-124. <https://doi.org/10.1126/science.aaw1313>

Morrison, C. A., et al. "Bird population declines and species turnover are changing the acoustic properties of spring soundscapes." *Nature Communications* 12.1 (2021): 1-12. <https://doi.org/10.1038/s41467-021-26488-1>

Soga, Masashi, and Kevin J. Gaston. "Extinction of experience: the loss of human–nature interactions." *Frontiers in Ecology and the Environment* 14.2 (2016): 94-101. <https://doi.org/10.1002/fee.1225>

sivu 158

Coimbra, Zulmira H., Luiz Gomes-Jr, and Fernando AS Fernandez. "Human carnivory as a major driver of vertebrate extinction." *Perspectives in Ecology and Conservation* 18.4 (2020): 283-293. <https://doi.org/10.1016/j.pecon.2020.10.002>

Maxwell, Sean L., et al. "Biodiversity: The ravages of guns, nets and bulldozers." *Nature* 536.7615 (2016): 143-145. <https://doi.org/10.1038/536143a>

Dirzo, Rodolfo, et al. "Defaunation in the Anthropocene." *science* 345.6195 (2014): 401-406. <https://doi.org/10.1126/science.1251817>

McCallum, Malcolm L. "Vertebrate biodiversity losses point to a sixth mass extinction." *Biodiversity and Conservation* 24.10 (2015): 2497-2519. <https://doi.org/10.1007/s10531-015-0940-6>

Barnosky, Anthony D., et al. "Has the Earth's sixth mass extinction already arrived?." *Nature* 471.7336 (2011): 51-57. <https://doi.org/10.1038/nature09678>

Ceballos, Gerardo, et al. "Accelerated modern human-induced species losses: Entering the sixth mass extinction." *Science advances* 1.5 (2015): e1400253. <https://doi.org/10.1126/sciadv.1400253>

<https://www.metacritic.com/browse/games/score/metascore/all/pc/filtered>

sivu 159

Isokoskelo, Birdlife Suomi, <https://www.birdlife.fi/suojelu/lajit/uhanalaisuus-suomi/isokoskelo/>

sivu 160

Ripple, William J., et al. "Status and ecological effects of the world's largest carnivores." *Science* 343.6167 (2014): 1241484. <http://dx.doi.org/10.1126/science.1241484>

sivu 161

"The largest mammals have always been at the greatest risk of extinction – this is still the case today", *Our World in Data*, 9.5.2022. <https://ourworldindata.org/large-mammals-extinction>

Ripple, William J., et al. "Status and ecological effects of the world's largest carnivores." *Science* 343.6167 (2014): 1241484. <http://dx.doi.org/10.1126/science.1241484>

Estes, James A., et al. "Trophic downgrading of planet Earth." *science* 333.6040 (2011): 301-306. <https://doi.org/10.1126/science.1205106>

Pan, Yude, et al. "A large and persistent carbon sink in the world's forests." *science* 333.6045 (2011): 988-993. <https://doi.org/10.1126/science.1201609>

Esimerkiksi Yellowstoneissa susien palauttaminen kasvatti nuorten amerikanhaapojen keskimääräistä korkeutta ja yksittäisten puiden korkeuden alueellista vaihtelua susien saalistaessa vapiteja:

Beschta, Robert L., Luke E. Painter, and William J. Ripple. "Trophic cascades at multiple spatial scales shape recovery of young aspen in Yellowstone." *Forest Ecology and Management* 413 (2018): 62-69. <https://doi.org/10.1016/j.foreco.2018.01.055>

Schmitz, Oswald J., et al. "Animating the carbon cycle." *Ecosystems* 17.2 (2014): 344-359. <https://doi.org/10.1007/s10021-013-9715-7>

Luonnonvarakeskus. <https://luonnonvaratieto.luke.fi/numerotieto?panel=hirvi-ja-sorkkaelaimet>

Luonnonvarakeskus. <https://luonnonvaratieto.luke.fi/kartat?panel=suurpedot>

sivu 163

Pugh, Thomas AM, et al. "Role of forest regrowth in global carbon sink dynamics." *Proceedings of the National Academy of Sciences* 116.10 (2019): 4382-4387. <https://doi.org/10.1073/pnas.1810512116>

"Greenhouse gas sources and sinks in Canada: executive summary 2022", *Government of Canada.* (2022). <https://www.canada.ca/en/environment-climate-change/services/climate-change/greenhouse-gas-emissions/sources-sinks-executive-summary-2022.html#figure-es-3>

Bakker, Elisabeth S., et al. "Combining paleo-data and modern exclosure experiments to assess the impact of megafauna extinctions on woody vegetation." *Proceedings of the National Academy of Sciences* 113.4 (2016): 847-855. <https://doi.org/10.1073/pnas.1502545112>

Tanentzap, Andrew J., et al. "Seeing the forest for the deer: do reductions in deer-disturbance lead to forest recovery?" *Biological Conservation* 144.1 (2011): 376-382. <https://doi.org/10.1016/j.biocon.2010.09.015>

Mann, Daniel H., et al. "Ice-age megafauna in Arctic Alaska: extinction, invasion, survival." *Quaternary Science Reviews* 70 (2013): 91-108. <https://doi.org/10.1016/j.quascirev.2013.03.015>

Morris, Timothy, and Mike Letnic. "Removal of an apex predator initiates a trophic cascade that extends from herbivores to vegetation and the soil nutrient pool." *Proceedings of the Royal Society B: Biological Sciences* 284.1854 (2017): 20170111. <https://doi.org/10.1098/rspb.2017.0111>

Andriuzzi, W. S., and D. H. Wall. "Soil biological responses to, and feedbacks on, trophic rewilding." *Philosophical Transactions of the Royal Society B: Biological Sciences* 373.1761 (2018): 20170448. <https://doi.org/10.1098/rstb.2017.0448>

sivu 164

Päästöoikeuksien huutokauppa, Energiavirasto. <https://energiavirasto.fi/huutokauppa>

Sand, Håkan, et al. "Effects of hunting group size, snow depth and age on the success of wolves hunting moose." *Animal behaviour* 72.4 (2006): 781-789. <https://doi.org/10.1016/j.anbehav.2005.11.030>

"Suden kannanhoidollinen metsästys käynnistyy vuoden 2022 alussa", *Valtioneuvosto*, 14.12.2021. <https://valtioneuvosto.fi/-/1410837/suden-kannanhoidollinen-metsastys-kaynnistyy-vuoden-2022-alussa>

"Riistakeskus antoi poikkeusluvat yhteensä 18 suden kannanhoidolliseen metsästykseen", *Yleisradio*, 29.12.2021. <https://yle.fi/uutiset/3-12249728>

<https://www.kuhmo.fi/wp-content/uploads/2022/05/Ta-2022-20122021-1.pdf>

Mech, L. David, Shannon M. Barber-Meyer, and John Erb. "Wolf (*Canis lupus*) generation time and proportion of current breeding females by age." *PLoS One* 11.6 (2016): e0156682. <https://doi.org/10.1371/journal.pone.0156682>

Aspi, Jouni, et al. "Genetic diversity, population structure, effective population size and demographic history of the Finnish wolf population." *Molecular Ecology* 15.6 (2006): 1561-1576. <https://doi.org/10.1111/j.1365-294X.2006.02877.x>

sivu 165

"Muistio: F-35A -hävittäjäjärjestelmän hankinta", *Puolustusministeriö*, 10.12.2021. https://www.defmin.fi/files/5295/Liite_2_-_Hankintapaatoksen_julkinen_perustelumuistio.pdf

<https://tavex.fi/realiaikaiset-hintataulukot-kullalle-ja-hopealle/>

Crooks, Kevin R., and Michael E. Soulé. "Mesopredator release and avifaunal extinctions in a fragmented system." *Nature* 400.6744 (1999): 563-566. <https://doi.org/10.1038/23028>

Suraci, Justin P., et al. "Fear of large carnivores causes a trophic cascade." *Nature communications* 7.1 (2016): 1-7. <https://doi.org/10.1038/ncomms10698>

Ripple, William J., et al. "Status and ecological effects of the world's largest carnivores." *Science* 343.6167 (2014): 1241484. <https://doi.org/10.1126/science.1241484>

Berger, Kim Murray, and Eric M. Gese. "Does interference competition with wolves limit the distribution and abundance of coyotes?." *Journal of animal Ecology* 76.6 (2007): 1075-1085. <https://doi.org/10.1111/j.1365-2656.2007.01287.x>

Newsome, Thomas M., and William J. Ripple. "A continental scale trophic cascade from wolves through coyotes to foxes." *Journal of Animal Ecology* 84.1 (2015): 49-59. <https://doi.org/10.1111/1365-2656.12258>

Elmhagen, Bodil, et al. "Top predators, mesopredators and their prey: interference ecosystems along bioclimatic productivity gradients." *Journal of Animal Ecology* 79.4 (2010): 785-794. <https://doi.org/10.1111/j.1365-2656.2010.01678.x>

Espanjassa tehdynä tutkimuksessa iberianilves tappoi kettuja ja vähensi kaniineihin kohdistunutta tappamista yli 50%:

Jiménez, José, et al. "Restoring apex predators can reduce mesopredator abundances." *Biological Conservation* 238 (2019): 108234. <https://doi.org/10.1016/j.biocon.2019.108234>.

Ritchie, Euan G., et al. "Ecosystem restoration with teeth: what role for predators?." *Trends in ecology & evolution* 27.5 (2012): 265-271. <http://dx.doi.org/10.1016/j.tree.2012.01.001>

"Metsästyslupien kysyntä kasvoi valtion alueilla", *Metsähallitus*, 9.9.2021. <https://www.epressi.com/tiedotteet/ymparisto-ja-luonto/metsastyslupien-kysynta-kasvoi-valtion-alueilla.html>

<https://www.eraluvat.fi/metsastys/pienriistaluvat/kanalinnut.html>

sivu 168

"Tutkimus: Metsästys- ja kalastuslupaan sijoitettu euro tuo seitsemän euroa alueelle", *Metsähallitus*, 9.5.2014. <https://www.eraluvat.fi/ajankohtaista/ajankohtaiset-aiheet/uutiset/tutkimus-metsastys-ja-kalastuslupaan-sijoitettu-euro-tuo-seitseman-euroa-alueelle.html>

Selonen, V., et al. "Invasive species control with apex predators: increasing presence of wolves is associated with reduced occurrence of the alien raccoon dog." *Biological Invasions* 24.11 (2022): 3461-3474. <https://doi.org/10.1007/s10530-022-02850-2>

Melis, Claudia, et al. "Predation has a greater impact in less productive environments: variation in roe deer, *Capreolus capreolus*, population density across Europe." *Global ecology and biogeography* 18.6 (2009): 724-734. <https://doi.org/10.1111/j.1466-8238.2009.00480.x>

"Ylensyötetty vieras", *Helsingin Sanomat*, 16.6.2022. <https://www.hs.fi/tiede/art-2000008806566.html>

Ripple, William J., et al. "Status and ecological effects of the world's largest carnivores." *Science* 343.6167 (2014): 1241484. <http://dx.doi.org/10.1126/science.1241484>

Katso mainiosti nimetty artikkeli "Paws without claws?" eli "Tassuja ilman kynsiä?":

Kuijper, D. P. J., et al. "Paws without claws? Ecological effects of large carnivores in anthropogenic landscapes." *Proceedings of the Royal Society B: Biological Sciences* 283.1841 (2016): 20161625. <http://dx.doi.org/10.1098/rspb.2016.1625>

Messier, Francois. "Ungulate population models with predation: a case study with the North American moose." *Ecology* 75.2 (1994): 478-488. <https://doi.org/10.2307/1939551>

Suomessa arviodaan susien väsentävän hirvien määrää 25–50% revirillään:

Wolf hunting, Suurpedot.fi, <https://www.largecarnivores.fi/conservation-and-hunting/hunting/wolf-hunting/blog-professor-ilpo-kojola-is-there-a-predator-pit-in-karelia.html>

McInnes, Pamela F., et al. "Effects of moose browsing on vegetation and litter of the boreal forest, Isle Royale, Michigan, USA." *Ecology* 73.6 (1992): 2059-2075. <https://doi.org/10.2307/1941455>

Wilmers, Christopher C., and Oswald J. Schmitz. "Effects of gray wolf-induced trophic cascades on ecosystem carbon cycling." *Ecosphere* 7.10 (2016): e01501. <https://doi.org/10.1002/ecs2.1501>

sivu 169

Darimont, Chris T., et al. "The unique ecology of human predators." *Science* 349.6250 (): 858-860. <https://doi.org/10.1126/science.aac4249>

Estes, James A., et al. "Trophic downgrading of planet Earth." *Science* 333.6040 (2011): 301-306. <https://doi.org/10.1126/science.1205106>

Jorma Luhta. Henkilökohtainen tiedoksianto.

sivu 170

"Koko kansan edustajat", *Helsingin Sanomat*, 2.1.2021. <https://www.hs.fi/kuukausiliite/art-2000007702357.html>

sivu 171

https://www.tilastokeskus.fi/tup/suoluk/suoluk_vaesto.html

Bar-On, Yinon M., Rob Phillips, and Ron Milo. "The biomass distribution on Earth." *Proceedings of the National Academy of Sciences* 115.25 (2018): 6506-6511. <https://doi.org/10.1073/pnas.1711842115>

"Peippoja pesii Suomessa miljoonia, kiljuhanhi kokee jopa yksinäisyyttä – katso Suomen yleisimmät ja harvinaisimmat lintulajit", *Yleisradio*, 24.4.2018. <https://yle.fi/uutiset/3-10172966>

"Kotieläinten lukumäärät keväällä 2021", *Luonnonvarakeskus*, 14.4.2021. <https://www.luke.fi/fi/tilastot/kotielainten-lukumaara/kotielainten-lukumaarat-kevalla-2021>

"Broileri elää viisi viikkoa: ”Pyrimme katsomaan, että linnut voivat hyvin”", *Ilta-Sanomat*. 23.4.2017. <https://www.is.fi/kotimaa/art-2000005169472.html>

<https://animalia.fi/elainten-oikeudet/elaintuotanto/broilerit/>

<https://oikeuttaelaimille.fi/tuotantoelaimet/broilerin-tuotanto>

<https://www.elaintieto.fi/kana/kana-ja-broileri-tuotantoelaimina/>

<https://luontoportti.com/t/577/peippo>

Harari Y. *Sapiens: Ihmisen lyhyt historia*, Bazar, Helsinki, 2016.

"Mitä Suomessa syötiin vuonna 2019?", *Luonnonvarakeskus*, 25.6.2020. <https://www.epressi.com/tiedotteet/tiede-ja-tutkimus/mita-suomessa-syotiin-vuonna-2019.html>

https://www.stat.fi/til/vamuu/2020/10/vamuu_2020_10_2020-11-24_tie_001_fi.html

sivu 174

"Hirvikanta on laskenut – kannan kehityssuunta on tavoitteiden mukainen", *Luonnonvarakeskus*, 5.3.2021. <https://www.luke.fi/uutinen/hirvikanta-on-laskenut-kannan-kehityssuunta-on-tavoitteiden-mukainen/>

<https://riista.fi/game/hirvi/>

"Ravintotase 2018 lopullinen ja ennako 2019", *Luonnonvarakeskus*, 25.6.2020. <https://www.luke.fi/fi/tilastot/ravintotase/ravintotase-2018-lopullinen-ja-ennako-2019>

<https://www.riistakolmiot.fi/raportit/riistakolmiolaskennan-raportti-kesa-2021/>

<https://www.riistakolmiot.fi/animal/metso-tetrao-urogallus/>

"Testaa tietosi: Paljonko on paljon lintumaailmassa?", *Yleisradio*, 15.10.2017. <https://yle.fi/uutiset/3-9879558>

"Mitä Suomessa syötiin vuonna 2019?", *Luonnonvarakeskus*, 25.6.2020. <https://www.epressi.com/tiedotteet/tiede-ja-tutkimus/mita-suomessa-syotiin-vuonna-2019.html>

"Hirvisaalis pieneni suressa osassa maata", *Luonnonvarakeskus*, 5.2.2021. <https://riista.fi/hirvisaalis-pieneni-suressa-osassa-maata/>

sivu 175

"Why people in rich countries are eating more vegan food", *The Economist*, 13.10.2018. <https://www.economist.com/briefing/2018/10/13/why-people-in-rich-countries-are-eating-more-vegan-food>

Lymbery P. *Dead Zone – Mihin villi luonto katosi?*, Into, Riika, 2021.

Myers, Norman, et al. "Biodiversity hotspots for conservation priorities." *Nature* 403.6772 (2000): 853-858. <https://doi.org/10.1038/35002501>

"TUOTANTOELÄIMEN NÄKYMÄTÖN KUOLEMA – tutkimusta teurastamoissa", *Hybris*, 1/2022. <https://hybrislehti.net/tuotantoelimen-nkymtn-kuolema-tutkimusta-teurastamoissa>

Pieper, Maximilian, Amelie Michalke, and Tobias Gaugler. "Calculation of external climate costs for food highlights inadequate pricing of animal products." *Nature communications* 11.1 (2020): 1-13. <https://doi.org/10.1038/s41467-020-19474-6>

sivu 176

Allan, James R., et al. "The minimum land area requiring conservation attention to safeguard biodiversity." *Science* 376.6597 (2022): 1094-1101. <https://doi.org/10.1126/science.abl9127>

<https://www.ruokavirasto.fi/globalassets/viljelijat/elaintenpito/elaintaudit/luonnonvaraiset-elaimet/susiraportit/jarvenpaa-23.3.2022.pdf>

<https://www.ruokavirasto.fi/globalassets/viljelijat/elaintenpito/elaintaudit/utajarvi-26-9-2015.pdf>

Mysterud, Atle, et al. "The unique spatial ecology of human hunters." *Nature Human Behaviour* 4.7 (2020): 694-701. <https://doi.org/10.1038/s41562-020-0836-7>

<https://www.ruokavirasto.fi/globalassets/viljelijat/elaintenpito/elaintaudit/luonnonvaraiset-elaimet/susiraportit/nurmijarvi-28.5.2019.pdf>

sivu 177

"Itä-Suomessa saaliiksi jää harvoin 200-kiloisia karhuja, sillä suurimmat ja kokeneimmat nallet häipyvät metsästyksen alkaessa Venäjälle turvaan", *Kainuun Sanomat*, 24.8.2020. <https://www.kainuunsanomat.fi/artikkeli/ita-suomessa-saaliiksi-jaa-harvoin-200-kiloisia-karhuja-silla-suurimmat-ja-kokeneimmat-nallet-haipyvat-metsastykseen-alkaessa-venajalle-turvaan-186938625/>

Darimont, Chris T., et al. "Human predators outpace other agents of trait change in the wild." *Proceedings of the National Academy of Sciences* 106.3 (2009): 952-954. <https://doi.org/10.1073/pnas.0809235106>

Karhujen tappamisen vaikutuksista karhujen evoluutioon Pohjoismaissa:

Frank, Shane C., et al. "Indirect effects of bear hunting: a review from Scandinavia." *Ursus* 28.2 (2017): 150-164. <https://doi.org/10.2192/URSU-D-16-00028.1>.

<https://www.ruokavirasto.fi/globalassets/viljelijat/elaintenpito/elaintaudit/luonnonvaraiset-elaimet/susiraportit/siikajoki-14.4.2020.pdf>

Mech D.L. et al. *Wolves on the Hunt*, University of Chicago Press. 2015. e-kirja.

Nicholson, Kerry L., et al. "Testing the risk of predation hypothesis: the influence of recolonizing wolves on habitat use by moose." *Oecologia* 176.1 (2014): 69-80. <https://doi.org/10.1007/s00442-014-3004-9>

<https://www.ruokavirasto.fi/globalassets/viljelijat/elaintenpito/elaintaudit/luonnonvaraiset-elaimet/susiraportit/ilomantsi-21.11.2017-naaras.pdf>

sivu 178

<https://www.ruokavirasto.fi/globalassets/viljelijat/elaintenpito/elaintaudit/nurmes-6.3.2017.pdf>

<https://www.ruokavirasto.fi/globalassets/viljelijat/elaintenpito/elaintaudit/luonnonvaraiset-elaimet/susiraportit/miehikkala-7.2.2020.pdf>

<https://www.ruokavirasto.fi/globalassets/viljelijat/elaintenpito/elaintaudit/luonnonvaraiset-elaimet/susiraportit/lappeenranta-15.6.2021.pdf>

sivu 179

Suutarinen, Johanna, and Ilpo Kojola. "Poaching regulates the legally hunted wolf population in Finland." *Biological Conservation* 215 (2017): 11-18. <https://doi.org/10.1016/j.biocon.2017.08.031>

Suutarinen J., "Ecology of lawbreaking : effects of poaching on legally harvested wolf populations in human-dominated landscapes" (2019) <http://urn.fi/urn:isbn:9789526222271>

Nowak, Sabina, et al. "The illegal shooting and snaring of legally protected wolves in Poland." *Biological Conservation* 264 (2021): 109367. <https://doi.org/10.1016/j.biocon.2021.109367>

"Laiton tappaminen on susien yleisin kuolinsyy – poliisin resurssit ovat edelleen pahin pullon-kaula laittoman metsästyksen kitkennässä", *Kaleva*, 10.9.2019. <https://www.kaleva.fi/laiton-tappaminen-on-susien-yleisin-kuolinsyy-poli/1684462>

<https://www.ruokavirasto.fi/globalassets/viljelijat/elaintenpito/elaintaudit/kuhmo-28.10.2017.pdf>

<https://www.ruokavirasto.fi/globalassets/viljelijat/elaintenpito/elaintaudit/luonnonvaraiset-elaimet/susiraportit/kuhmo-26.2.2020.pdf>

Suurpetopoikkeuslupapäätökset, *Riistakeskus*. <https://riista.fi/metsastys/palvelut-metsastajalle/lupahallinto/lupapaatokset/>

Luonnonvarakeskus, 3285/07 00 03 00/2021, tiedonluovutuspäätös, 13.1.2022.

<https://www.ruokavirasto.fi/globalassets/viljelijat/elaintenpito/elaintaudit/nurmes-5.10.2016.pdf>

Luku 6. Mitattavuus

sivu 183

Wolves in Wisconsin, Wisconsin Department of Natural Resources. <https://dnr.wisconsin.gov/topic/WildlifeHabitat/wolf/index.html>

Post Hunt Deer Population Estimates, Wisconsin Department of Natural Resources. <https://dnr.wi.gov/wideermetrics/DeerStats.aspx?R=2>

Raynor, Jennifer L., Corbett A. Grainger, and Dominic P. Parker. "Wolves make roadways safer, generating large economic returns to predator conservation." *Proceedings of the National Academy of Sciences* 118.22 (2021): e2023251118. <https://doi.org/10.1073/pnas.2023251118>

sivu 184

Tilastokeskus, Liikenne ja matkailu. Noudettu 22.6.2022.

"Eläintörmäysvahingot kasvussa: Etelä-Suomessa entistä enemmän peurakolareita", *If vakuutus*, 11.4.2019. <https://www.sttinfo.fi/tiedote/elaintormaysvahingot-kasvussa-etela-suomessa-entista-enemman-peurakolareita?publisherId=69817318&releaseId=69859007>

Raisa Mäkipää, tutkimusprofessori, Luonnonvarakeskus. <https://twitter.com/RaisaMakipaa/status/1589930222844989445>

Ganopolski, Andrey, Ricarda Winkelmann, and Hans Joachim Schellnhuber. "Critical insolation–CO₂ relation for diagnosing past and future glacial inception." *Nature* 529.7585 (2016): 200-203. <https://doi.org/10.1038/nature16494>

sivu 185

García-Rodríguez, Alberto, et al. "The role of the brown bear Ursus arctos as a legitimate megafaunal seed disperser." *Scientific reports* 11.1 (2021): 1-11. <https://doi.org/10.1038/s41598-020-80440-9>

"Metsiemme katoava aarre", *Suomen luonnonsuojeluliitto*, 20.8.2018. <https://www.sll.fi/2018/08/20/metsiemme-katoava-aarre/?cn-reloaded=1>

"Mustikoiden määrä on vähentynyt rajusti, ja taustalla ovat myös ihmisten toimet", *Helsingin Sanomat*, 9.7.2019. <https://www.hs.fi/tiede/art-2000006166900.html>

"Mustikka menestyy entistä paremmin – eteläisessä Suomessa peittävyys lisääntynyt selvästi", *Luonnonvarakeskus*, 1.9.2022. <https://www.luke.fi/fi/uutiset/mustikka-menestyy-entista-paremmin-etelaisessa-suomessa-peittavyys-lisaantynyt-selvasti>

Jussi Laanikari, erityisasiantuntija, maa- ja metsätalousministeriö. Henkilökohtainen tiedoksianto 30.9.2021.

Gilbert, Sophie L., et al. "Socioeconomic benefits of large carnivore recolonization through reduced wildlife–vehicle collisions." *Conservation Letters* 10.4 (2017): 431-439. <https://doi.org/10.1111/conl.12280>

sivu 186

Treves, Adrian, Francisco J. Santiago-Ávila, and Karann Putrevu. "Quantifying the effects of delisting wolves after the first state began lethal management." *PeerJ* 9 (2021): e11666. <https://doi.org/10.7717/peerj.11666>

"Most U.S. wolves are listed as endangered—again. Here's why.", *National Geographic*, 15.2.2022. <https://www.nationalgeographic.com/animals/article/gray-wolves-relisted-endangered-species-act>

"Suomen Akatemia valitsi kymmenen uutta akatemiaprofessoria", *Suomen akatemia*, 16.12.2020. <https://www.aka.fi/suomen-akatemian-toiminta/ajankohtaista/tiedotteet-ja-uutiset/20202/suomen-akatemia-valitsi-kymmenen-uutta-akatemiaprofessoria/>

sivu 188

"Maapallon biodiversiteettiä kartoitetaan pian automaattisten erikoislaitteiden ja tilastotieteen voimin", *Helsingin Yliopisto*, 11.10.2019. <https://www.helsinki.fi/fi/uutiset/elamantieteet/maapallon-biodiversiteettia-kartoitetaan-pian-automaattisten-erikoislaitteiden-ja-tilastotieteen-voimin>

Palmer, Meredith S., et al. "Dynamic landscapes of fear: understanding spatiotemporal risk." *Trends in Ecology & Evolution* (2022). <https://doi.org/10.1016/j.tree.2022.06.007>

Gaynor, Kaitlyn M., et al. "Landscapes of fear: spatial patterns of risk perception and response." *Trends in ecology & evolution* 34.4 (2019): 355-368. <https://doi.org/10.1016/j.tree.2019.01.004>

Malhi, Yadvinder, et al. "The role of large wild animals in climate change mitigation and adaptation." *Current Biology* 32.4 (2022): R181-R196. <https://doi.org/10.1016/j.cub.2022.01.041>

Zhong, Qirui, et al. "Using modelled relationships and satellite observations to attribute modelled aerosol biases over biomass burning regions." *Nature communications* 13.1 (2022): 1-10. <https://doi.org/10.1038/s41467-022-33680-4>

Venäläinen, Ari, et al. "Climate change induces multiple risks to boreal forests and forestry in Finland: A literature review." *Global change biology* 26.8 (2020): 4178-4196. <https://doi.org/10.1111/gcb.15183>

Kristensen, Jeppe A., et al. "Can large herbivores enhance ecosystem carbon persistence?." *Trends in Ecology & Evolution* (2021). <https://doi.org/10.1016/j.tree.2021.09.006>

sivu 190

"Ex-pääministeri Sipilä räväytti keskustan piiripaneelissa: "Susille nappi otsaan vaan""", *Ilta-Sanomat*, 16.11.2020. <https://www.iltalehti.fi/politiikka/a/bac4e9b4-549f-4ea1-860e-81052b384e16>

Katso eläimestä esimerkiksi:

"Helsingissä luennoiva huippufilosofi penää ihmisiiltä nöyryyttä ennen kuin on liian myöhäistä: "Muilla eläimillä on tietoa, johon emme ikinä pääse käsiksi"', *Helsingin Sanomat*, 15.6.2022. <https://www.hs.fi/kulttuuri/art-2000008886312.html>

sivu 191

Moodley, Desika, et al. "Surprisingly high economic costs of biological invasions in protected areas." *Biological Invasions* (2022): 1-22. <https://doi.org/10.1007/s10530-022-02732-7>

Renault, David, et al. "The magnitude, diversity, and distribution of the economic costs of invasive terrestrial invertebrates worldwide." *Science of the Total Environment* 835 (2022): 155391. <https://doi.org/10.1016/j.scitotenv.2022.155391>

<https://www.ruokavirasto.fi/viljelijat/kasvintuotanto/kasvinterveys/kasvintuhoojat/karanteenituohoojat/saarnenjalosoukko/>

<https://www.ruokavirasto.fi/viljelijat/kasvintuotanto/kasvinterveys/kasvintuhoojat/karanteenituohoojat/kiinanrunkojaara/>

"Suurpetojen aiheuttamat kotieläin-, maatalous- ja porovahingot 2010-luvulla", *Maa- ja metsätalousministeriö*. (2018) <https://mmm.fi/documents/1410837/9158100/Suurpetovahingot+yleisesti-160718.pdf/820d8f4b-f02b-4841-a691-7ae78720dcf1/Suurpetovahingot+yleisesti-160718.pdf?t=1531811293000>

"Uutisanalyysi: Supertappajia vai nälkään kuolleita poroja?", *Lapin Kansa*, 20.5.2022. <https://www.lapinkansa.fi/uutisanalyysi-supertappajia-vai-nalkaan-kuolleita-/4619738>

Heikkinen, Samuli, et al. "Karhukanta Suomessa 2021." (2021) <http://urn.fi/URN:ISBN:978-952-380-411-1>

Holmala, Katja, et al. "Ilveskanta Suomessa 2021." (2021) <http://urn.fi/URN:ISBN:978-952-380-285-8>

Kojola, Ilpo, et al. "Ahmakanta Suomessa 2021." (2021). <http://urn.fi/URN:ISBN:978-952-380-329-9>

<https://paliskunnat.fi/py/porovahingot/petoelainvahingot/petovahinkokorvaukset/>

sivu 194

Lansink, G. M. J., et al. "Potential for increased connectivity between differentiated wolverine populations." *Biological Conservation* 272 (2022): 109601. <https://doi.org/10.1016/j.biocon.2022.109601>

"Ankara talvi vei jopa 15 000 poron hengen", *Yleisradio*, 19.8.2020. <https://yle.fi/uutiset/3-11501290>

"Porotalous painii kahden kriisin kanssa – poroja teurastetaan tänä vuonna kolmannes normaalista vähemmän", *Keskisuomalainen*, 4.10.202. <https://www.ksml.fi/uutissuomalainen/3126332?fbclid=IwAR1SdiAVVyTucfRUd1L5LgFjUCFgN5f8vCt3FUv4s1XV6m0SDOPZqZFiKRg>

<https://ym.fi/eu-n-life-ohjelma>

<https://www.metsa.fi/luonto-ja-kulttuuriperinto/lajien-suojelu/naali/>

<https://www.susilife.fi/fi/cms/hanke-tietoa>

Mammola, Stefano, et al. "Towards a taxonomically unbiased European Union biodiversity strategy for 2030." *Proceedings of the Royal Society B* 287.1940 (2020): 20202166. <https://doi.org/10.1098/rspb.2020.2166>

sivu 195

Nyffeler, Martin, and Klaus Birkhofer. "An estimated 400–800 million tons of prey are annually killed by the global spider community." *The Science of Nature* 104.3 (2017): 1-12. <https://doi.org/10.1007/s00114-017-1440-1>

Boitani, L.; Phillips, M.; Jhala, Y. (2020) [errata version of 2018 assessment]. "Canis lupus". *IUCN Red List of Threatened Species*. **2018**: e.T3746A163508960

Yodzis, Peter. "Must top predators be culled for the sake of fisheries?." *Trends in ecology & evolution* 16.2 (2001): 78-84. [https://doi.org/10.1016/S0169-5347\(00\)02062-0](https://doi.org/10.1016/S0169-5347(00)02062-0)

"Plummeting insect numbers 'threaten collapse of nature'", *The Guardian*, 10.2.2019. <https://www.theguardian.com/environment/2019/feb/10/plummeting-insect-numbers-threaten-collapse-of-nature>

"Sexy beasts: animals with 'charisma' get lion's share of EU conservation funds", *The Guardian*, 9.12.2020. <https://www.theguardian.com/environment/2020/dec/09/sexy-beasts-animals-with-charisma-get-lions-share-of-eu-conservation-funds-aoe>

Holmes, Branden, et al. "Google Trends data reveal a sharp trend: teeth and claws attract more interest than feathers, hooves or fins." *Environmental Conservation* 49.2 (2022): 65-73. <https://doi.org/10.1017/S037689292200011X>

<https://www.susilife.fi/fi/cms/hanke-tietoa>

sivu 196

"Monilajisuus hirviverotussuunnitelmassa", *Riistakeskus*. https://www.riistainfo.fi/wp-content/uploads/2017/11/monilajisuus_hirviverotussuunnittelussa.pdf

https://riista.fi/wp-content/uploads/2021/02/hirvisaalistiedote-2021-taulukko_pdf.pdf

"Tiesitkö, miksi susi on pienempi kuin karhu? – Tärkein syy löytyy ruokavalioista", *Seura*, 23.8.2021. <https://seura.fi/ilmiot/tiede-ja-luonto/tiesitko-miksi-susi-on-pienempi-kuin-karhu-tarkein-syy-loytyy-ruokavalioista/>

Idaho Fish and Game.

van Ginkel, Hermine Annette Lisa, et al. "Wolves and tree logs: Landscape-scale and fine-scale risk factors interactively influence tree regeneration." *Ecosystems* 22.1 (2019): 202-212. <https://doi.org/10.1007/s10021-018-0263-z>

Oshanin, G., et al. "Survival of an evasive prey." *Proceedings of the National Academy of Sciences* 106.33 (2009): 13696-13701. <https://doi.org/10.1073/pnas.0904354106>

Australiassa dingoilla ja ketuilla tehty tutkimus osoittaa, että tappajan (dingo) välittely voi perustua myös tietoon pelkäämisen eli väistämisen ja varuillaan olemisen lisäksi ympäristössä, missä ihminen ei vainoa tappajia. Kun ketut liikkuvat dingoille suotuisissa ympäristöissä, missä dingoja ei vainottu, ketut käyttäytyvät sosiaalisesti ja osoittivat vain vähän pelokasta käyttäytymistä. Koska ketut kuitenkin yleisesti välittivät dingoille suotisia ympäristöjä, tutkijat päättelivät kettujen tietävän olevansa turvassa sillä hetkellä tällaisissa paikoissa liikkuessaan. Katso:

Wooster, Eamonn IF, et al. "Predator protection dampens the landscape of fear." *Oikos* 2022.11 (2022): e09059. <https://doi.org/10.1111/oik.09059>

sivu 198

Ceballos, Gerardo, et al. "Accelerated modern human-induced species losses: Entering the sixth mass extinction." *Science advances* 1.5 (2015): e1400253. <https://doi.org/10.1126/sciadv.1400253>

Dirzo, Rodolfo, et al. "Defaunation in the Anthropocene." *science* 345.6195 (2014): 401-406. <https://doi.org/10.1126/science.1251817>

Hoffmann, Michael, et al. "The impact of conservation on the status of the world's vertebrates." *science* 330.6010 (2010): 1503-1509. <https://doi.org/10.1126/science.1194442>

Ripple, William J., et al. "Are we eating the world's megafauna to extinction?." *Conservation Letters* 12.3 (2019): e12627. <https://doi.org/10.1111/conl.12627>

"Hanhipeltojen perustaminen on yhteensovittamista", *Luonnonvarakeskus*, 23.9.2021. https://www.luke.fi/fi/blogit/hanhipeltojen_perustaminen_on_yhteensovittamista-0

Felles Fjellrev II päätti 2019. Felles Fjellrev Nord II päätti 2022. <http://www.fellesfjellrev.se/>

MetsäpeuraLIFE. 2016-2023. <https://www.suomenpeura.fi/fi/metsapeuralife.html>

Hyväinen, Esko, et al. "Suomen lajien uhanalaisuus-Punainen kirja 2019/The 2019 Red List of Finnish Species." *Ympäristöministeriö & Suomen ympäristökeskus/Ministry of the Environment & Finnish Environment Institute*, Helsinki (2019). s. 25 <https://helda.helsinki.fi/handle/10138/299501>

sivu 199

https://www.eduskunta.fi/FI/vaski/HallituksenEsitys/Documents/HE_29+2019.pdf

Elhacham, Emily, et al. "Global human-made mass exceeds all living biomass." *Nature* 588.7838 (2020): 442-444. <https://doi.org/10.1038/s41586-020-3010-5>

"Moni harmittelee joulukilojaan, mutta maapallolla on paljon isompi paino-ongelma: ihmisten tuottamaa tavaraa on enemmän kuin luontoa", *Yleisradio*, 2.1.2021. <https://yle.fi/uutiset/3-11721731>

"Building sustainable cities with wooden skyscrapers", *The Economist*, 12.2.2021. <https://www.economist.com/science-and-technology/2021/02/12/building-sustainable-cities-with-wooden-skyscrapers>

Techinsider, Instagram, 16.12.2021

Syvitski, Jaia, et al. "Extraordinary human energy consumption and resultant geological impacts beginning around 1950 CE initiated the proposed Anthropocene Epoch." *Communications Earth & Environment* 1.1 (2020): 1-13. <https://doi.org/10.1038/s43247-020-00029-y>

<https://anthropomass.org/7/>

Luku 7. Tappamisen tulevaisuus

sivu 202

Katso populaatioiden matemaattisesti mallintamisesta Lotkan Volterran avulla esimerkiksi:
 Renshaw, Eric. *Modelling biological populations in space and time*. No. 11. Cambridge University Press, 1993.

ja

Iannelli, Mimmo, and Andrea Pugliese. *An introduction to mathematical population dynamics: along the trail of volterra and lotka*. Vol. 79. Springer, 2015.

"Näkökulma: Suomalaisten ylikulutuspäivä, sota ja pandemia – mitä niillä on yhteistä", WWF *Suomi*, 31.3.2022. <https://www.wwf.fi/uutiset/2022/03/nakokulma-suomalaisten-ylikulutuspaiva-sota-ja-pandemia-mita-niilla-on-yhteista/>

"Tänään vietetään maailman ylikulutuspäivää", *Helsingin Sanomat*, 28.7.2022. <https://www.hs.fi/ulkomaat/art-2000008970563.html>

Tilastokeskus. <https://www.stat.fi/tup/suoluk/index.html>

Tulli. [https://tulli.fi/documents/2912305/3331101/Suomen+ja+Saksan+välinen+kauppa+vuonna+2020+\(1-8\).pdf/d49c3c31-8fee-2350-df22-13a61eec9752/Suomen+ja+Saksan+välinen+kauppa+vuonna+2020+\(1-8\).pdf?t=1606368246635](https://tulli.fi/documents/2912305/3331101/Suomen+ja+Saksan+välinen+kauppa+vuonna+2020+(1-8).pdf/d49c3c31-8fee-2350-df22-13a61eec9752/Suomen+ja+Saksan+välinen+kauppa+vuonna+2020+(1-8).pdf?t=1606368246635)

Tulli. [https://tulli.fi/documents/2912305/3331101/Suomen+ja+Kiinan+välinen+kauppa+vuonna+2020+\(1-8\).pdf/8ad52c32-b21a-30ee-ab2e-68dedd38d61b/Suomen+ja+Kiinan+välinen+kauppa+vuonna+2020+\(1-8\).pdf?t=1605612611447](https://tulli.fi/documents/2912305/3331101/Suomen+ja+Kiinan+välinen+kauppa+vuonna+2020+(1-8).pdf/8ad52c32-b21a-30ee-ab2e-68dedd38d61b/Suomen+ja+Kiinan+välinen+kauppa+vuonna+2020+(1-8).pdf?t=1605612611447)

"Suomeen tuotiin maataloustuotteita ja elintarvikkeita kolminkertaisesti vientiin nähden", *Luonnonvarakeskus*, 22.3.2022. <https://www.luke.fi/fi/uutiset/suomeen-tuotiin-mataloustuotteita-ja-elintarvikkeita-kolminkertaisesti-vientiin-nahden>

Statistics Netherlands. <https://opendata.cbs.nl/statline/#/CBS/nl/dataset/81302ned/table?fromstatweb>

"Netherlands proposes radical plans to cut livestock numbers by almost a third", *The Guardian*, 9.9.2021. <https://www.theguardian.com/environment/2021/sep/09/netherlands-proposes-radical-plans-to-cut-livestock-numbers-by-almost-a-third>

Tulli. <https://tulli.fi/documents/2912305/6081877/Suomen+ja+Brasilian+välinen+kauppa.pdf/72212052-a4c9-4256-ad96-200fed2674c/Suomen+ja+Brasilian+välinen+kauppa.pdf?t=1514367034000>

sivu 204

Pan, Yude, et al. "A large and persistent carbon sink in the world's forests." *Science* 333.6045 (2011): 988-993. <https://doi.org/10.1126/science.1201609>

Friedlingstein, Pierre, et al. "Global carbon budget 2021." *Earth System Science Data* 14.4 (2022): 1917-2005. <https://doi.org/10.5194/essd-14-1917-2022>

Lymbery P. *Dead Zone – Mihin villi luonto katosi?*, Into, Riika, 2021.

Trisos, Christopher H., Cory Merow, and Alex L. Pigot. "The projected timing of abrupt ecological disruption from climate change." *Nature* 580.7804 (2020): 496-501. <https://doi.org/10.1038/s41586-020-2189-9>

"Climate change could cause abrupt biodiversity losses this century", *The Conversation*, 9.4.2020. <https://theconversation.com/climate-change-could-cause-abrupt-biodiversity-losses-this-century-135968>

"Why 99% of sea turtle babies are now born female, according to scientists", *CNN*, 3.8.2022. <https://edition.cnn.com/2022/08/03/us/florida-turtles-born-female-climate-change/index.html>

Evoluution kykyä muokata lajien geenejä vastauksena ilmastonmuutokseen on ryhdytty tutkimaan viime aikoina. Katso esimerikiksi:

Aguirre-Liguori, Jonas A., Santiago Ramírez-Barahona, and Brandon S. Gaut. "The evolutionary genomics of species' responses to climate change." *Nature Ecology & Evolution* 5.10 (2021): 1350-1360. <https://doi.org/10.1038/s41559-021-01526-9>.

IPCC. https://ar5-syr.ipcc.ch/topic_futurechanges.php

sivu 205

Kemp, Luke, et al. "Climate Endgame: Exploring catastrophic climate change scenarios." *Proceedings of the National Academy of Sciences* 119.34 (2022): e2108146119. <https://www.pnas.org/doi/epdf/10.1073/pnas.2108146119>

Armstrong McKay, David I., et al. "Exceeding 1.5 C global warming could trigger multiple climate tipping points." *Science* 377.6611 (2022): eabn7950. <https://doi.org/10.1126/science.abn7950>

Lenton, Timothy M., et al. "Tipping elements in the Earth's climate system." *Proceedings of the national Academy of Sciences* 105.6 (2008): 1786-1793. <https://doi.org/10.1073/pnas.0705414105>

"Arktinen alue lämpenee uskottua nopeammin, mikä uhkaa laukaista ilmastonmuutoksen toisen noidankehän", *Helsingin Sanomat*, 12.8.2022. <https://www.hs.fi/kotimaa/art-2000008999874.html>

FAO. <https://www.fao.org/news/story/en/item/197623/icode/>

Xu, Xiaoming, et al. "Global greenhouse gas emissions from animal-based foods are twice those of plant-based foods." *Nature Food* 2.9 (2021): 724-732. <https://doi.org/10.1038/s43016-021-00358-x>

"How the global supply landscape for meat protein will evolve", *McKinsey & Company*, 17.10.2018. <https://www.mckinsey.com/industries/agriculture/our-insights/how-the-global-supply-landscape-for-meat-protein-will-evolve>

sivu 206

Clark, Michael, et al. "Estimating the environmental impacts of 57,000 food products." *Proceedings of the National Academy of Sciences* 119.33 (2022): e2120584119. <https://doi.org/10.1073/pnas.2120584119>

sivu 207

<https://www.britannica.com/science/sustainability>

sivu 208

Chancel, Lucas. "Global carbon inequality over 1990–2019." *Nature Sustainability* 5.11 (2022): 931-938. <https://doi.org/10.1038/s41893-022-00955-z>

Bruckner, Benedikt, et al. "Impacts of poverty alleviation on national and global carbon emissions." *Nature Sustainability* 5.4 (2022): 311-320. <https://doi.org/10.1038/s41893-021-00842-z>

Abraham, Joel O., et al. "Evolutionary causes and consequences of ungulate migration." *Nature Ecology & Evolution* (2022): 1-9. <https://doi.org/10.1038/s41559-022-01749-4>

Edwards, Erika J., et al. "The origins of C4 grasslands: integrating evolutionary and ecosystem science." *Science* 328.5978 (2010): 587-591. <https://doi.org/10.1126/science.1177216>

Zachos, James, et al. "Trends, rhythms, and aberrations in global climate 65 Ma to present." *Science* 292.5517 (2001): 686-693. <https://doi.org/10.1126/science.1059412>

Fryxell, John M., John Grever, and A. R. E. Sinclair. "Why are migratory ungulates so abundant?." *The American Naturalist* 131.6 (1988): 781-798. <https://doi.org/10.1086/284822>

Bauer, Silke, and Bethany J. Hoye. "Migratory animals couple biodiversity and ecosystem functioning worldwide." *Science* 344.6179 (2014): 1242552. <https://doi.org/10.1126/science.1242552>

sivu 209

Fricke, Evan C., et al. "Collapse of terrestrial mammal food webs since the Late Pleistocene." *Science* 377.6609 (2022): 1008-1011. <https://doi.org/10.1126/science.abn4012>

Carbone, Chris, Nathalie Pettorelli, and Philip A. Stephens. "The bigger they come, the harder they fall: body size and prey abundance influence predator-prey ratios." *Biology letters* 7.2 (2011): 312-315. <https://doi.org/10.1098/rsbl.2010.0996>

<https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/native-pastures/what-are-c3-and-c4-native-grass>

sivu 210

Marshall, James AR, Gavin Brown, and Andrew N. Radford. "Individual confidence-weighting and group decision-making." *Trends in ecology & evolution* 32.9 (2017): 636-645. <https://doi.org/10.1016/j.tree.2017.06.004>

Peignier, Mélissa, et al. "Space use and social association in a gregarious ungulate: Testing the conspecific attraction and resource dispersion hypotheses." *Ecology and evolution* 9.9 (2019): 5133-5145. <https://doi.org/10.1002/ece3.5071>

Couzin, Iain D., et al. "Effective leadership and decision-making in animal groups on the move." *Nature* 433.7025 (2005): 513-516. <https://doi.org/10.1038/nature03236>

Jesmer, Brett R., et al. "Is ungulate migration culturally transmitted? Evidence of social learning from translocated animals." *Science* 361.6406 (2018): 1023-1025. <https://doi.org/10.1126/science.aat0985>

Farine, Damien R., and Hal Whitehead. "Constructing, conducting and interpreting animal social network analysis." *Journal of animal ecology* 84.5 (2015): 1144-1163. <https://doi.org/10.1111/1365-2656.12418>

Webber, Quinn MR, and Eric Vander Wal. "An evolutionary framework outlining the integration of individual social and spatial ecology." *Journal of Animal Ecology* 87.1 (2018): 113-127. <https://doi.org/10.1111/1365-2656.12773>

Brent, Lauren JN, et al. "Ecological knowledge, leadership, and the evolution of menopause in killer whales." *Current biology* 25.6 (2015): 746-750. <https://doi.org/10.1016/j.cub.2015.01.037>

sivu 211

"Humans Are Destroying Animals' Ancestral Knowledge", *The Atlantic*, 6.9.2018. <https://www.theatlantic.com/science/archive/2018/09/to-save-animals-we-need-to-save-their-knowledge-too/569503/>

"Chimpanzees Are Going Through a Tragic Loss", *The Atlantic*, 7.3.2019. <https://www.theatlantic.com/science/archive/2019/03/we-are-destroying-chimpanzee-cultures/584146/>

"Helsingin ”poro” eli eksynyt metsäpeura pääsi takaisin luontoon – Nämä elävät sen lajitoiverit”, *Helsingin Sanomat*, 20.2.2022. <https://www.hs.fi/tiede/art-2000008502307.html>

sivu 214

Jesmer, Brett R., et al. "Is ungulate migration culturally transmitted? Evidence of social learning from translocated animals." *Science* 361.6406 (2018): 1023-1025. <https://doi.org/10.1126/science.aat0985>

Bracis, Chloe, and Thomas Mueller. "Memory, not just perception, plays an important role in terrestrial mammalian migration." *Proceedings of the Royal Society B: Biological Sciences* 284.1855 (2017): 20170449. <https://doi.org/10.1098/rspb.2017.0449>

Avgar, Tal, et al. "Space-use behaviour of woodland caribou based on a cognitive movement model." *Journal of Animal Ecology* 84.4 (2015): 1059-1070. <https://doi.org/10.1111/1365-2656.12357>

Cavedon, Maria, et al. "Genomic legacy of migration in endangered caribou." *PLoS genetics* 18.2 (2022): e1009974. <https://doi.org/10.1371/journal.pgen.1009974>

United Nations Human Rights. <https://www.ohchr.org/en/instruments-mechanisms/instruments/universal-declaration-cultural-diversity>

Chakraborty, Dipanjan, Sanchayan Bhunia, and Rumi De. "Survival chances of a prey swarm: how the cooperative interaction range affects the outcome." *Scientific Reports* 10.1 (2020): 1-8. <https://doi.org/10.1038/s41598-020-64084-3>

sivu 215

NASA. <https://www.nasa.gov/content/katherine-johnson-biography>

"Wolves Have Personalities That Impact Their Ecosystem", *Sierra*, 13.8.2022. <https://www.sierraclub.org/sierra/wolves-have-personalities-impact-their-ecosystem>

Bump, Joseph, et al. "Predator personalities alter ecosystem services." *Frontiers in Ecology and the Environment* 20.5 (2022): 275-277. <https://doi.org/10.1002/fee.2512>

Hare, Brian, and Michael Tomasello. "Human-like social skills in dogs?." *Trends in cognitive sciences* 9.9 (2005): 439-444. <https://doi.org/10.1016/j.tics.2005.07.003>

Tonoike, Akiko, et al. "Identification of genes associated with human-canine communication in canine evolution." *Scientific Reports* 12.1 (2022): 1-10. <https://doi.org/10.1038/s41598-022-11130-x>

Whitehead, Hal, et al. "The reach of gene–culture coevolution in animals." *Nature Communications* 10.1 (2019): 1-10. <https://doi.org/10.1038/s41467-019-10293-y>

sivu 216

MacNulty, Daniel R., et al. "Influence of group size on the success of wolves hunting bison." *PloS one* 9.11 (2014): e112884. <https://doi.org/10.1371/journal.pone.0112884>

Fortin, Marie-Josée, Mark RT Dale, and Chris Brimacombe. "Network ecology in dynamic landscapes." *Proceedings of the Royal Society B* 288.1949 (2021): 20201889. <https://doi.org/10.1098/rspb.2020.1889>

Tylianakis, Jason M., and Rebecca J. Morris. "Ecological networks across environmental gradients." *Annual Review of Ecology, Evolution, and Systematics* 48 (2017): 25-48. <https://doi.org/10.1146/annurev-ecolsys-110316-022821>

sivu 217

Bump, Joseph, et al. "Predator personalities alter ecosystem services." *Frontiers in Ecology and the Environment* 20.5 (2022): 275-277. <https://doi.org/10.1002/fee.2512>

"Wolves Have Personalities That Impact Their Ecosystem", *Sierra*, 13.8.2022. <https://www.sierraclub.org/sierra/wolves-have-personalities-impact-their-ecosystem>

Guimaraes Jr, Paulo R. "The structure of ecological networks across levels of organization." *Annual Review of Ecology, Evolution, and Systematics* 51 (2020): 433-460. <https://doi.org/10.1146/annurev-ecolsys-012220-120819>

Ihmisen vaikutuksesta ravintoverkkoon esimerkiksi:

Mestre, Frederico, Alejandro Rozenfeld, and Miguel B. Araújo. "Human disturbances affect the topology of food webs." *Ecology Letters* 25.11 (2022): 2476-2488. <https://doi.org/10.1111/ele.14107>

sivu 218

McCann, Kevin Shear. "The diversity–stability debate." *Nature* 405.6783 (2000): 228-233. <https://doi.org/10.1038/35012234>

sivu 219

Errington, Ruth Catherine, et al. "Estimating lichen biomass in forests and peatlands of northwestern Canada in a changing climate." *Arctic, Antarctic, and Alpine Research* 54.1 (2022): 221-238. <https://doi.org/10.1080/15230430.2022.2082263>

Nelsen, Matthew P., et al. "Contrasting patterns of climatic niche divergence in *Trebouxia*—a clade of lichen-forming algae." *Frontiers in microbiology* 13 (2022). <https://doi.org/10.3389/fmicb.2022.791546>

"Lichens are in danger of losing the evolutionary race with climate change", *Phys.org*, 15.2.2022. <https://phys.org/news/2022-02-lichens-danger-evolutionary-climate.html>

"Näin sudesta tuli ihmisen ystävä", *Helsingin Sanomat*, 30.3.2022. <https://www.hs.fi/tiede/art-2000008438234.html>

sivu 220

"Hukka peri hirviösuden – Amerikan muinainen suurpeto olikin aivan erilainen kuin luultiin", *Helsingin Sanomat*, 18.1.2021. <https://www.hs.fi/blogi/viikonelain/art-2000007745039.html>

"The legendary dire wolf may not have been a wolf at all", *Science News*, 13.1.2021. <https://www.science.org/content/article/legendary-dire-wolf-may-not-have-been-wolf-all>

Perri, Angela R., et al. "Dire wolves were the last of an ancient New World canid lineage." *Nature* 591.7848 (2021): 87-91. <https://doi.org/10.1038/s41586-020-03082-x>

Zimov, Sergey A., et al. "Mammoth steppe: a high-productivity phenomenon." *Quaternary Science Reviews* 57 (2012): 26-45. <https://doi.org/10.1016/j.quascirev.2012.10.005>

Guthrie, R. Dale. "Origin and causes of the mammoth steppe: a story of cloud cover, woolly mammal tooth pits, buckles, and inside-out Beringia." *Quaternary science reviews* 20.1-3 (2001): 549-574. [https://doi.org/10.1016/S0277-3791\(00\)00099-8](https://doi.org/10.1016/S0277-3791(00)00099-8)

Bocherens, Hervé. "Isotopic tracking of large carnivore palaeoecology in the mammoth steppe." *Quaternary Science Reviews* 117 (2015): 42-71. <https://doi.org/10.1016/j.quascirev.2015.03.018>

Rivals, Florent, et al. "Palaeoecology of the Mammoth Steppe fauna from the late Pleistocene of the North Sea and Alaska: separating species preferences from geographic influence in paleoecological dental wear analysis." *Palaeogeography, Palaeoclimatology, Palaeoecology* 286.1-2 (2010): 42-54. <https://doi.org/10.1016/j.palaeo.2009.12.002>

"Time lapse: Watch glaciers rise, fall in thousands of years per second", NASA. <https://climate.nasa.gov/news/2854/time-lapse-watch-glaciers-rise-fall-in-thousands-of-years-per-second/>

"Jääkausi muutti Euroopan ryminällä – joet virtasivat vuolaammin kuin Amazon", *Helsingin Sanomat*, 27.6.2017. <https://www.hs.fi/tiede/art-2000005269976.html>

"Susi vaihtoi hevoset hirviin ruokavaliossaan – pedon oli pakko uudistua", *Helsingin Sanomat*, 24.2.2022. <https://www.hs.fi/tiede/art-2000008635611.html>

Sher, Andrei V., et al. "New insights into the Weichselian environment and climate of the East Siberian Arctic, derived from fossil insects, plants, and mammals." *Quaternary science reviews* 24.5-6 (2005): 533-569. https://oceanrep.geomar.de/id/eprint/28296/1/2005_Sher-etal-New_QSR-25.pdf

Guthrie, R. Dale. "Origin and causes of the mammoth steppe: a story of cloud cover, woolly mammal tooth pits, buckles, and inside-out Beringia." *Quaternary science reviews* 20.1-3 (2001): 549-574. [https://doi.org/10.1016/S0277-3791\(00\)00099-8](https://doi.org/10.1016/S0277-3791(00)00099-8)

Bocherens, Hervé. "Isotopic tracking of large carnivore palaeoecology in the mammoth steppe." *Quaternary Science Reviews* 117 (2015): 42-71. <https://doi.org/10.1016/j.quascirev.2015.03.018>

Pires, Mathias M., et al. "Pleistocene megafaunal extinctions and the functional loss of long-distance seed-dispersal services." *Ecography* 41.1 (2018): 153-163. <https://doi.org/10.1111/ecog.03163>

Nogués-Bravo, David, et al. "Climate change, humans, and the extinction of the woolly mammoth." *PLoS biology* 6.4 (2008): e79. <https://doi.org/10.1371/journal.pbio.0060079>

sivu 221

Landry, Zoe, et al. "Dietary reconstruction and evidence of prey shifting in Pleistocene and recent gray wolves (*Canis lupus*) from Yukon Territory." *Palaeogeography, Palaeoclimatology, Palaeoecology* 571 (2021): 110368. <https://doi.org/10.1016/j.palaeo.2021.110368>

Stuart, Anthony John. "Late Pleistocene megafaunal extinctions." *Extinctions in near time*. Springer, Boston, MA, 1999. 257-269. <https://doi.org/10.1016/B978-0-12-409548-9.10283-0>

Landry, Zoe, et al. "Dietary reconstruction and evidence of prey shifting in Pleistocene and recent gray wolves (*Canis lupus*) from Yukon Territory." *Palaeogeography, Palaeoclimatology, Palaeoecology* 571 (2021): 110368. <https://doi.org/10.1016/j.palaeo.2021.110368>

"Hukka peri hirviösuden – Amerikan muinainen suurpeto olikin aivan erilainen kuin luultiin", *Helsingin Sanomat*, 18.1.2021. <https://www.hs.fi/blogi/viikonlain/art-2000007745039.html>

"New research shows how wolves survived Pleistocene extinction", *The Fulcrum*, 6.2.2022. <https://thefulcrum.ca/sciencetech/new-research-discovers-why-wolves-survived-pleistocene-extinction>

McCormack, Jeremy, et al. "Trophic position of *Otodus megalodon* and great white sharks through time revealed by zinc isotopes." *Nature Communications* 13.1 (2022): 1-10. <https://doi.org/10.1038/s41467-022-30528-9>

Condamine, Fabien L., Jules Romieu, and Guillaume Guinot. "Climate cooling and clade competition likely drove the decline of lamniform sharks." *Proceedings of the National Academy of Sciences* 116.41 (2019): 20584-20590. <https://doi.org/10.1073/pnas.1902693116>

Pimiento, Catalina, et al. "Geographical distribution patterns of *Carcharocles megalodon* over time reveal clues about extinction mechanisms." *Journal of Biogeography* 43.8 (2016): 1645-1655. <https://doi.org/10.1111/jbi.12754>

sivu 224

Pardi, Melissa I., and Felisa A. Smith. "Biotic responses of canids to the terminal Pleistocene megafauna extinction." *Ecography* 39.2 (2016): 141-151. <https://doi.org/10.1111/ecog.01596>

Fan, Zhenxin, et al. "Worldwide patterns of genomic variation and admixture in gray wolves." *Genome research* 26.2 (2016): 163-173. <http://www.genome.org/cgi/doi/10.1101/gr.197517.115>

Loog, Liisa, et al. "Ancient DNA suggests modern wolves trace their origin to a Late Pleistocene expansion from Beringia." *Molecular ecology* 29.9 (2020): 1596-1610. <https://doi.org/10.1111/mec.15329>

"Susi vaihtoi hevoset hirviin ruokavaliossaan – pedon oli pakko uudistua", *Helsingin Sanomat*, 24.2.2022. <https://www.hs.fi/tiede/art-2000008635611.html>

Leonard, Jennifer A., et al. "Megafaunal extinctions and the disappearance of a specialized wolf ecomorph." *Current Biology* 17.13 (2007): 1146-1150. <https://doi.org/10.1016/j.cub.2007.05.072>

Olson, Randal S., et al. "Predator confusion is sufficient to evolve swarming behaviour." *Journal of The Royal Society Interface* 10.85 (2013): 20130305. <https://doi.org/10.1098/rsif.2013.0305>

Byosiere, Sarah-Elizabeth, et al. "What do dogs (*Canis familiaris*) see? A review of vision in dogs and implications for cognition research." *Psychonomic Bulletin & Review* 25.5 (2018): 1798-1813. <https://doi.org/10.3758/s13423-017-1404-7>

sivu 225

Loog, Liisa, et al. "Ancient DNA suggests modern wolves trace their origin to a Late Pleistocene expansion from Beringia." *Molecular ecology* 29.9 (2020): 1596-1610. <https://doi.org/10.1111/mec.15329>

Leonard, Jennifer A., et al. "Megafaunal extinctions and the disappearance of a specialized wolf ecomorph." *Current Biology* 17.13 (2007): 1146-1150. <https://doi.org/10.1016/j.cub.2007.05.072>

Bocherens, Hervé. "Isotopic tracking of large carnivore palaeoecology in the mammoth steppe." *Quaternary Science Reviews* 117 (2015): 42-71. <https://doi.org/10.1016/j.quascirev.2015.03.018>

Van Valkenburgh, Blaire. "Déjà vu: the evolution of feeding morphologies in the Carnivora." *Integrative and Comparative Biology* 47.1 (2007): 147-163. <https://doi.org/10.1093/icb/icm016>

Westbury, Michael V., et al. "Hyena paleogenomes reveal a complex evolutionary history of cross-continental gene flow between spotted and cave hyena." *Science Advances* 6.11 (2020): eaay0456. <https://doi.org/10.1126/sciadv.aay0456>

<https://en.grottechauvet2ardeche.com/>

Clark, Peter U., et al. "Global climate evolution during the last deglaciation." *Proceedings of the National Academy of Sciences* 109.19 (2012): E1134-E1142. <https://doi.org/10.1073/pnas.1116619109>

sivu 226

Nykyisen villin megafaunan hyödyntämiseen kehittyneiden eläinten (esimerkiksi susi) katoamisesta ja esimerkiksi ihmisen pitämän megafaunan (esimerkiksi karja) hyödyntämiseen sopeutuneiden eläinten (esimerkiksi kojottti ja kettu) noususta nykyisessä massasukupuutossa: Galetti, Mauro, et al. "Ecological and evolutionary legacy of megafauna extinctions." *Biological Reviews* 93.2 (2018): 845-862. <https://doi.org/10.1111;brv.12374>

Katso lisäksi kojootin sopeutumisesta elämään suurkaupungeissa:

"Wild animals are adapting to city life in surprisingly savvy ways", *National Geographic*, 7.6.2022. <https://www.nationalgeographic.com/magazine/article/why-urban-bears-know-when-its-trash-day-feature>.

Chapron, Guillaume, et al. "Recovery of large carnivores in Europe's modern human-dominated landscapes." *science* 346.6216 (2014): 1517-1519. <https://doi.org/10.1126/science.1257553>

Davoli, Marco, et al. "Changing patterns of conflict between humans, carnivores and crop-raiding prey as large carnivores recolonize human-dominated landscapes." *Biological Conservation* 269 (2022): 109553. <https://doi.org/10.1016/j.biocon.2022.109553>

Ripple, William J., et al. "Status and ecological effects of the world's largest carnivores." *Science* 343.6167 (2014): 1241484. <https://doi.org/10.1126/science.1241484>

Cimatti, Marta, et al. "Large carnivore expansion in Europe is associated with human population density and land cover changes." *Diversity and Distributions* 27.4 (2021): 602-617. <https://doi.org/10.1111/ddi.13219>

Chapron, Guillaume, et al. "Recovery of large carnivores in Europe's modern human-dominated landscapes." *Science* 346.6216 (2014): 1517-1519. <https://doi.org/10.1126/science.1257553>

Nowosad, Jakub, Tomasz F. Stepinski, and Paweł Netzel. "Global assessment and mapping of changes in mesoscale landscapes: 1992–2015." *International Journal of Applied Earth Observation and Geoinformation* 78 (2019): 332-340. <https://doi.org/10.1016/j.jag.2018.09.013>

sivu 227

Clavero, M., et al. "Where wolves were: setting historical baselines for wolf recovery in Spain." *Animal Conservation* (2022). <https://doi.org/10.1111/acv.12814>

Terraube, J., P. Helle, and M. Cabeza. "Assessing the effectiveness of a national protected area network for carnivore conservation." *Nature communications* 11.1 (2020): 1-9. <https://doi.org/10.1038/s41467-020-16792-7>

NABU. "Wölfe in Deutschland". <https://www.nabu.de/tiere-und-pflanzen/saeugetiere/wolf/deutschland/index.html>

Reinhardt, Ilka, et al. "Military training areas facilitate the recolonization of wolves in Germany." *Conservation Letters* 12.3 (2019): e12635. <https://doi.org/10.1111/conl.12635>

"Germany's wolves are on the rise thanks to a surprising ally: the military", *Science News*, 15.2.2019. <https://www.science.org/content/article/germany-s-wolves-are-rise-thanks-surprising-ally-military>

Suutarinen, Johanna, and Ilpo Kojola. "Poaching regulates the legally hunted wolf population in Finland." *Biological Conservation* 215 (2017): 11-18. <https://doi.org/10.1016/j.biocon.2017.08.031>

Poronhoidosta maankäyttömuotona:
Haataja A. *Pohjoinen*, Tammi, Helsinki. 2018.

sivu 228

Zentelis, Rick, and David Lindenmayer. "Bombing for biodiversity—Enhancing conservation values of military training areas." *Conservation Letters* 8.4 (2015): 299-305. <https://doi.org/10.1111/conl.12155>

Brennan, A., et al. "Functional connectivity of the world's protected areas." *Science* 376.6597 (2022): 1101-1104. <https://doi.org/10.1126/science.abl8974>

Istituto Superiore per la Protezione e la Ricerca Ambientale. <https://www.isprambiente.gov.it/it/attivita/biodiversita/monitoraggio-nazionale-del-lupo/risultati>

"414/200 Maa- ja metsätalousministeriön asetus merkkipiireistä ja suurimmista sallituista poromääristä ", *Finlex*, <https://finlex.fi/fi/laki/kokoelma/2020/sk20200414.pdf>

Heikkinen, Samuli, et al. "Susikanta Suomessa maaliskuussa 2022." (2022). <http://urn.fi/URN:ISBN:978-952-380-470-8>

Luonnonvarakeskus. <https://luonnonvaratieto.luke.fi/kartat?panel=hirvi-ja-sorkkaelaimet>

sivu 229

Heikkinen, Samuli, et al. "Susikanta Suomessa maaliskuussa 2022." (2022). <http://urn.fi/URN:ISBN:978-952-380-470-8>

Vila, Carles, et al. "Rescue of a severely bottlenecked wolf (*Canis lupus*) population by a single immigrant." *Proceedings of the Royal Society of London. Series B: Biological Sciences* 270.1510 (2003): 91-97. <https://doi.org/10.1098/rspb.2002.2184>

"The Norwegian wolf is extinct", *Phys.org*, 1.12.2021. <https://phys.org/news/2021-12-norwegian-wolf-extinct.html>

Viluma, Agnese, et al. "Whole-genome resequencing of temporally stratified samples reveals substantial loss of haplotype diversity in the highly inbred Scandinavian wolf population." *Genome research* 32.3 (2022): 449-458. <https://genome.cshlp.org/content/early/2022/01/17/gr.276070.121>

Åkesson, Mikael, et al. "Genetic signature of immigrants and their effect on genetic diversity in the recently established Scandinavian wolf population." *Conservation Genetics* 23.2 (2022): 359-373. <https://doi.org/10.1007/s10592-021-01423-5>

Stenøien, Hans K., et al. "Genetisk opphav til den norske ulvestammen (*Canis lupus lupus*)."*NTNU Vitenskapsmuseet naturhistorisk rapport* (2021). <https://www.de5stora.com/media/1824118/genetik-varg.pdf>

Kardos, Marty, et al. "Genomic consequences of intensive inbreeding in an isolated wolf population." *Nature ecology & evolution* 2.1 (2018): 124-131. <https://doi.org/10.1038/s41559-017-0375-4>

Laikre, Linda, et al. "Metapopulation effective size and conservation genetic goals for the Fennoscandian wolf (*Canis lupus*) population." *Heredity* 117.4 (2016): 279-289. <https://doi.org/10.1038/hdy.2016.44>

sivu 230

Sotelo-López, S. A., et al. "Conditions under which a superdiffusive random-search strategy is necessary." *Physical Review E* 86.3 (2012): 031133. <https://doi.org/10.1103/PhysRevE.86.031133>

<https://riistahavainnot.fi/sorkkaelaimet/hirvitiheys>

Johnson, Ian, et al. "Winter hunting behavior and habitat selection of wolves in a low-density prey system." *Wildlife Biology* 2017.1 (2017): 1-9. <https://doi.org/10.2981/wlb.00290>

"Leijonat voitti MM-kultaa! Sakari Mannisen laukaus kaatoi Kanadan jatkoajalla", *Helsingin Sanomat*, 29.5.2022. <https://www.hs.fi/urheilu/art-2000008849739.html>

Courchamp, Franck, et al. "The paradoxical extinction of the most charismatic animals." *PLoS biology* 16.4 (2018): e2003997. <https://doi.org/10.1371/journal.pbio.2003997>

sivu 231

"Väärin kuvattu luonto", *Vihreä Lanka*, 8.3.2019. <https://www.vihrealanka.fi/juttu/väärin-kuvattu-luonto>

"How America's most endangered cat could help save Florida", *National Geographic*, 9.3.2021. <https://www.nationalgeographic.com/magazine/article/florida-panthers-return-imperiled-by-development-feature>

Desforges, Jean-Pierre, et al. "Predicting global killer whale population collapse from PCB pollution." *Science* 361.6409 (2018): 1373-1376. <https://doi.org/10.1126/science.aat1953>

"Half the World's Orcas Could Soon Disappear—Here's Why", *National Geographic*, 27.9.2018. <https://www.nationalgeographic.com/environment/article/orcas-killer-whales-poisoned-pcbs-pollution>

"Pollution threatens the future of killer whales", *BBC*, 27.9.2018 .<https://www.bbc.com/news/science-environment-45652149>

"UK killer whale died with extreme levels of toxic pollutants", *The Guardian*, 2.5.2017. <https://www.theguardian.com/environment/2017/may/02/uk-killer-whale-died-extreme-levels-toxic-pollutants>

Jepson, Paul D., et al. "PCB pollution continues to impact populations of orcas and other dolphins in European waters." *Scientific reports* 6.1 (2016): 1-17. <https://doi.org/10.1038/srep18573>

Andvik, Clare, et al. "High levels of legacy and emerging contaminants in killer whales (*Orcinus orca*) from Norway, 2015 to 2017." *Environmental Toxicology and Chemistry* 40.7 (2021): 1848-1858. <https://doi.org/10.1002/etc.5064>

Bauer, Hans, et al. "Lion (*Panthera leo*) populations are declining rapidly across Africa, except in intensively managed areas." *Proceedings of the National Academy of Sciences* 112.48 (2015): 14894-14899. <https://doi.org/10.1073/pnas.1500664112>

Sanderson, Eric W., et al. "Setting priorities for tiger conservation: 2005–2015." *Tigers of the World*. William Andrew Publishing, 2010. 143-161. <https://doi.org/10.1016/B978-0-8155-1570-8.00009-8>

Ingeman, Kurt E., et al. "Glimmers of hope in large carnivore recoveries." *Scientific Reports* 12.1 (2022): 1-13. <https://doi.org/10.1038/s41598-022-13671-7>

Ripple, William J., et al. "Status and ecological effects of the world's largest carnivores." *Science* 343.6167 (2014): 1241484. <http://dx.doi.org/10.1126/science.1241484>

Luku 8. Kuolema

sivu 233

"Suomesta tuli osa "norjanlohen valtatietä" – ennätysmäärä kalaa kulkee maan läpi, eikä rekkaralli aina jätä tänne montakaan euroa", *Yleisradio*, 17.8.2018. <https://yle.fi/a/3-10239546>

"Tornionjoen nousulohiseuranta", *Luonnonvarakeskus*. <https://kalahavainnot.luke.fi/fi/seurannat/tornionjoen-nousulohiseuranta/>

sivu 234

"Susien jäljillä Kuhmossa", *Tiede*, 1.1.2004. https://www.tiede.fi/artikkeli/jutut/artikelit/susien_jaljilla_kuhmossa

sivu 235

Boitani, L., Phillips, M. & Jhala, Y. 2018. *Canis lupus* (errata version published in 2020). The IUCN Red List of Threatened Species 2018: e.T3746A163508960. <https://dx.doi.org/10.2305/IUCN.UK.2018-2.RLTS.T3746A163508960.en>.

Harmer, Aaron MT, et al. "Large orb-webs adapted to maximise total biomass not rare, large prey." *Scientific Reports* 5.1 (2015): 1-8. <http://dx.doi.org/10.1038/srep14121>

Our World in Data. <https://ourworldindata.org/meat-production>

sivu 238

Hamilton, Jill A., and Joshua M. Miller. "Adaptive introgression as a resource for management and genetic conservation in a changing climate." *Conservation Biology* 30.1 (2016): 33-41. <https://doi.org/10.1111/cobi.12574>

Carroll, Carlos, et al. "Wolf Delisting Challenges Demonstrate Need for an Improved Framework for Conserving Intraspecific Variation under the Endangered Species Act." *BioScience* 71.1 (2021): 73-84. <https://doi.org/10.1093/biosci/biaa125>

Razgour, Orly, et al. "Considering adaptive genetic variation in climate change vulnerability assessment reduces species range loss projections." *Proceedings of the National Academy of Sciences* 116.21 (2019): 10418-10423. <https://doi.org/10.1073/pnas.1820663116>

Hendricks, Sarah A., Rena M. Schweizer, and Robert K. Wayne. "Conservation genomics illuminates the adaptive uniqueness of North American gray wolves." *Conservation Genetics* 20.1 (2019): 29-43. <https://doi.org/10.1007/s10592-018-1118-z>

Annika Herrero, tutkija, Luonnonvarakeskus. Riistapäivät 2022.

Antti Paasivaara, erikoistutkija, Luonnonvarakeskus. Henkilökohtainen tiedoksianto 16.5.2022.

sivu 239

Palumbi, Stephen R. "Humans as the world's greatest evolutionary force." *Science* 293.5536 (2001): 1786-1790. <https://doi.org/10.1126/science.293.5536.1786>

"Bogs, lakebeds, and sea floors compete to become Anthropocene's 'golden spike'", *Science News*, 5.5.2022. <https://www.science.org/content/article/bogs-lakebeds-and-sea-floors-compete-become-anthropocene-s-golden-spike>

Wynes, Seth, and Kimberly A. Nicholas. "The climate mitigation gap: education and government recommendations miss the most effective individual actions." *Environmental Research Letters* 12.7 (2017): 074024. <https://doi.org/10.1088/1748-9326/aa7541>

"Tutkimuksissa on löydetty ylivertainen päästövähennyskeino, mutta ilmastotekolistoilta se puuttuu kokonaan", *Helsingin Sanomat*, 18.8.2019. <https://www.hs.fi/ulkomaat/art-2000006207738.html>

sivu 241

<https://www.aalto.fi/en/department-of-design/15-degree-lifestyles>

"Keskivertosuomalaisen hiilijalanjälki, *Sitra*, 15.2.2018. <https://www.sitra.fi/artikkelit/keskivertosuomalaisen-hiilijalanjalki/>

Murphy, Thomas W. "Limits to economic growth." *Nature Physics* 18.8 (2022): 844-847. <https://doi.org/10.1038/s41567-022-01652-6>

Luku 9. Suuri villieläinyhteisö ilmastonmuutoksessa

sivu 243

Schwarzl, Maria, et al. "A single predator charging a herd of prey: effects of self volume and predator-prey decision-making." *Journal of Physics A: Mathematical and Theoretical* 49.22 (2016): 225601. <https://doi.org/10.1088/1751-8113/49/22/225601>

sivu 246

Rantanen, Mika, et al. "The Arctic has warmed nearly four times faster than the globe since 1979." *Communications Earth & Environment* 3.1 (2022): 1-10. <https://doi.org/10.1038/s43247-022-00498-3>

Isaksen, Ketil, et al. "Exceptional warming over the Barents area." *Scientific reports* 12.1 (2022): 1-18. <https://doi.org/10.1038/s41598-022-13568-5>

"New data reveals extraordinary global heating in the Arctic", *The Guardian*, 15.6.2022. <https://www.theguardian.com/environment/2022/jun/15/new-data-reveals-extraordinary-global-heating-in-the-arctic>

Box, Jason E., et al. "Greenland ice sheet climate disequilibrium and committed sea-level rise." *Nature Climate Change* 12.9 (2022): 808-813. <https://doi.org/10.1038/s41558-022-01441-2>

"Climate Change: Atmospheric Carbon Dioxide", *NOAA climate.gov*. <https://www.climate.gov/news-features/understanding-climate/climate-change-atmospheric-carbon-dioxide>

"Climate change: a threat to human wellbeing and health of the planet. Taking action now can secure our future", *IPCC*, 28.2.2022. <https://www.ipcc.ch/2022/02/28/pr-wgii-ar6/>

"Jättiraportti: Peruuttamaton muutos maapallon järjestelmissä on jo käynnissä – "vaarallista ja laaja-alaista sekasortoa luonnossa", IPCC sanoo", *Yleisradio*, 28.2.2022. <https://yle.fi/uutiset/3-12336074>

Kotakorpi K. *Suomen luonto 2100 – Tutkimusretki tulevaisuuteen*, Bazar, Helsinki. 2021.

"Temperatures in Europe increase more than twice global average", *World Meteorological Institution*, 2.11.2022. <https://public.wmo.int/en/media/press-release/temperatures-europe-increase-more-twice-global-average>

sivu 247

Pinsky, Malin L., Lise Comte, and Dov F. Sax. "Unifying climate change biology across realms and taxa." *Trends in Ecology & Evolution* (2022). <https://doi.org/10.1016/j.tree.2022.04.011>

"Syrjäinen Värriön tutkimusasema on keskeinen paikka ilmakehätutkimuksessa – tutkija huomaa ilmastonmuutoksen havainnoissa ja ympäristössä", *Yleisradio*, 12.9.2022. <https://yle.fi/uutiset/3-12605897>

Boisvert-Marsh, Laura, et al. "Migration-based simulations for Canadian trees show limited tracking of suitable climate under climate change." *Diversity and Distributions* 28.11 (2022): 2330-2348. <https://doi.org/10.1111/ddi.13630>

Meier, Eliane S., et al. "Climate, competition and connectivity affect future migration and ranges of European trees." *Global Ecology and Biogeography* 21.2 (2012): 164-178. <https://doi.org/10.1111/j.1466-8238.2011.00669.x>

Meier, Eliane S., et al., s. 168-169.

sivu 248

"Väinämöinen onkin Kuhmosta – paikallinen mies laitettiin veneeseen kurkottelemaan neitoa kuuluisaa maalausta varten", *Yleisradio*, 24.9.2017. <https://yle.fi/uutiset/3-9834846>

Lenoir, Jonathan, et al. "Species better track climate warming in the oceans than on land." *Nature ecology & evolution* 4.8 (2020): 1044-1059. <https://doi.org/10.1038/s41559-020-1198-2>

Anderegg, William RL, et al. "A climate risk analysis of Earth's forests in the 21st century." *Science* 377.6610 (2022): 1099-1103. <https://doi.org/10.1126/science.abp9723>

Kartta: *Global Forest Climate Risk*, The Wilkes Center for Climate Science & Policy, University of Utah. <https://wilkescenter.utah.edu/tools/globalforestclimaterisk/>

sivu 249

Jensen, William F., et al. "A review of circumpolar moose populations with emphasis on Eurasian moose distributions and densities." *Alces: A Journal Devoted to the Biology and Management of Moose* 56 (2020): 63-78. <https://www.alcesjournal.org/index.php/alces/article/view/265>

Timmermann, H. R., and Arthur R. Rodgers. "The status and management of moose in North America-circa 2015." *Alces: A Journal Devoted to the Biology and Management of Moose* 53 (2017): 1-22. <https://www.alcesjournal.org/index.php/alces/article/view/177/248>

Weiskopf, Sarah R., Olivia E. Ledee, and Laura M. Thompson. "Climate change effects on deer and moose in the Midwest." *The Journal of Wildlife Management* 83.4 (2019): 769-781. <https://doi.org/10.1002/jwmg.21649>

"Rapid Climate Changes Turn North Woods into Moose Graveyard", *Scientific American*, 18.5.2012. <https://www.scientificamerican.com/article/rapid-climate-changes-turn-north-woods-into-moose-graveyard/>

Samuel, William M., and Dwight A. Welch. "Winter ticks on moose and other ungulates: factors influencing their population size." *Alces: A Journal Devoted to the Biology and Management of Moose* 27 (1991): 168-182. <https://www.alcesjournal.org/index.php/alces/article/download/1119/1191>

Wünschmann, Arno, et al. "Necropsy findings in 62 opportunistically collected free-ranging moose (*Alces alces*) from Minnesota, USA (2003–13)." *Journal of Wildlife Diseases* 51.1 (2015): 157-165. <https://doi.org/10.7589/2014-02-037>

Tape, Ken D., et al. "Range expansion of moose in Arctic Alaska linked to warming and increased shrub habitat." *PloS one* 11.4 (2016): e0152636. <https://doi.org/10.1371/journal.pone.0152636>

"Will Moose Thrive or Die Because of Climate Change?", *Scientific American*, 29.4.2016. <https://www.scientificamerican.com/article/will-moose-thrive-or-die-because-of-climate-change/>

Caesar, Levke, et al. "Observed fingerprint of a weakening Atlantic Ocean overturning circulation." *Nature* 556.7700 (2018): 191-196. <https://doi.org/10.1038/s41586-018-0006-5>

Caesar, Levke, et al. "Current Atlantic meridional overturning circulation weakest in last millennium." *Nature Geoscience* 14.3 (2021): 118-120. <https://doi.org/10.1038/s41561-021-00699-z>

sivu 250

Liu, Wei, et al. "Overlooked possibility of a collapsed Atlantic Meridional Overturning Circulation in warming climate." *Science Advances* 3.1 (2017): e1601666. <https://doi.org/10.1126/sciadv.1601666>

Boers, Niklas. "Observation-based early-warning signals for a collapse of the Atlantic Meridional Overturning Circulation." *Nature Climate Change* 11.8 (2021): 680-688. <https://doi.org/10.1038/s41558-021-01097-4>

"Kerttu Kotakorpi: Golf-virta hidastuu, mutta se ei peruuta ilmastonmuutosta Pohjoismaissa", *Yleisradio*, 1.4.2021. <https://yle.fi/uutiset/3-11843992>

Ureta, Carolina, et al. "Evaluation of animal and plant diversity suggests Greenland's thaw hastens the biodiversity crisis." *Communications biology* 5.1 (2022): 1-12. <https://doi.org/10.1038/s42003-022-03943-3>

<https://climatenexus.org/climate-change-news/rcp-8-5-business-as-usual-or-a-worst-case-scenario/>

<https://www.carbonbrief.org/explainer-the-high-emissions-rcp8-5-global-warming-scenario/>

sivu 251

<https://fragilestatesindex.org/country-data/>

Kemp, Luke, et al. "Climate Endgame: Exploring catastrophic climate change scenarios." *Proceedings of the National Academy of Sciences* 119.34 (2022): e2108146119. <https://doi.org/10.1073/pnas.2108146119>

Warren, R., et al. "The projected effect on insects, vertebrates, and plants of limiting global warming to 1.5 C rather than 2 C." *Science* 360.6390 (2018): 791-795. <https://doi.org/10.1126/science.aar3646>

Hyönteiskadosta esimerkiksi:

"Pölyttäjien määrä on romahtanut – ja siitä voi tulla ihmiskunnan kohtalonkysymys", *Yleisradio*, 1.4.2020. <https://yle.fi/aihe/artikkeli/2020/04/01/polyttajien-maara-on-romahtanut-ja-siita-voi-tulla-ihmiskunnan-kohtalonkysymys>

ja

"The insect apocalypse: 'Our world will grind to a halt without them", *The Guardian*, 25.7.2021. <https://www.theguardian.com/environment/2021/jul/25/the-insect-apocalypse-our-world-will-grind-to-a-halt-without-them>

ja

Outhwaite, Charlotte L., Peter McCann, and Tim Newbold. "Agriculture and climate change are reshaping insect biodiversity worldwide." *Nature* 605.7908 (2022): 97-102. <https://doi.org/10.1038/s41586-022-04644-x>

Sánchez-Bayo, Francisco, and Kris AG Wyckhuys. "Worldwide decline of the entomofauna: A review of its drivers." *Biological conservation* 232 (2019): 8-27. <https://doi.org/10.1016/j.biocon.2019.01.020>

Kojola, Ilpo, et al. "European wild forest reindeer and wolves: endangered prey and predators." *Annales Zoologici Fennici*. Vol. 46. No. 6. Finnish Zoological and Botanical Publishing Board, 2009. <https://doi.org/10.5735/086.046.0602>

Antti Paasivaara, erikoistutkija, Luonnonvarakeskus. Henkilökohtainen tiedoksianto 16.5.2022.

Kojola, Ilpo, et al. "Calf/female ratio and population dynamics of wild forest reindeer in relation to wolf and moose abundances in a managed European ecosystem." *Plos one* 16.12 (2021): e0259246. <https://doi.org/10.1371/journal.pone.0259246>

Mumma, Matthew A., et al. "Predation risk for boreal woodland caribou in human-modified landscapes: evidence of wolf spatial responses independent of apparent competition." *Biological Conservation* 228 (2018): 215-223. <https://doi.org/10.1016/j.biocon.2018.09.015>

sivu 253

"Metsäpeura palasi poromailta itään", *Kaleva*, 20.11.2006. <https://www.kaleva.fi/metsapeura-palasi-poromailta-itaan/2477359>

"Suomenselän metsäpeurakanta vakaa", *Luonnonvarakeskus*, 23.3.2022. <https://www.epressi.com/tiedotteet/ymparisto-ja-luonto/suomenselan-metsapeurakanta-vakaa.html>

Tilastokeskus. SVT: Luonnonvarakeskus, Metsästys.

sivu 254

Pöllänen, Antti. Suurpetojen aiheuttama vaihtelu metsäpeuravaadinten (*Rangifer tarandus fennicus*) säilyvyydessä. Diss. University of Oulu, 2020. <http://urn.fi/URN:NBN:fi:oulu-202004241543>

https://pxnet2.stat.fi/PXWeb/pxweb/fi/Kokeelliset_tilastot/Kokeelliset_tilastot__riista/koeti_riista_pxt_12sg.px/table/tableViewLayout1/

Karhula, Kari. "Liikenteen ja suurpetojen tappamien metsäpeurojen ikäjakaumat." (2021). <http://urn.fi/URN:NBN:fi:hulib-202103031597>

Hoy, Sarah, John A. Vucetich, and Rolf O. Peterson. "The role of wolves in regulating a chronic non-communicable disease, osteoarthritis, in prey populations." *Frontiers in Ecology and Evolution* 10 (2022). <https://doi.org/10.3389/fevo.2022.819137>

Suomen metsäpeurakannan hoitosuunnitelma, Maa- ja metsätalousministeriö 9/2007. https://m.m.m.fi/documents/1410837/1516659/Metsäpeurakannan+hoitosuunitelma+9_2007/209f011e-61f9-43fb-b799-7475c6675f76/Metsäpeurakannan+hoitosuunitelma+9_2007.pdf?t=1445001663000

sivu 255

Pöllänen, Antti. Suurpetojen aiheuttama vaihtelu metsäpeuravaadinten (*Rangifer tarandus fennicus*) säilyvyydessä. Diss. University of Oulu, 2020. <http://urn.fi/URN:NBN:fi:oulu-202004241543>

Antti Paasivaara, erikoistutkija, Luonnonvarakeskus. Henkilökohtainen tiedoksianto.

"Metsäpeura palasi poromailta itään", *Kaleva*, 20.11.2006. <https://www.kaleva.fi/metsapeura-palasi-poromailta-itaan/2477359>

"Metsästäjät ymmärtävät hirvilupien vähenemisen, mutta petopolitiikka mietityttää – asiantuntijan mukaan karhulupien evääminen voi verottaa Kainuun hirvikantaa", *Kainuun Sanomat*, 5.10.2022. <https://www.kainuunsanomat.fi/artikkeli/metsastajat-ymmartavat-hirvilupien-vahenemisen-mutta-petopolitiikka-mietityttaa-asiantuntijan-mukaan-karhulupien-evaaminen-voi-verottaa-kainuun-hirvikantaa-245677525/>

<https://www.suomenpeura.fi/fi/uhat/taudit-ja-loiset.html>

Ripple, William J., et al. "Collapse of the world's largest herbivores." *Science advances* 1.4 (2015): e1400103. <https://doi.org/10.1126/sciadv.1400103>

Kutz, Susan, et al. "Musko Health Ecology Symposium 2016: Gathering to Share Knowledge on" Umingmak" in a Time of Rapid Change." *Arctic* 70.2 (2017): 225-236. <http://dx.doi.org/10.14430/arctic4656>

Campos, Paula F., et al. "Ancient DNA analyses exclude humans as the driving force behind late Pleistocene musk ox (*Ovibos moschatus*) population dynamics." *Proceedings of the National Academy of Sciences* 107.12 (2010): 5675-5680. <https://doi.org/10.1073/pnas.0907189107>

sivu 256

Canteri, Elisabetta, et al. "Spatiotemporal influences of climate and humans on muskox range dynamics over multiple millennia." *Global Change Biology* 28.22 (2022): 6602-6617. <https://doi.org/10.1111/gcb.16375>

<https://www.nature.com/scitable/knowledge/library/allee-effects-19699394/>

Anttti Paasivaara, erikoistutkija, Luonnonvarakeskus. Henkilökohtainen tiedoksianto. 16.5.2022.

"Death by "Data Deficient": The Disappearance of Wolverines in Alberta's Eastern Slopes", *Nature Alberta*, 22.7.2022. <https://naturealberta.ca/death-by-data-deficient-the-disappearance-of-wolverines-in-albertas-eastern-slopes/>

sivu 257

Borgelt, Jan, et al. "More than half of data deficient species predicted to be threatened by extinction." *Communications biology* 5.1 (2022): 1-9. <https://doi.org/10.1038/s42003-022-03638-9>

Katso ahmapopulaatiosta Itä- ja Koillis-Lapissa erityisesti Koilliskairassa ja Savukoskella: Haataja A. Pohjoinen, Tammi, Helsinki. 2018.

Wolverine (Gulo gulo): COSEWIC assessment and status report 2014, Government of Canada. <https://www.canada.ca/en/environment-climate-change/services/species-risk-public-registry/cosewic-assessments-status-reports/wolverine-status-2014.html>

Lansink, G. M. J., et al. "Potential for increased connectivity between differentiated wolverine populations." *Biological Conservation* 272 (2022): 109601. <https://doi.org/10.1016/j.biocon.2022.109601>

Lansink, Gerhardus MJ, et al. "Population genetics of the wolverine in Finland: the road to recovery?." *Conservation Genetics* 21.3 (2020): 481-499. <https://doi.org/10.1007/s10592-020-01264-8>

"New study shows bridging two wolverine populations in Fennoscandia is necessary for conservation", *Oulu yliopisto*, 30.8.2022. <https://www.oulu.fi/en/news/new-study-shows-bridging-two-wolverine-populations-fennoscandia-necessary-conservation>

Heinemeyer, Kimberly, et al. "Wolverines in winter: indirect habitat loss and functional responses to backcountry recreation." *Ecosphere* 10.2 (2019): e02611. <https://doi.org/10.1002/ecs2.2611>

van der Veen, Bert, et al. "Refrigeration or anti-theft? Food-caching behavior of wolverines (*Gulo gulo*) in Scandinavia." *Behavioral Ecology and Sociobiology* 74.5 (2020): 1-13. <https://doi.org/10.1007/s00265-020-2823-4>

Barrueto, Mirjam, et al. "Protection status, human disturbance, snow cover and trapping drive density of a declining wolverine population in the Canadian Rocky Mountains." *Scientific reports* 12.1 (2022): 1-15. <https://doi.org/10.1038/s41598-022-21499-4>

"Worldwide wolverine analysis reveals research gaps", *The Wildlife Society*, 1.3.2022. <https://wildlife.org/worldwide-wolverine-analysis-reveals-research-gaps/>

"This World Wildlife Day, the key word is adapt", *Google Earth Outreach*. 3.2.2022. <https://blog.google/outreach-initiatives/sustainability/world-wildlife-day-2022>

sivu 260

Koskela, Anni, et al. "Does grey wolf presence affect habitat selection of wolverines?." *Annales Zoologici Fennici*. Vol. 50. No. 4. Finnish Zoological and Botanical Publishing Board, 2013. <https://www.jstor.org/stable/23737153>

Koskela, Anni, Jouni Aspi, and Marja Hyvärinen. "Effect of reproductive status on the diet composition of wolverines (*Gulo gulo*) in boreal forests of eastern Finland." *Annales Zoologici Fennici*. Vol. 50. No. 1-2. Finnish Zoological and Botanical Publishing Board, 2013. <https://doi.org/10.5735/086.050.0109>

Laliberte, Andrea S., and William J. Ripple. "Range contractions of North American carnivores and ungulates." *BioScience* 54.2 (2004): 123-138. [https://doi.org/10.1641/0006-3568\(2004\)054%5B0123:RCONAC%5D2.0.CO;2](https://doi.org/10.1641/0006-3568(2004)054%5B0123:RCONAC%5D2.0.CO;2)

Carroll, Kathleen A., et al. "Testing landscape resistance layers and modeling connectivity for wolverines in the western United States." *Global Ecology and Conservation* 23 (2020): e01125. <https://doi.org/10.1016/j.gecco.2020.e01125>

"Connecting fragmented wolverine habitat is essential for their conservation", *The Conversation*, 17.5.2022. <https://theconversation.com/connecting-fragmented-wolverine-habitat-is-essential-for-their-conservation-179151>

Fisher, Jason T., et al. "Wolverines (*Gulo gulo*) in a changing landscape and warming climate: a decadal synthesis of global conservation ecology research." *Global Ecology and Conservation* (2022): e02019. <https://doi.org/10.1016/j.gecco.2022.e02019>

Kojola, Ilpo, et al. "Ahmakanta Suomessa 2021." (2021). <http://urn.fi/URN:ISBN:978-952-380-329-9>

Vangen, Knut Morten, et al. "Characteristics of dispersal in wolverines." *Canadian Journal of Zoology* 79.9 (2001): 1641-1649. <https://doi.org/10.1139/z01-124>

Aronsson, M., and J. Persson. "Mismatch between goals and the scale of actions constrains adaptive carnivore management: the case of the wolverine in Sweden." *Animal Conservation* 20.3 (2017): 261-269. <https://doi.org/10.1111/acv.12310>

Packila, Mark L., et al. "Long-distance wolverine dispersal from Wyoming to historic range in Colorado." *Northwest Science* 91.4 (2017): 399-407. <https://doi.org/10.3955/046.091.0409>

Hedmark, Eva, Jenny Mattisson, and Mari Tovmo. "Inventering av järv 2021." (2021). <https://hdl.handle.net/11250/2789081>

Samuels, Joshua X., Keila E. Bredehoeft, and Steven C. Wallace. "A new species of *Gulo* from the Early Pliocene Gray Fossil Site (Eastern United States); rethinking the evolution of wolverines." *PeerJ* 6 (2018): e4648. <https://doi.org/10.7717/peerj.4648>

sivu 261

Lawler, Joshua J., et al. "Projected climate-induced faunal change in the Western Hemisphere." *Ecology* 90.3 (2009): 588-597. <https://doi.org/10.1890/08-0823.1>

Cannon, Charles H., Gianluca Piovesan, and Sergi Munné-Bosch. "Old and ancient trees are life history lottery winners and vital evolutionary resources for long-term adaptive capacity." *Nature Plants* 8.2 (2022): 136-145. <https://doi.org/10.1038/s41477-021-01088-5>

Acker, Steven A., et al. "Recent tree mortality and recruitment in mature and old-growth forests in western Washington." *Forest Ecology and Management* 336 (2015): 109-118. <https://doi.org/10.1016/j.foreco.2014.10.008>

"Suomen vanhin puu yhä pystyssä!", *Yleisradio*, 11.11.2015. <https://yle.fi/aihe/artikkeli/2015/11/11/suomen-vanhin-puu-yha-pystyssa>

sivu 262

Nabuurs, Gert-Jan, et al. "First signs of carbon sink saturation in European forest biomass." *Nature Climate Change* 3.9 (2013): 792-796. <https://doi.org/10.1038/nclimate1853>

Friedlingstein, Pierre, et al. "Global carbon budget 2021." *Earth System Science Data* 14.4 (2022): 1917-2005. <https://doi.org/10.5194/essd-14-1917-2022>

Mönkkönen, Mikko, et al. "More wood but less biodiversity in forests in Finland: a historical evaluation." *Memoranda Societatis pro Fauna et Flora Fennica* 98.Supplement 2 (2022). <https://journal.fi/msff/article/view/120306>

Määttänen, Aino-Maija, et al. "Increasing loss of mature boreal forests around protected areas with red-listed forest species." *Ecological Processes* 11.1 (2022): 1-13. <https://doi.org/10.1186/s13717-022-00361-5>

"Europe Is Sacrificing Its Ancient Forests for Energy", *The New York Times*, 7.9.2022. <https://www.nytimes.com/interactive/2022/09/07/world/europe/eu-logging-wood-pellets.html>

"Burning forests for energy isn't 'renewable' – now the EU must admit it", *The Guardian*, 5.9.2022. <https://www.theguardian.com/world/commentisfree/2022/sep/05/burning-forests-energy-renewable-eu-wood-climate>

"Inarissa poltetaan 300-vuotiasta ikimetsää kaukolämöksi – "Epäreilua, jos poltosta tulee maineriski matkailulle", *Suomen Kuvailehti*, 1.4.2021. <https://suomenkuvalehti.fi/kotimaa/epareilua-jos-poltosta-tulee-maineriski-matkailulle>

Trainor, Anne M., Robert I. McDonald, and Joseph Fargione. "Energy sprawl is the largest driver of land use change in United States." *PloS one* 11.9 (2016): e0162269. <https://doi.org/10.1371/journal.pone.0162269>

"INSIDER: Why Burning Trees for Energy Harms the Climate", *World Resources Institute*, 6.12.2017. <https://www.wri.org/insights/insider-why-burning-trees-energy-harms-climate>

Hansen, James, and Larissa Nazarenko. "Soot climate forcing via snow and ice albedos." *Proceedings of the national academy of sciences* 101.2 (2004): 423-428. <https://doi.org/10.1073/pnas.2237157100>

"Suomi kuusittuu liikaa etenkin Etelä-Suomessa – istutetuista taimista jopa 80 prosenttia on kuusta: metsätuhoriskit kasvavat", *Yleisradio*, 5.8.2022. <https://yle.fi/uutiset/3-12549613>

sivu 263

"”Näin laajoja kuolleita alueita en suomalaisesta talousmetsästä ole aikaisemmin nähty” – Ilmakuvat paljastavat tuhot”, *Helsingin Sanomat*, 13.9.2022. <https://www.hs.fi/tiede/art-2000009067094.html>

"The heat and drought in Europe will lead to a huge wave of tree deaths”, *NewScientist*, 9.9.2022. <https://www.newscientist.com/article/2337215-the-heat-and-drought-in-europe-will-lead-to-a-huge-wave-of-tree-deaths/>

"Kuusten syöjä vei metsän”, *Helsingin Sanomat*, 24.2.2022. <https://www.hs.fi/kotimaa/art-2000008595917.html>

Metsäradio, Kaarnakuoriaisten tuhoja, *Yle Areena*, Yleisradio 2022. Esitetty 5.10.2022.

Markus Melin, tutkimuspääikkö, Luonnonvarakeskus. <https://twitter.com/MarkusMelin1/status/1569278950278582272>

"Keski-Euroopan kuusimetsät syönyttä tuholista löytyi Suomesta ennätysmäärä hämmästyttävän pohjoisesta”, *Helsingin Sanomat*, 27.7.2022. <https://www.hs.fi/kotimaa/art-2000008969657.html>

"Euroopan tukala tulevaisuus”, *Helsingin Sanomat*, 20.8.2022. <https://www.hs.fi/ulkomaat/art-2000009000277.html>

Liu, Dan, et al. "Drought resistance enhanced by tree species diversity in global forests." *Nature Geoscience* 15.10 (2022): 800-804. <https://doi.org/10.1038/s41561-022-01026-w>

Cook, Benjamin I., et al. "Megadroughts in the Common Era and the Anthropocene." *Nature Reviews Earth & Environment* (2022): 1-17. <https://doi.org/10.1038/s43017-022-00329-1>, ks. Figure 4

"Metsien kuusettumisesta tulee iso riski ilmaston lämmetessä – metsähoidon professori pitää uhkana tuhopuiden pakkomyyntiä”, *Yleisradio*, 19.5.2021. <https://yle.fi/uutiset/3-11928725>

sivu 264

Van Valkenburgh, Blaire. "Déjà vu: the evolution of feeding morphologies in the Carnivora." *Integrative and Comparative Biology* 47.1 (2007): 147-163. <https://doi.org/10.1093/icb/icm016>

McCann, Kevin Shear. "The diversity–stability debate." *Nature* 405.6783 (2000): 228-233. <https://doi.org/10.1038/35012234>

Hooper, David U., et al. "Effects of biodiversity on ecosystem functioning: a consensus of current knowledge." *Ecological monographs* 75.1 (2005): 3-35. <https://doi.org/10.1890/04-0922>

Waldvogel, Ann-Marie, et al. "Evolutionary genomics can improve prediction of species' responses to climate change." *Evolution Letters* 4.1 (2020): 4-18. <https://doi.org/10.1002/evl3.154>

Griesser, Michael, et al. "Impact of forestry practices on fitness correlates and population productivity in an open-nesting bird species." *Conservation Biology* 21.3 (2007): 767-774. <https://doi.org/10.1111/j.1523-1739.2007.00675.x>

Muukkonen, Petteri, et al. "Loss and fragmentation of Siberian jay (*Perisoreus infaustus*) habitats." *Boreal environment research* (2012). https://helda.helsinki.fi/bitstream/handle/10138/165138/ber17_059.pdf

Uimaniemi, Leena, et al. "Genetic diversity in the Siberian jay *Perisoreus infaustus* in fragmented old-growth forests of Fennoscandia." *Ecography* 23.6 (2000): 669-677. <https://doi.org/10.1111/j.1600-0587.2000.tb00310.x>

Griesser, Michael, and Magdalena Nystrand. "Vigilance and predation of a forest-living bird species depend on large-scale habitat structure." *Behavioral Ecology* 20.4 (2009): 709-715. <https://doi.org/10.1093/beheco/arp045>

Pakkala, Timo, Jani Pellikka, and Harjo Lindén. "Capercaillie *Tetrao urogallus*—a good candidate for an umbrella species in taiga forests." *Wildlife Biology* 9.4 (2003): 309-316. <https://doi.org/10.2981/wlb.2003.019>

Valkama, Jari, Ville Vepsäläinen, and Aleksi Lehikoinen. "Suomen III lintuatlas." (2011).

Rajasärkkä A., et al. "Lintujen uhanalaisuuus Suomessa", *Linnut vuosikirja 2012*. https://lintulehti.birdlife.fi:8443/pdf/artikelit/1831/tiedosto/Linnut_VK2012_044-049_Alue-UHEX_artikelit_1831.pdf#view=FitH

Kunz, Florian, et al. "Past, present, future: tracking and simulating genetic differentiation over time in a closed metapopulation system." *Conservation Genetics* 22.3 (2021): 355-368. <https://doi.org/10.1007/s10592-021-01342-5>

Araya-Donoso, Raúl, et al. "Implications of barrier ephemerality in geogenomic research." *Journal of Biogeography* 49.11 (2022): 2050-2063. <https://doi.org/10.1111/jbi.14487>

sivu 266

Greenbaum, Gili, et al. "Allelic richness following population founding events—a stochastic modeling framework incorporating gene flow and genetic drift." *PloS one* 9.12 (2014): e115203. <https://doi.org/10.1371/journal.pone.0115203>

Mäntyniemi, Samu, et al. "Suomen susikannan suotuisan suojeleutason viitearvojen määrittäminen: Loppuraportti 2022." Luonnonvara- ja biotalouden tutkimus 80/2022. Luonnonvarakeskus. Helsinki. 147 s. (2022). <http://urn.fi/URN:ISBN:978-952-380-514-9>

sivu 267

Mäntyniemi, Samu et al. 2022 s. 120.

Laikre, Linda, et al. "Metapopulation effective size and conservation genetic goals for the Fennoscandian wolf (*Canis lupus*) population." *Heredity* 117.4 (2016): 279-289. <https://doi.org/10.1038/hdy.2016.44>

sivu 268

Charlesworth, Deborah, and John H. Willis. "The genetics of inbreeding depression." *Nature reviews genetics* 10.11 (2009): 783-796. <https://doi.org/10.1038/nrg2664>

Miller, Webb, et al. "Polar and brown bear genomes reveal ancient admixture and demographic footprints of past climate change." *Proceedings of the National Academy of Sciences* 109.36 (2012): E2382-E2390. <https://doi.org/10.1073/pnas.1210506109>

Harington, C. R. "The evolution of Arctic marine mammals." *Ecological Applications* 18.sp2 (2008): S23-S40. <https://doi.org/10.1890/06-0624.1>

sivu 269

Dakos, Vasilis, et al. "Ecosystem tipping points in an evolving world." *Nature ecology & evolution* 3.3 (2019): 355-362. <https://doi.org/10.1038/s41559-019-0797-2>

Frankham, Richard, Corey JA Bradshaw, and Barry W. Brook. "Genetics in conservation management: revised recommendations for the 50/500 rules, Red List criteria and population viability analyses." *Biological Conservation* 170 (2014): 56-63. <https://doi.org/10.1016/j.biocon.2013.12.036>

Pérez-Pereira, Noelia, et al. "Prediction of the minimum effective size of a population viable in the long term." (2022). <https://doi.org/10.1007/s10531-022-02456-z>

Laikre, Linda, et al. "Metapopulation effective size and conservation genetic goals for the Fennoscandian wolf (*Canis lupus*) population." *Heredity* 117.4 (2016): 279-289. <https://doi.org/10.1038/hdy.2016.44>

Mäntyniemi, Samu et al. 2022 s. 41. Taulukko 4. GPEG:n aliarvioimisriski 50%.

Hamilton, Jill A., and Joshua M. Miller. "Adaptive introgression as a resource for management and genetic conservation in a changing climate." *Conservation Biology* 30.1 (2016): 33-41. <https://doi.org/10.1111/cobi.12574>

Carroll, Carlos, et al. "Wolf Delisting Challenges Demonstrate Need for an Improved Framework for Conserving Intraspecific Variation under the Endangered Species Act." *BioScience* 71.1 (2021): 73-84. <https://doi.org/10.1093/biosci/biaa125>

Razgour, Orly, et al. "Considering adaptive genetic variation in climate change vulnerability assessment reduces species range loss projections." *Proceedings of the National Academy of Sciences* 116.21 (2019): 10418-10423. <https://doi.org/10.1073/pnas.1820663116>

Hendricks, Sarah A., Rena M. Schweizer, and Robert K. Wayne. "Conservation genomics illuminates the adaptive uniqueness of North American gray wolves." *Conservation Genetics* 20.1 (2019): 29-43. <https://doi.org/10.1007/s10592-018-1118-z>

sivu 270

Mäntyniemi, Samu et al. 2022 s. 34, 53 ja 113.

Åkesson, Mikael, et al. "Genetic signature of immigrants and their effect on genetic diversity in the recently established Scandinavian wolf population." *Conservation Genetics* 23.2 (2022): 359-373. <https://doi.org/10.1007/s10592-021-01423-5>

Laikre, Linda, et al. "Metapopulation effective size and conservation genetic goals for the Fennoscandian wolf (*Canis lupus*) population." *Heredity* 117.4 (2016): 279-289. <https://doi.org/10.1038/hdy.2016.44>

sivu 271

Boitani, Luigi. "13. Wolf Conservation and Recovery." *Wolves*. University of Chicago Press, 2010. 317-340.

Vuonna 1975, kun Suomen susikanta oli noin 10 sutta ja tapporahan maksaminen lopetettiin, koko Neuvostoliiton susipopulaation arvioidaan olleen 50 000 sutta. Neuvostoliiton susista 30 000 eli Kazakstanissa. Neuvostoliiton Euroopan puoleisessa osassa eli alle 10 000 sutta ja koko Siperiassa sekä Kaukoidässä yhteensä 6 300 sutta. Neuvosto-Karjalassa arvioidaan eläneen noin 300 sutta vuonna 1975.

IUCN, *Wolves* IUCN Publication New Series, Supplementary Paper No 43 (1975). <https://portals.iucn.org/library/sites/library/files/documents/NS-SP-043.pdf> s. 28–35.

Kopatz, Alexander, et al. "Restoration of transborder connectivity for Fennoscandian brown bears (*Ursus arctos*)." *Biological Conservation* 253 (2021): 108936. <https://doi.org/10.1016/j.biocon.2020.108936>

Waldvogel, Ann-Marie, et al. "Evolutionary genomics can improve prediction of species' responses to climate change." *Evolution Letters* 4.1 (2020): 4-18. <https://doi.org/10.1002/evl3.154>

Yellowstonessa tehdynä tutkimuksessa tiheän susipopulaation alueella, epäillään susien keskinäisen tappamisen vaikuttavan susipopulaation kokoon, kun esimerkiksi ravintoniukkuus on otettu huomioon:

Cubaynes, Sarah, et al. "Density-dependent intraspecific aggression regulates survival in northern Yellowstone wolves (*Canis lupus*)." *Journal of Animal Ecology* 83.6 (2014): 1344-1356. <https://doi.org/10.1111/1365-2656.12238>.

Wallach, Arian D., et al. "What is an apex predator?." *Oikos* 124.11 (2015): 1453-1461. <https://doi.org/10.1111/oik.01977>

sivu 272

Bergström, Anders, et al. "Grey wolf genomic history reveals a dual ancestry of dogs." *Nature* 607.7918 (2022): 313-320. <https://doi.org/10.1038/s41586-022-04824-9>

Ahlström, Anders, Josep G. Canadell, and Daniel B. Metcalfe. "Widespread unquantified conversion of old boreal forests to plantations." *Earth's Future* (2022): e2022EF003221. <https://doi.org/10.1029/2022EF003221>

sivu 273

Ramos-Madrigal, Jazmín, et al. "Genomes of Pleistocene Siberian wolves uncover multiple extinct wolf lineages." *Current Biology* 31.1 (2021): 198-206. <https://doi.org/10.1016/j.cub.2020.10.002>

Bergström, Anders, et al. "Grey wolf genomic history reveals a dual ancestry of dogs." *Nature* 607.7918 (2022): 313-320. <https://doi.org/10.1038/s41586-022-04824-9>

sivu 274

VanValkenburgh, Blaire, and Fritz Hertel. "Tough times at La Brea: tooth breakage in large carnivores of the late Pleistocene." *Science* 261.5120 (1993): 456-459. <https://doi.org/10.1126/science.261.5120.456>

Hooper, David U., et al. "Effects of biodiversity on ecosystem functioning: a consensus of current knowledge." *Ecological monographs* 75.1 (2005): 3-35. <https://doi.org/10.1890/04-0922>

Malhi, Yadvinder, et al. "Megafauna and ecosystem function from the Pleistocene to the Anthropocene." *Proceedings of the National Academy of Sciences* 113.4 (2016): 838-846. <https://doi.org/10.1073/pnas.1502540113>

Ripple, William J., et al. "Are we eating the world's megafauna to extinction?." *Conservation Letters* 12.3 (2019): e12627. <https://doi.org/10.1111/conl.12627>

Bhat, Uttam, Christopher P. Kempes, and Justin D. Yeakel. "Scaling the risk landscape drives optimal life-history strategies and the evolution of grazing." *Proceedings of the National Academy of Sciences* 117.3 (2020): 1580-1586. <https://doi.org/10.1073/pnas.1907998117>

Smith, Felisa A., et al. "Body size downgrading of mammals over the late Quaternary." *Science* 360.6386 (2018): 310-313. <https://doi.org/10.1126/science.aaq5987>

Damuth, John. "Interspecific allometry of population density in mammals and other animals: the independence of body mass and population energy-use." *Biological Journal of the Linnean Society* 31.3 (1987): 193-246. <https://doi.org/10.1111/j.1095-8312.1987.tb01990.x>

sivu 275

Dufresnes, Christophe, et al. "Howling from the past: historical phylogeography and diversity losses in European grey wolves." *Proceedings of the Royal Society B* 285.1884 (2018): 20181148. <https://doi.org/10.1098/rspb.2018.1148>

Pilot, M., et al. "Genome-wide signatures of population bottlenecks and diversifying selection in European wolves." *Heredity* 112.4 (2014): 428-442. <https://doi.org/10.1038/hdy.2013.122>

Johnson, Christopher N., et al. "Biodiversity losses and conservation responses in the Anthropocene." *Science* 356.6335 (2017): 270-275. <https://doi.org/10.1126/science.aam9317>

Harris, Grant, et al. "Global decline in aggregated migrations of large terrestrial mammals." *Endangered Species Research* 7.1 (2009): 55-76. <https://doi.org/10.3354/esr00173>

Wilcove, David S., and Martin Wikelski. "Going, going, gone: is animal migration disappearing." *PLoS biology* 6.7 (2008): e188. <https://doi.org/10.1371/journal.pbio.0060188>

Joly, Kyle, et al. "Longest terrestrial migrations and movements around the world." *Scientific Reports* 9.1 (2019): 1-10. <https://doi.org/10.1038/s41598-019-51884-5>

<https://livingplanet.panda.org>

Philip Lymbery, haastattelu, Helsingin kirjamessut 27.10.2021.

sivu 276

"Canada at a Glance", *International Wolf Center*. <https://wolf.org-wow/canada/>

"Wolves Returned to California. So Did 'Crazy' Rumors.", *The New York Times*, 11.3.2022. <https://www.nytimes.com/2022/03/11/science/california-wolves-misinformation.html>

Ripple, William J., and Robert L. Beschta. "Large predators limit herbivore densities in northern forest ecosystems." *European Journal of Wildlife Research* 58.4 (2012): 733-742. <https://doi.org/10.1007/s10344-012-0623-5>

Terborgh, John, et al. "Ecological meltdown in predator-free forest fragments." *Science* 294.5548 (2001): 1923-1926. <https://doi.org/10.1126/science.1064397>

McLaren, Brian E., and Rolf O. Peterson. "Wolves, moose, and tree rings on Isle Royale." *Science* 266.5190 (1994): 1555-1558. <https://www.science.org/doi/abs/10.1126/science.266.5190.1555>

Beschta, Robert L., and William J. Ripple. "Large predators and trophic cascades in terrestrial ecosystems of the western United States." *Biological conservation* 142.11 (2009): 2401-2414. <https://doi.org/10.1016/j.biocon.2009.06.015>

sivu 277

Hyvärinen, Esko, et al. "Suomen lajien uhanalaisuus-Punainen kirja 2019/The 2019 Red List of Finnish Species." Ympäristöministeriö & Suomen ympäristökeskus/Ministry of the Environment & Finnish Environment Institute, Helsinki (2019). <https://helda.helsinki.fi/handle/10138/299501>

"Tutkijaryhmä: 30 prosenttia maapallon pinta-alasta pitää suojella, mutta sekään ei yksin riitä lajikadon pysäytämiseen", *Helsingin Sanomat*, 19.1.2022. <https://www.hs.fi/ulkomaat/art-2000008550255.html>

Allan, James R., et al. "The minimum land area requiring conservation attention to safeguard biodiversity." *Science* 376.6597 (2022): 1094-1101. <https://doi.org/10.1126/science.abl9127>, ks. Figure 1.

Clarkson, M. O., et al. "Ocean acidification and the Permo-Triassic mass extinction." *Science* 348.6231 (2015): 229-232. <https://doi.org/10.1126/science.aaa0193>

"Why did the dinosaurs go extinct?", *National Geographic*, 31.7.2019. <https://www.nationalgeographic.com/science/article/dinosaur-extinction>

sivu 278

Hobbs, Richard J., Eric Higgs, and James A. Harris. "Novel ecosystems: implications for conservation and restoration." *Trends in ecology & evolution* 24.11 (2009): 599-605. <https://doi.org/10.1016/j.tree.2009.05.012>

Mech D. ja Peterson R. 2003, "Wolf-Prey Relations", kirjassa *Wolves: Behavior, Ecology, and Conservation*, Chicago & London: University of Chicago Press, 148.

"Valkohäntäpeurakannan kasvu jatkui, *Luonnonvarakeskus*", 19.3.2021. <https://www.luke.fi/fi/uutiset/valkohantapeurakannan-kasvu-jatkui>

Ewel, John J., and Francis E. Putz. "A place for alien species in ecosystem restoration." *Frontiers in Ecology and the Environment* 2.7 (2004): 354-360. [https://doi.org/10.1890/1540-9295\(2004\)002%5B0354:APFASI%5D2.0.CO;2](https://doi.org/10.1890/1540-9295(2004)002%5B0354:APFASI%5D2.0.CO;2)

sivu 279

Lundgren, Erick J., et al. "A novel trophic cascade between cougars and feral donkeys shapes desert wetlands." *Journal of Animal Ecology* (2022). <https://doi.org/10.1111/1365-2656.13766>

Schleuning, Matthias, Jochen Fründ, and Daniel García. "Predicting ecosystem functions from biodiversity and mutualistic networks: an extension of trait-based concepts to plant-animal interactions." *Ecography* 38.4 (2015): 380-392. <https://doi.org/10.1111/ecog.00983>

Vieraslajin aiheuttamista riskeistä ja mahdollisuksista ekosysteemin kunnostamisessa esim:
 Ewel, John J., and Francis E. Putz. "A place for alien species in ecosystem restoration." *Frontiers in Ecology and the Environment* 2.7 (2004): 354-360. [https://doi.org/10.1890/1540-9295\(2004\)002%5B0354:APFASI%5D2.0.CO;2](https://doi.org/10.1890/1540-9295(2004)002%5B0354:APFASI%5D2.0.CO;2)

Dawson, Wayne, et al. "Global hotspots and correlates of alien species richness across taxonomic groups." *Nature Ecology & Evolution* 1.7 (2017): 1-7. <https://doi.org/10.1038/s41559-017-0186>

Geffen, E. L. I., Marti J. Anderson, and Robert K. Wayne. "Climate and habitat barriers to dispersal in the highly mobile grey wolf." *Molecular Ecology* 13.8 (2004): 2481-2490. <https://doi.org/10.1111/j.1365-294X.2004.02244.x>

Pilot, Małgorzata, et al. "Ecological factors influence population genetic structure of European grey wolves." *Molecular ecology* 15.14 (2006): 4533-4553. <https://doi.org/10.1111/j.1365-294X.2006.03110.x>

Leonard, Jennifer A. "Ecology drives evolution in grey wolves." *Evolutionary Ecology Research* 16.6 (2015): 461-473. <http://www.evolutionary-ecology.com/open/v16n06/eear2913.pdf>

Itäajan esteaita, Rajavartiolaitos. <https://raja.fi/itarajan-esteaita>

"An endangered wolf went in search of a mate. The border wall blocked him.", *National Geographic*, 22.1.2022. <https://www.nationalgeographic.com/animals/article/mexican-gray-wolf-migration-stopped-by-border-wall>

Niebuhr, Bernardo, et al. "Survival in patchy landscapes: the interplay between dispersal, habitat loss and fragmentation." *Scientific reports* 5.1 (2015): 1-10. <https://doi.org/10.1038/srep11898>

sivu 280

Ripple, William J., et al. "Rewilding the American West." *BioScience* 72.10 (2022): 931-935. <https://doi.org/10.1093/biosci/biac069>

Schloss, Carrie A., Tristan A. Nuñez, and Joshua J. Lawler. "Dispersal will limit ability of mammals to track climate change in the Western Hemisphere." *Proceedings of the National Academy of Sciences* 109.22 (2012): 8606-8611. <https://doi.org/10.1073/pnas.1116791109>

<https://www.enr.gov.nt.ca/en/services/barren-ground-caribou/bathurst-herd>

<https://www.gov.nu.ca/environment/news/effective-immediately-closure-baffin-island-caribou-harvest-2>

"Composition", *Porcupine Caribou Management Board*. <https://pcmb.ca/composition/>

Pöllänen, Antti. Suurpetojen aiheuttama vaihtelu metsäpeuravaadinten (*Rangifer tarandus fennicus*) säilyvyydessä. Diss. University of Oulu, 2020. <http://urn.fi/URN:NBN:fi:oulu-202004241543>

Anttti Paasivaara, erikoistutkija, Luonnonvarakeskus. Julkaisematon aineisto. Henkilökohtainen tiedoksianto.

Anttti Paasivaara, erikoistutkija, Luonnonvarakeskus. Henkilökohtainen tiedoksianto 16.5.2022.

"Minne menet Metsäpeura: metsäpeuran (*Rangifer tarandus fennicus*) kannanseuranta ja sitä tukeva tutkimus", Antti Paasivaara, Luonnonvarakeskus. Esitys Riistapäivillä 2016. http://www.metla.fi/tapahtumat/2016/riistapaivat-2016/esitykset/20_1130_Paasivaara.pdf

sivu 281

Ripple, William J., et al. "World Scientists' Warning of a Climate Emergency 2022." (2022): 1149-1155. <https://doi.org/10.1093/biosci/biac083>

<https://www.luontoon.fi/kilpelankangas/historiajanahavyydet>

sivu 284

Leblond, Mathieu, et al. "There is still time to reconcile forest management with climate-driven declines in habitat suitability for boreal caribou." *Global Ecology and Conservation* 39 (2022): e02294. <https://doi.org/10.1016/j.gecco.2022.e02294>

St-Laurent, Martin-Hugues, et al. "Lowering the rate of timber harvesting to mitigate impacts of climate change on boreal caribou habitat quality in eastern Canada." *Science of The Total Environment* (2022): 156244. <https://doi.org/10.1016/j.scitotenv.2022.156244>

Descals, Adrià, et al. "Unprecedented fire activity above the Arctic Circle linked to rising temperatures." *Science* 378.6619 (2022): 532-537. <https://doi.org/10.1126/science.abn9768>

Lehtonen, Ilari. Projected climate change impact on fire risk and heavy snow loads in the Finnish forests. Finnish Meteorological Institute, 2017. <http://urn.fi/URN:ISBN:978-952-336-023-5>

Boulanger Yan, Research Scientist, Natural Resources Canada. <https://twitter.com/yboulanger2/status/1574795134440333317>

Barber, Quinn E., et al. "Potential impacts of climate change on the habitat of boreal woodland caribou." *Ecosphere* 9.10 (2018): e02472. <https://doi.org/10.1002/ecs2.2472>

sivu 285

Dickie, Melanie, et al. "Evaluating the impact of caribou habitat restoration on predator and prey movement." *Conservation Biology* (2022). <https://doi.org/10.1111/cobi.14004>

Averill, Colin, et al. "Defending Earth's terrestrial microbiome." *Nature Microbiology* 7.11 (2022): 1717-1725. <https://doi.org/10.1038/s41564-022-01228-3>

Maaperän hiilivarastoista ja vuorovaikutuksista esimerkiksi:

Varney, Rebecca M., et al. "Evaluation of soil carbon simulation in CMIP6 Earth System Models." *Biogeosciences Discussions* (2022): 1-52. <https://bg.copernicus.org/articles/19/4671/2022/>

sivu 286

"Suomesta vuosikymmeniksi hävinnyt arktinen koiraeläin teki paluun – ikiaikaisen pesäkummun uumenista nousi kolme poikasta", *Helsingin Sanomat*, 23.8.2022. <https://www.hs.fi/kotimaa/art-2000009019382.html>

"Rekordår for fjellreven", *Miljødirektoratet*, 14.9.2022. <https://www.miljodirektoratet.no/aktuelt/nyheter/2022/september-2022/rekordar-for-fjellreven/>

Avainlajeista esimerkiksi:

<https://education.nationalgeographic.org/resource/role-keystone-species-ecosystem>

Power, Mary E., et al. "Challenges in the quest for keystones: identifying keystone species is difficult—but essential to understanding how loss of species will affect ecosystems." *BioScience* 46.8 (1996): 609-620. <https://doi.org/10.2307/1312990>

Mills, L. Scott, Michael E. Soulé, and Daniel F. Doak. "The keystone-species concept in ecology and conservation." *BioScience* 43.4 (1993): 219-224. <https://doi.org/10.2307/1312122>

Clinchy, Michael, et al. "Fear of the human “super predator” far exceeds the fear of large carnivores in a model mesocarnivore." *Behavioral Ecology* 27.6 (2016): 1826-1832. <https://doi.org/10.1093/beheco/arw117>

Suraci, Justin P., et al. "Fear of large carnivores causes a trophic cascade." *Nature communications* 7.1 (2016): 1-7. <http://dx.doi.org/10.1038/ncomms10698>

Bump, Joseph, et al. "Predator personalities alter ecosystem services." *Frontiers in Ecology and the Environment* 20.5 (2022): 275-277. <https://doi.org/10.1002/fee.2512>

Wolf restoration, National Park Services. <https://www.nps.gov/yell/learn/nature/wolf-restoration.htm>

"25 years after returning to Yellowstone, wolves have helped stabilize the ecosystem", *National Geographic*, 10.7.2020. <https://www.nationalgeographic.com/animals/article/yellowstone-wolves-reintroduction-helped-stabilize-ecosystem>

Eberhardt, L. L., et al. "A seventy-year history of trends in Yellowstone's northern elk herd." *The Journal of wildlife management* 71.2 (2007): 594-602. <https://www.jstor.org/stable/4495221>

sivu 287

Petroelje, Tyler R., et al. "Interference competition between wolves and coyotes during variable prey abundance." *Ecology and evolution* 11.3 (2021): 1413-1431. <https://doi.org/10.1002/ece3.7153>

Kojootin sopeutumisesta pleistoseeni- ja holoseenikausien vaiheitumisessa:

Meachen, Julie A., et al. "Ecological changes in coyotes (*Canis latrans*) in response to the Ice Age megafaunal extinctions." *PLoS One* 9.12 (2014): e116041. <https://doi.org/10.1371/journal.pone.0116041>

World Economic Forum, *Nature Risk Rising: Why the Crisis Engulfing Nature Matters for Business and the Economy*, 2020. https://www3.weforum.org/docs/WEF_New_Nature_Economy_Report_2020.pdf

"Land Use", *Our World in Data*. 9/2019. <https://ourworldindata.org/land-use#half-of-the-worlds-habitable-land-is-used-for-agriculture>

"Viljasadolla on monenlaista käyttöä – ruokaa, rehua, vientiä ja varastoja", *Luonnonvarakeskus*, 21.9.2021. <https://www.luke.fi/fi/uutiset/viljasadolla-on-monenlaista-kayttoa-ruokaa-rehua-vientia-ja-varastoja>

"Moody's Has a \$1.9 Trillion Warning Over Biodiversity", *Bloomberg*, 28.9.2022. <https://www.bloomberg.com/news/articles/2022-09-28/moody-s-1-9-trillion-warning-over-biodiversity-green-insight>

Tilastokeskus. "Teollisuuden myydyn tuotannon arvo oli noin 93 miljardia euroa vuonna 2021". <https://www.stat.fi/julkaisu/cktwljfo03yx00b556afcdkoh>

Business Finland. "Matkailutilinpito". <https://www.businessfinland.fi/suomalaisille-asiakkaille/palvelut/matkailun-edistaminen/tutkimukset-ja-tilastot/matkailutilinpito>

sivu 288

"Nature's solution to climate change", *International Monetary Fund*, 12/2019. <https://www.imf.org/en/Publications/fandd/issues/2019/12/natures-solution-to-climate-change-chami>

"How much is a whale worth?", *National Geographic*, 24.9.2019. <https://www.nationalgeographic.com/environment/article/how-much-is-a-whale-worth>

"Norway's 2020 whaling season deadliest in years", *Oceanographic*. <https://oceanographicmagazine.com/news/norway-whaling-season-2020/>

"Norwegian Whalers Slaughter 575 Whales During 2021 Season, Highest Since 2016 Despite Low Demand For Whale Meat", *Animal Welfare Institute*, 27.9.2021. <https://awionline.org/press-releases/norwegian-whalers-slaughter-575-whales-during-2021-season-highest-2016-despite-low>

"WHALING IN NORWAY", *Whales & Dolphins*. <https://uk.whales.org/our-4-goals/stop-whaling/whaling-in-norway/>

Norges Råfisklag. <https://www.rafisklaget.no/statistikk>

Dasgupta, Partha. The economics of biodiversity: the Dasgupta review. Hm Treasury, 2021. <https://www.gov.uk/government/publications/final-report-the-economics-of-biodiversity-the-dasgupta-review>

Avgar, Tal, and Oded Berger-Tal. "Biased Learning as a Simple Adaptive Foraging Mechanism." *Frontiers in Ecology and Evolution* 9 (2022): 759133. <http://dx.doi.org/10.3389/fevo.2021.759133>

Crowley, Philip H., et al. "Predicting habitat choice after rapid environmental change." *The American Naturalist* 193.5 (2019): 619-632. <https://doi.org/10.1086/702590>

sivu 289

NASA Jet Propulsion Laboratory | Voyager:

<https://voyager.jpl.nasa.gov>

<https://voyager.jpl.nasa.gov/golden-record/>

<https://voyager.jpl.nasa.gov/assets/audio/golden-record/wildog.wav>

Katso lisää kuudennen massasukupuuton saavuttamisen ajankohtasta:

Barnosky, Anthony D., et al. "Has the Earth's sixth mass extinction already arrived?." *Nature* 471.7336 (2011): 51-57. <https://doi.org/10.1038/nature09678>

ja

Ceballos, Gerardo, Paul R. Ehrlich, and Rodolfo Dirzo. "Biological annihilation via the ongoing sixth mass extinction signaled by vertebrate population losses and declines." *Proceedings of the national academy of sciences* 114.30 (2017): E6089-E6096. <https://doi.org/10.1073/pnas.1704949114>

ja

Ceballos, Gerardo, Paul R. Ehrlich, and Peter H. Raven. "Vertebrates on the brink as indicators of biological annihilation and the sixth mass extinction." *Proceedings of the National Academy of Sciences* 117.24 (2020): 13596-13602. <https://doi.org/10.1073/pnas.1922686117>

Luku 10. Tutkimusmenetelmä

sivu 293

Derrida J. *Eläin joka siis olen*, Tutkijaliitto, Helsinki. 2019. s. 165.

sivu 294

"Se onnistui! Mustasta aukosta saatettiin ensimmäinen kuva", *Yleisradio*, 10.4.2019. <https://yle.fi/uutiset/3-10731396>

"First-ever picture of a black hole unveiled", *National Geographic*, 10.4.2019. <https://www.nationalgeographic.com/science/article/first-picture-black-hole-revealed-m87-event-horizon-telescope-astrophysics>

Akiyama, Kazunori, et al. "First M87 event horizon telescope results. IV. Imaging the central supermassive black hole." *The Astrophysical Journal Letters* 875.1 (2019): L4. <https://doi.org/10.3847/2041-8213/ab0e85>

sivu 296

Derrida J. *Eläin joka siis olen*, Tutkijaliitto, Helsinki. 2019.

sivu 297

<https://finna.fi/Record/museovirasto.EC958BB416DAB9AD57E6B8B0D626A895>

"Suomi antoi luvan suuren ja poikkeuksellisen syrjäisen susilauman jokaisen yksilön ampumiselle: "Se on ollut päättösharkintamme lopputulema", *Helsingin Sanomat*, 26.1.2022. <https://www.hs.fi/kotimaa/art-2000008562485.html>

sivu 298

Susiutusia:

<https://www.sll.fi/2021/11/01/luonnon suojeleliitto-suden-metsastys-on-ennenaikaista/>
<https://www.wwf.fi/uutiset/2022/07/luonto-linssin-lapi/>
<https://yle.fi/uutiset/3-12403390>
<https://www.hs.fi/tiede/art-2000008841546.html>
<https://www.hs.fi/kotimaa/art-2000008577170.html>
<https://www.is.fi/uutiset/art-2000008565124.html>
<https://www.mtvuutiset.fi/artikkeli/mtv-uutiset-selvitti-nain-susien-tappolupia-myonnetaan/8344662#gs.6zse73>
<https://www.aamulehti.fi/uutiset/art-2000008574754.html>